OSRAM

LEDinspect Flood 10W

Inspection lights





1000 lm

Bright, white light by high performance LEDs



Rechargeable battery Operating time of up to 5 h (high) / up to 10 h (low) / up to 12 h (flashing)



Water- and dirt repellentProtection against the ingress of particleswith $\emptyset \ge 1.0$ mm and against splashwater according to IP54 / IK06



Light is versatile

This high-quality inspection light is perfect for professional and private use. For a variety of applications e.g for a wide and large-area lighting of rooms, areas and surfaces. With three light functions - high, low and flashing - 25 LEDs, 10 watts and up to 6000 Kelvin and a rechargeable 3.7 V 4000 mAh lithium battery, this headlight has an operating time of up to 5 h (high) / up to 10 h (low) / up to at 20 h (flashing). With the IP protection class IP54, IK06, this spotlight is protected against the ingress of particles with $\emptyset \ge 1.0$ mm and against splash water. It can also be used as a power bank as 2 USB connections are integrated. This LED flooder is easy to transport, has a non-slip and dirt-repellent surface, contains an integrated angle stand & magnets for hands-free work and easy attachment, and is therefore ideal as a work lamp for manual activities, car repairs, renovation and painting work. OSRAM also offers a 2-year warranty on this product*

Technical data

Product information

Order reference	LEDIL FLOOD 10W
Application (Category and Product specific)	LED inspection lights for personal use


Electrical data

Nominal wattage	10.00 W
Nominal voltage	3.7 V

Photometrical data

Color temperature	6000 К
Luminous flux	10W/1000 lm
Light color LED	White

Dimensions & weight



Product weight	710.00 g
Length	161.0 mm
Width	176.0 mm
Height	59.0 mm

Colors & materials

Base color	Black

Lifespan

Gu	larantee	,

2 years

Additional product data

Type of	Battery
---------	---------

Rechargeable

Number of included batteries	n.a.	
Capabilities		
Technology	LED ¹⁾	
¹⁾ Light-emitting diode lamp		
Certificates & standards		
Standards	CE	
Type of protection	IP54	

Country specific categorizations

Order reference LEDIL FLOOD 10W

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	29-12-2021
Primary Article Identifier	4062172092326
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	83f5e2be-0cfa-424d-ac08-6d4ec1f07121

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172092326	INSPECTION LAMP	Folding carton box 1	181 mm x 64 mm x 169 mm	1.96 dm³	769.00 g
4062172125871	INSPECTION LAMP	Shipping carton box 6	382 mm x 215 mm x 200 mm	16.43 dm³	5003.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

1	

User instruction LEDinspect BASIC FLOODER 10 W LEDinspect BASIC FLOODER 20 W

File

D	Movie application OSRAM LEDinspect Flooder Trailer (EN)
	360 Degree Image TL1207

Application advice:

For more detailed application information and graphics please see product datasheet.

Disclaimer:

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

