

WIRE ROPE SPRAY

Page: 1

Compilation date: 08/09/2014

Revision date: 05/02/2016

### Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: WIRE ROPE SPRAY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of substance / mixture: Wire Rope Lubricant

### **1.3. Details of the supplier of the safety data sheet**

### Company name: ROCOL

ROCOL House Swillington Leeds West Yorkshire LS26 8BS ENGLAND Tel: +44 (0) 113 232 2700 Fax: +44 (0) 113 232 2740

Email: <u>customer-service@rocol.com</u>

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; Flam. Aerosol 1: H222; -: H229

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

Label elements:	
Hazard statements:	H222: Extremely flammable aerosol.
	H229: Pressurised container: May burst if heated
	H411: Toxic to aquatic life with long lasting effects.
Hazard pictograms:	GHS02: Flame
	GHS09: Environmental



### WIRE ROPE SPRAY

	Paç	je:	2
Signal words:	Danger		
Precautionary statements:	P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.		
	P251: Do not pierce or burn, even after use.		
	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.		
	No smoking.		
	P211: Do not spray on an open flame or other ignition source.		
	P285: In case of inadequate ventilation wear respiratory protection.		
	P273: Avoid release to the environment.		
	P391: Collect spillage.		
	P501: Dispose of contents/container to local/national regulations.		

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

3.2. Mixtures

### Hazardous ingredients:

### CYCLO-PENTANE - REACH registered number(s): 01-2119463053-47-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent			
206-016-6	287-92-3	-	Flam. Liq. 2: H225; STOT SE 3: H336; Asp. Tox. 1: H304; Aquatic Chronic 3: H412; -: EUH066	30-50%			
HYDROCARBC	HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE) - REACH registered number(s): EXEMPT						
270-704-2	68476-85-7	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	22.5-30%			

SOLVENT REFINED BASE OIL (NOTE L- LESS THAN 3% DMSO EXTRACT)

265-166-0	64742-62-7	Substance with a Community	-	22.5-30%
		workplace exposure limit.		

### Non-classified ingredients:

### C14-C17 CHLORINATED PARAFFIN - REACH registered number(s): 01-2119519269-33-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
287-477-0	85535-85-9	-	Lact.: H362; Aquatic Chronic 1: H410; Aquatic Acute 1: H400; -: EUH066	<1%

### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

### WIRE ROPE SPRAY

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed Skin contact: There may be irritation and redness at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur. Delayed / immediate effects: No data available. 4.3. Indication of any immediate medical attention and special treatment needed Immediate / special treatment: No data available. Section 5: Fire-fighting measures 5.1. Extinguishing media: Do not use water. Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers. 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

### WIRE ROPE SPRAY

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Smoking is forbidden.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

8.1. Control parameters

### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	1000ppm 1750mg/m3	1250ppm 2180mg/m3	-	-

### Hazardous ingredients:

### HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1000ppm 1750mg/m3	1250ppm 2180mg/m3	-	-

### SOLVENT REFINED BASE OIL (NOTE L- LESS THAN 3% DMSO EXTRACT)

EU

5 mg/m3

### DNEL/PNEC Values

**DNEL / PNEC** No data available.

## 8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition. Respiratory protection: Respiratory protection not normally required. Hand protection: Gloves (oil-resistant). Nitrile gloves. Eye protection: Safety glasses with side-shields. Skin protection: Protective clothing. Environmental: No data available Section 9: Physical and chemical properties

Page: 4

Respirable dust

## Respirable dust

WIRE ROPE SPRAY

Page: 5

### 9.1. Information on basic physical and chemical properties

State:	Aerosol	
Colour:	Black	
Odour:	Characteristic odour	
Evaporation rate:	Fast	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Miscible	
Viscosity:	Non-viscous	
Boiling point/range°C:	<0 Melting point/range°C:	<-130
Flammability limits %: lower:	1.8 <b>upper:</b>	9.4
Flash point°C:	-100 Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	> 200 Vapour pressure:	No data available.
Relative density:	<1 pH:	No data available.
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### Section 11: Toxicological information

11.1. Information on toxicological effects

### WIRE ROPE SPRAY

Page: 6

Hazardous ingredients:

### **CYCLO-PENTANE**

ORAL	RAT	LD50	>5000	mg/kg	
VAPOURS	RAT	4H LC50	>25.3	mg/l	

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

Delayed / immediate effects: No data available.

Section 12: Ecological information

12.1. Toxicity

### Hazardous ingredients:

### **CYCLO-PENTANE**

Daphnia magna	48H EC50	51.1	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	29.3	mg/l

12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Highly volatile. Absorbed only slowly into soil.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal operations: No data available.

Recovery operations: No data available

Waste code number: 16 05 05

### WIRE ROPE SPRAY

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

Transport class: 2.1

14.4. Packing group

Packing group: n/a

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No data available

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk: No data available.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: No data available

15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### **Section 16: Other information**

Other information

 Other information:
 This safety data sheet is prepared in accordance with Commission Regulation (EU) No

 2015/830.
 Safety data sheet prepared in accordance with Commission Directive 2008/47/EC of 8 April

 2008 amending, for the purposes of adapting to technical progress, Council Directive

 75/324/EEC relating to aerosol dispensers

 Compiled in accordance with REACH.

 Phrases used in s.2 and s.3:

 EUH066: Repeated exposure may cause skin dryness or cracking.

 H220: Extremely flammable gas.

### WIRE ROPE SPRAY

H222: Extremely flammable aerosol. H225: Highly flammable liquid and vapour. H229: Pressurised container: May burst if heated H280: Contains gas under pressure; may explode if heated. H304: May be fatal if swallowed and enters airways. H336: May cause drowsiness or dizziness. H362: May cause harm to breast-fed children. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 8