

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

40+
Bulk

1.2. Relevant identified uses of the substance or mixture and uses advised against

Lubricants

1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd.
Ambersil House - Wylds Road
Castlefield Industrial Estate
TA6 4DD Bridgwater Somerset
United Kingdom
Tel.: +44 1278 727200
Fax.: +44 1278 425644
E-mail : hse.uk@crcind.com

1.4. Emergency telephone number

(+44)(0)1278 72 7200 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

| | |
|------------------------|--|
| Physical: | Flammable liquid, category 3 Flammable liquid and vapour. |
| Health: | Aspiration Hazard Category 1 May be fatal if swallowed and enters airways. Eye irritation, category 2 Causes serious eye irritation. Specific target organ toxicity - single exposure, category 3 May cause drowsiness or dizziness. Specific Target Organ Toxicity - Repeated Exposure Category 1 Causes damage to organs through prolonged or repeated exposure . |
| Environment: | Hazardous to the aquatic environment, chronic category 2 Toxic to aquatic life with long lasting effects. |
| Other hazards : | Repeated exposure may cause skin dryness or cracking. |
| Other hazards : | Not classified |



1 / 9

CRC Industries UK Limited
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

| | |
|---|---|
| Product identifier: | Contains: Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic |
| Hazard pictogram(s): |     |
| Signal word: | Danger |
| Hazard statement(s): | H226 : Flammable liquid and vapour. H304 : May be fatal if swallowed and enters airways. H319 : Causes serious eye irritation. H336 : May cause drowsiness or dizziness. H372 : Causes damage to organs through prolonged or repeated exposure . H411 : Toxic to aquatic life with long lasting effects. |
| Precautionary statement(s): | P101 : If medical advice is needed, have product container or label at hand. P102 : Keep out of reach of children. P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 : Do not breathe dust/fume/gas/mist/vapours/spray. P271 : Use only outdoors or in a well-ventilated area. P301/310 : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 : Do NOT induce vomiting. P405 : Store locked up. P501-2 : Dispose of contents/container to an authorised waste collection point. |
| Supplemental Hazard information: | Repeated exposure may cause skin dryness or cracking. |

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

| Hazardous ingredient | CAS-nr. | EC-nr | w/w % | symbol | R-phrases* | Notes |
|--|---------|-----------|--------|--------|----------------------------|-------|
| Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic | - | 919-446-0 | 60-100 | Xn,N | 10-51/53-65-67-48/23/24/24 | B |
| Explanation notes | | | | | | |
| B : substance with national established workplace exposure limit | | | | | | |

| Hazardous ingredient | Registration | CAS- | EC-nr | w/w | Hazard Class and Category | Hazard statement | Notes |
|----------------------|--------------|------|-------|-----|---------------------------|------------------|-------|
|----------------------|--------------|------|-------|-----|---------------------------|------------------|-------|

Ambersil

2 / 9

CRC Industries UK Limited
 Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
 Somerset, TA6 4DD
 Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

| | number | nr. | % | | | |
|--|------------------|-----|-----------|--------|--|----------------------------|
| Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic | 01-2119458049-33 | - | 919-446-0 | 60-100 | Flam. Liq. 3, Asp. Tox. 1, STOT SE 3, STOT RE 1, Aquatic Chronic 2 | H226,H304,H336,H372,H411 B |
| Explanation notes | | | | | | |
| B : substance with national established workplace exposure limit | | | | | | |
| (* Explanation phrases : see chapter 16) | | | | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|---|
| Contact with eyes : | If substance has got into eyes, immediately wash out with water for at least 15 minutes Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if irritation persists |
| Contact with skin : | Remove contaminated clothing immediately and drench affected skin with plenty of water Wash with water and soap. Seek medical attention if irritation persists |
| Inhalation : | Fresh air, keep warm and at rest. Seek medical attention if ill effects occur |
| Ingestion : | If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-----------------------|--|
| Inhalation : | Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness |
| Ingestion : | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. Symptoms : sore throat, abdominal pain, nausea, vomiting |
| Skin contact : | Repeated exposure may cause skin dryness or cracking. Symptoms : redness and pain |
| Eye contact : | Irritating to eyes Symptoms : redness and pain, impaired vision |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-------------------------|---|
| General Advice : | If you feel unwell, seek medical advice (show the label where possible) If symptoms persist always call a doctor |
|-------------------------|---|

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture



3 / 9

CRC Industries UK Limited
 Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
 Somerset, TA6 4DD
 Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

May form explosive vapour/air mixtures
Forms hazardous decomposition products
CO,CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water
In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources
Ensure adequate ventilation
Wear suitable protective clothing including eye/face protection.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition
Take precautionary measures against static discharges
Equipment should be earthed
Use explosion-proof electrical/ventilating/lighting/.../equipment.
Use only non-sparking tools.
Do not breathe aerosols or vapours.
Ensure adequate ventilation
Avoid contact with skin and eyes.
Wash thoroughly after use
Wear protective gloves/protective clothing/eye protection/face protection.
Eyewash bottles should be available

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place.
Keep out of reach of children.



Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

7.3. Specific end use(s)

Lubricants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits :

No information available

8.2. Exposure controls

| | |
|------------------------------|---|
| Control procedures : | Ensure adequate ventilation Keep away from heat and sources of ignition Take precautionary measures against static discharges |
| Personal protection : | Take precautions to avoid contact with skin and eyes when handling the product. Ensure adequate ventilation |
| inhalation : | In case of insufficient ventilation, wear suitable respiratory equipment. |
| hands and skin : | Wear suitable protective gloves |
| Recommended gloves: | Nitrile |
| eyes : | Wear safety goggles according to EN 166. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-----------------------------------|
| Apperance : physical state : | Liquid. |
| colour : | Amber. |
| odour : | White spirit. |
| pH : | Not applicable. |
| Boiling point/range : | 150 °C |
| Flash point : | 43 °C (Closed Cup) |
| Evaporation rate : | Not available. |
| Explosion limits : upper limit : | 8 % |
| lower limit : | 0.9 % |
| Vapour pressure : | Not available. |
| Relative density : | 0.805 g/cm ³ (@ 20°C). |
| Solubility in water : | Insoluble in water |
| Auto-ignition : | 230 °C |
| Viscosity : | Not available. |

9.2. Other information

SECTION 10: Stability and reactivity



5 / 9

CRC Industries UK Limited
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

| | |
|-----------------------|--|
| Inhalation : | Inhalation of solvent vapours may give rise to nausea, headaches and dizziness |
| Ingestion : | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. |
| Skin contact : | Repeated exposure may cause skin dryness or cracking. |
| Eye contact : | Irritating to eyes |

Toxicological data :

| Hazardous ingredient | CAS-nr. | method | |
|--|---------|-----------------|--------------|
| Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic | - | LD50 oral rat | > 5000 mg/kg |
| | | LC50 inhal.rat | > 10 mg/l |
| | | LD50 derm.rabit | > 4 mg/kg |

SECTION 12: Ecological information

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

12.1. Toxicity

Hazardous to the aquatic environment, chronic category 2
Toxic to aquatic life with long lasting effects.

Ecotoxicological data:

| Hazardous ingredient | CAS-nr. | method | |
|--|---------|--------------|-------------|
| Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclic | - | IC50 algae | 4.6-10 mg/l |
| | | LC50 fish | 10-30 mg/l |
| | | EC50 daphnia | 10-22 mg/l |

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available
GWP (global warming potential): 0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way.
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

Contaminated packaging : Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number : 1300



7 / 9

CRC Industries UK Limited
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : 40+
Ref.Nr.: UDS000242_3_20160706 (EN)

Creationdate : 06.07.16 Version : 1.0
Replaces:

14.2. UN proper shipping name

Proper shipping name: TURPENTINE SUBSTITUTE (turpentine substitute, solvent naphtha)

14.3. Transport hazard class(es)

Class: 3
ADR/RID - Classification code: F1

14.4. Packing group

Packing group: III

14.5. Environmental hazards

ADR/RID - Environmentally
hazardous: Yes
IMDG - Marine pollutant: Marine pollutant
IATA/ICAO - Environmentally
hazardous: Yes

14.6. Special precautions for user

ADR/RID - Tunnelcode: (D/E)
IMDG - Ems: F-E, S-E
IATA/ICAO - PAX: 355
IATA/ICAO - CAO: 366

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.
EU-directive 99/45/EC
Regulation (EC) No 1272/2008 (CLP)
Regulation (EC) No 1907/2006 (REACH)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation risk-phrases: R10: Flammable.



| | | |
|---|--------------------------------|----------------------|
| Productname : 40+ | Creationdate : 06.07.16 | Version : 1.0 |
| Ref.Nr.: UDS000242_3_20160706 (EN) | Replaces: | |

R65: Harmful: may cause lung damage if swallowed.

R67: Vapours may cause drowsiness and dizziness.

R48/23/24/24

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

*Explanation hazard statements: H226 : Flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H336 : May cause drowsiness or dizziness.

H372 : Causes damage to organs through prolonged or repeated exposure .

H411 : Toxic to aquatic life with long lasting effects.

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.