

SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/4

EP 94169 CITRUS BEADED GEL (LOW VISC)

 Revision
 0

 Revision date
 2012-12-06

SECTION 1: Identification of	the substan	ce/mixture a	nd of the co	mpany/undertaking		
1.1. Product identifier				mpany/anaonalang		
Product name	EP 94169 C	ITRUS BEAD	ED GEL (LO	W VISC)		
1.3. Details of the supplier of the	e safety data s	sheet				
Company	Assured Sol	utions Ltd				
Address	Unit H					
	Westminste Measham	r Industrial Es	tate			
	Derbyshire					
	DE12 7DS					
Web	www.chemio	calsuppliers.u	k.com			
Telephone	+44 (0)1530	+44 (0)1530 272922				
Fax	+44 (0)1530	+44 (0)1530 272921				
Email	sales@assu	iredsolutionsIt	d.co.uk			
1.4. Emergency telephone num	ber					
Emergency telephone number	01530 272 9	922				
Company	ASSURED	SOLUTIONS	LTD			
	24hrs					
SECTION 2: Hazards identif	ication					
2.1. Classification of the substa	nce or mixture)				
Main hazards	No Significa	nt Hazard				
2.3. Other hazards						
Other hazards	SPILLAGE I	MAY CREATE	E SLIP HAZA	RD.		
SECTION 3: Composition/in	formation on	ingredients				
3.2. Mixtures						
67/548/EEC / 1999/45/EC						
Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
COCONUT DIETHANOLMINE		8051-30-7	232483-0		1 - 10%	
ORANGE TERPENE		8028-48-6	232-433-8		1 - 10%	Xn; R65 Xi; R38 N; R51/53 R10

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No Significant Hazard.	
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the	
	eyelids open. Seek medical attention if irritation or symptoms persist.	
Skin contact	No irritation expected.	
	-	

EP 94169 CITRUS BEADED GEL (LOW VISC)

 Revision
 0

 Revision date
 2012-12-06

4.1. Description of first aid measures		
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.	
SECTION 5: Firefighting mea	asures	
5.1. Extinguishing media		
	Use extinguishing media appropriate to the surrounding fire conditions.	
5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes.	
5.3. Advice for firefighters		
	Wear suitable respiratory equipment when necessary.	
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.	
6.2. Environmental precautions		
	Do not allow product to enter drains. Prevent further spillage if safe.	
6.3. Methods and material for co	ontainment and cleaning up	
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.	
SECTION 7: Handling and st	torage	
7.1. Precautions for safe handlin	ng	
	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.	
7.2. Conditions for safe storage	, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.	
SECTION 8: Exposure control	ols/personal protection	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Not normally required.	
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.	
Skin protection - Handprotection	Chemical resistant gloves (PVC).	
SECTION 9: Physical and ch	nemical properties	
9.1. Information on basic physic	al and chemical properties	

State	Viscous liquid.
Colour	Orange
Odour	Characteristic
pH	7 - 9
Relative density	0.98 - 1.01
Solubility	Miscible in water

Further information

The colour of this product may be yellow or orange to customer specification.

SECTION 10: Stability and reactivity

EP 94169 CITRUS BEADED GEL (LOW VISC)

 Revision
 0

 Revision date
 2012-12-06

10.2. Chemical stability			
	Stable under normal conditions.		
SECTION 11: Toxicological i	nformation		
11.1. Information on toxicologica	al effects		
Acute toxicity	No data is available on this product.		
Skin corrosion/irritation	May cause irritation to eyes.		
11.1.4. Toxicological Information	ו 		
ORANGE TERPENE	Inhalation Rat LC50/4 h: 5mg/l		
SECTION 12: Ecological info	prmation		
12.1. Toxicity			
	No data is available on this product.		
12.2. Persistence and degradab	ility		
	DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. More than 90% biodegradable.		
12.3. Bioaccumulative potential			
	No data is available on this product.		
SECTION 13: Disposal cons	iderations		
General information			
	Dispose of in compliance with all local and national regulations.		
SECTION 14: Transport info	rmation		
ADR/RID			
	The product is not classified as dangerous for carriage.		
IMDG			
	The product is not classified as dangerous for carriage.		
ΙΑΤΑ			
	The product is not classified as dangerous for carriage.		
Further information			
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory info	ormation		
Labelling			
Risk phrases	No Significant Hazard.		
Safety phrases	S1/2 - Keep locked up and out of the reach of children. S25 - Avoid contact with eyes.		
SECTION 16: Other informat	ion		
Other information			
Text of risk phrases in Section 3	 R10 - Flammable R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 - Harmful: may cause lung damage if swallowed. 		
Labelling for contents	non-ionic surfactants 0% - < 5%		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,		



EP 94169 CITRUS BEADED GEL (LOW VISC)

 Revision
 0

 Revision date
 2012-12-06

Further information	
	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

