

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: KU20 INDUSTRIAL GRANULES

Article number: KU20

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Tygris Industrial

Unit 31

Kyle Road Industrial Estate

Irvine Ayshire KA12 8LE

Tel +44 (0) 1294 311 066 Fax +44 (0) 1294 277 115

Email technical@tygrisindustrial.com

Further information obtainable from:

Technical Department

Emergency telephone

number:

Tel +44 (0) 1294 311 066

2. Hazards identification

Classification (1999/45/EEC) Substance/mixture is not classified as dangerous according to Directive 67/548/

EEC and 1999/45/EC

Classification Substance/mixture is not classified as hazardous according to Regulation (EC)

(EC 1272/2008) 1272/2008

Labelling (EC 1272/2008) Substance/mixture is not classified as hazardous according to Regulation (EC)

1272/2008

Other Hazards This product may generate dust during handling and use. This product may

contain quartz (crystalline silica). Long term overexposure to crystalline silica dust

may cause silicosis.

3. Composition/information on ingredients

Substance/Preparation This product may contain crystalline silica in quantity

up to 7%.

Attapulgite is not listed as dangerous substance in the Annex I of Directive 67/548/EEC as amended, not listed in Annex VI of Regulation (EC) 1272/2008. Attapulgite is an exemption from the obligation to register in compliance with Annex V of Regulation (EC)

1907/2006



4. First aid measures

4.1. Description of first aid measures

Inhalation Allow resting in a well-ventilated area if high concentration is inhalated and

mechainica irritation or discomfort occurs. Seek medical attention if irritation

persits.

Skin contact Wash with mild soap and water and rinse with plenty of water.

Eye contact Rinse with plenty of water. Seek medical advice if irritation persists.

Ingestion Symptomatic treatment and seek medical advice in case of prolonged discomfort.

4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

Mechanical Irritation.

5. Firefighting measures

Extinguishing Media Water spray, carbon dioxide, dry chemical powder or appropriate foam.

Unsuitable Extinguishing

Media

For safety reasons do not use full water jet.

Advice for Firefighters No special requirements.

Do not allow spillage of fire to be poured into drains or watercourses.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procuedures

For non-emergency

personnel

Avoid dust formation.

Avoid breathing dust and contact with eyes.

Use respiratory protection if high dust conditions, chemical resistant gloves and

safety glasses.

ventilated area.

6.2. Environmental precautions

Environmental precautions Do not discharge into any drains, surface waters or groundwaters.

6.3. Methods and material for containment and cleaning up

Methods and material for containment and cleaning

up

Scoop up or vacuum soil spillages, if appropiated, use gentle water spray to wet down. Ventilate area and wash spill site after material pickup is complete. Place in a closed container prior to disposal. Dispose of in accordance with

current laws and regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Provide suitable air extraction ventilation in the work areas. Observe the

rules of hygiene and safety at work. Keep only in the original container.

Conditions for safe storage, including any incompatibilities

Store in dry area. Keep away from incompatible materials (see section of incompatibility). Do not store this material near food or drinking water. To be stored in tightly sealed and preferably full containers in cool, dry and

Compilation Date: 06/09/2013



8. Exposure controls/personal protection

This product has no specific Occupational Exposure Limit (OEL). Respect regulatory provisions for dust (inhalable and respirable)

Engineering measures: General ventilation.

Local exhaust ventilation is recommended to keep airbone dust levels below

exposure limits

Eye/Face protection Chemical safety goggles are recommended. Wash contaminated goggles before

reuse.

Skin protection Light protective clothing recommended. Wash contaminated clothing before

reuse. Avoid inhalation and contact with skin and eyes.

Hand protection Compatible chemical-resistant gloves are recommended. Wash contaminated

gloves before reuse.

Other Protection Measures should be taken to prevent materials from being splashed into the eyes

or on the skin. Wear eyeslilds and protective clothing.

limits. In the case of brief exposure, use a device filter.

9. Physical and chemical properties

Appearance Granules

Colour: Cream

Odourless

pH 9.5 ± 0.5 .

Relative Density 2.2

Solubility(ies) Insoluble in water

10. Stability and reactivity

Reactivity No hazardous reactions are expected

Chemical stability Stable under normal conditions

Possibility of hazardous

reactions

No hazardous reactions are expected

Conditions to avoid No special requirements

Incompatible materials None known

Hazardous Decomposition

Products:

No hazardous reactions or by-products are expected

Compilation Date: 06/09/2013 Page 3 of 5



11. Toxicological information

acute effects

Information on toxicological May cause eye irritation if exposed to large amounts of dust.

Skin irritation may result from physical contact.

Inhalation of high concentrations may cause irritation.

chronical effects

Information on toxicological Individual particle length of this attapulgite is shorter than 5µm.

IARC has classified attapulgite dust (fibres below 5µm) as class 3 ("Cannot be

classified as to carcinogenicity to Humans).

This product may contain quartz (crystalline silica). In 1997, IARC concluded that the respirable fraction of crystalline silica inhaled from occupational sources can cause lung cancer in humans. However, it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated (IARC

Monographs, Vol 68).

In June 2003, the EU Scientific Committe on Occupational Exposure Limits (SCOEL) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk...". (SCOEL SUM

Doc 94-final, July 2003)

Other relevant information

No mutagenic, teratogenic or developmental toxicity effects are known There is body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. According to the current state of the art, worker protection against silicosis can be consistently assured by

respecting the existing regulatory occupational exposure limits.

12. Ecological information

Toxicity No specific adverse effects are known

Persistence and degradability

Not biodegradable

Bioaccumulative potential Not bioaccumulative

Other adverse effects See also Sections 6, 7, 13 and 15

Avoid contamination of soil, groundwater and surface water.

13. Disposal considerations

Waste treatment methods Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

UN No. (ADR/RID/ADN) Substance/mixture is not classified as hazardous for transport

UN No. (IMDG) Substance/mixture is not classified as hazardous for transport

UN No. (IATA) Substance/mixture is not classified as hazardous for transport

15. Regulatory information

No information available.

Compilation Date: 06/09/2013 Page 4 of 5



16. Other information

Other Information

Substance/mixture is not classified as dangerous according to Directive 67/548/ EEC and 1999/45/EC

Substance/mixture is not classified as hazardous according to Regulation (EC) 1272/2008

Compilation Date: 06/09/2013 Page 5 of 5