



UtilityE
range

Wheels and Castors

index

Series A	1
Grey tyred apparatus wheel & castors	
Series AT	2-5
Grey TPR tyred apparatus wheels & castors	
Series B	6
Grey non marking rubber tyre on black plastic centre wheels & castors	
Series C	7
Black rubber tyre on black plastic centre wheels & castors	
Series D	8-9
Black rubber tyre on steel centre wheels & castors including refuse castors	
Series DG	10
Grey rubber tyre on steel centre wheels & castors	
Series E	11
Injection moulded polyurethane tyre bonded to nylon centre wheel & castors	
Series F	12
Natural polyamide wheels & castors	
Series G	13
White polypropylene wheels & castors	
Series H	14
Blue elastic tyre bonded to nylon wheel centre & castors	
Series K	15
Thermoplastic rubber tyred wheels with polypropylene centre & standard castors	
Series SN	16
Nylon centre sandwich wheels & medium duty castors	
Series SP	17
Polypropylene centre sandwich wheels & standard castors	
Series T	18-19
Cast polyurethane tyre bonded to cast aluminium wheel centres & castors	
Series V	20
Black elastic rubber tyre bonded to aluminium wheel centres & castors	
Series VG	21
Grey elastic rubber tyre bonded to aluminium wheel centres & castors	
Series 64	22
Cast polyurethane tyre bonded to cast iron wheel centres & castors	
Series 65	23
Cast polyurethane tyre bonded to cast aluminium wheel centres & castors	
Series 68P	24-25
Heavy duty nylon wheels & castors	



Wheel and Castor Solutions in a Changing Market

T 01457 837772
F 01457 832472
E sales@aut.co.uk
W aut.co.uk



A

GREY TYRED APPARATUS WHEEL & CASTORS



0°C min
+40°C max

50mm -
125mm

27Kg -
70Kg

- Grey non-marking tyre.
- Light duty loads.
- Pressed steel castor housing.
- Threadguards as standard.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Top Plate & Bolt Hole Light Duty Castors



50	16	70	50x50	36x36	12x6	10.5	27	A050P2Z04	A050P4Z04	A050P5Z04	A050P6Z04	-	-
75	21	101	65x65	49x49	12x6	10.5	45	A075P2Z04	A075P4Z04	A075P5Z04	A075P6Z04	-	-
100	26	132	75x75	55x55	15x8	12.9	55	A100P2Z04	A100P4Z04	A100P5Z04	A100P6Z04	A100B5Z01	A100B6Z01
125	27	158	75x75	55x55	15x8	12.9	60	A125P2Z04	A125P4Z04	A125P5Z04	A125P6Z04	-	-



75mm bolt hole also available in 12mm.

Swivel with Stem Light Duty Castors



100	27	132	22	44	12.9	70	22MC1402	22MC1412			

Stems are X drilled M6 22mm from the base.





- Polypropylene light grey wheel centre with thermoplastic rubber dark grey tread.
- Pressed steel, zinc plated castor body.
- Plain bearing without threadguards. Single ball bearing has plastic threadguards.
- Ideal for use in manual handling, medical centres and the hotel industry.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Apparatus Castors



50	19	70	60x60	48/39x48/39	6.3	11	50	swivel	fixed	+ total brake	bolt hole	bolt hole + total brake
								AT050P2Z21	AT050P3Z21	AT050P4Z21	AT050P5Z21	AT050P6Z21
50	19	70	60x60	48/39x48/39	6.3	11	50	swivel	fixed	+ total brake	bolt hole	bolt hole + total brake
								AT050B2Z21	AT050B3Z21	AT050B4Z21	AT050B5Z21	AT050B6Z21



- Polypropylene light grey wheel centre with thermoplastic rubber dark grey tread.
- Pressed steel, zinc plated castor body.
- Plain bearing without threadguards. Single ball bearing has plastic threadguards.
- Ideal for use in manual handling, medical centres and the hotel industry.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



75	25	28						75	8	plain bore	AT075P1021					
100	32	36						100	12	plain bore	AT100P1021					
125	32	36						100	12	plain bore	AT125P1021					
150	32	36						100	12	plain bore	AT150P1021					

Wheels



75	25	28						75	6	ball bearing	AT075B1021					
100	32	36						100	8	ball bearing	AT100B1021					
125	32	36						100	8	ball bearing	AT125B1021					
150	32	36						100	8	ball bearing	AT150B1021					



Top Plate Castors



ALUMINIUM PEDAL



PLASTIC PEDAL



75	25	100	60x60	48/38x48/38	6.3	75	swivel	fixed	+ total brake	+ total brake
75	25	100	60x60	48/38x48/38	6.3	75	AT075P2Z21	AT075P3Z21	AT075P4Z21	-
100	32	135	77x67	61.5/56x51.5/46.56	8.5	100	AT100P2Z21	AT100P3Z21	AT100P4Z21	AT100P4Z22
125	32	160	77x67	1.5/56x51.5/46.5	8.5	100	AT125P2Z21	AT125P3Z21	AT125P4Z21	AT125P4Z22
125	32	160	95x70	75x50	11	100	AT125P2Z31	AT125P3Z31	AT125P4Z31	AT125P4Z32
150	32	185	77x67	61.5/56x51.5/46.5	8.5	100	AT150P2Z21	AT150P3Z21	AT150P4Z21	AT150P4Z22



ALUMINIUM PEDAL



PLASTIC PEDAL



75	25	100	60x60	48/38x48/38	6.3	75	swivel	fixed	+ total brake	+ total brake
75	25	100	60x60	48/38x48/38	6.3	75	AT075B2Z21	AT075B3Z21	AT075B4Z21	-
100	32	135	77x67	61.5/56x51.5/46.56	8.5	100	AT100B2Z21	AT100B3Z21	AT100B4Z21	AT100B4Z22
125	32	160	77x67	1.5/56x51.5/46.5	8.5	100	AT125B2Z21	AT125B3Z21	AT125B4Z21	AT125B4Z22
125	32	160	95x70	75x50	11	100	AT125B2Z31	AT125B3Z31	AT125B4Z31	AT125B4Z32
150	32	185	77x67	61.5/56x51.5/46.5	8.5	100	AT150B2Z21	AT150B3Z21	AT150B4Z21	AT150B4Z22

Bolt Hole Castors



ALUMINIUM PEDAL



PLASTIC PEDAL



75	25	100				75	swivel	+ total brake	+ total brake
75	25	100				75	AT075P5Z21	AT075P6Z21	-
100	32	135				100	AT100P5Z21	AT100P6Z21	AT100P6Z22
125	32	160				100	AT125P5Z31	AT125P6Z31	AT125P6Z32
150	32	185				100	AT150P5Z21	AT150P6Z21	AT150P6Z22




ALUMINIUM PEDAL



PLASTIC PEDAL



75	25	100				75	swivel	+ total brake	+ total brake
75	25	100				75	AT075B5Z21	AT075B6Z21	-
100	32	135				100	AT100B5Z21	AT100B6Z21	AT100B6Z22
125	32	160				100	AT125B5Z31	AT125B6Z31	AT125B6Z32
150	32	185				100	AT150B5Z21	AT150B6Z21	AT150B6Z22



- Polypropylene light grey wheel centre with thermoplastic rubber dark grey tread.
- Pressed steel, zinc plated castor body.
- Plain bearing without threadguards.
- Single ball bearing has plastic threadguards.
- Ideal for use in manual handling, medical centres and the hotel industry.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel



50	19	8	22						50		AT050P1021				
75	25	8	28						75		AT075P1021				

Wheel



50	19	6	22						50		AT050B1021				
75	25	6	28						75		AT075B1021				

Top Plate Castors



50	19	70	60x60	48/38x48/38	6.3				70						
75	25	102	77x67	61.5/56x51.5/46.5	8.5				100						



Bolt Hole Castors



50	19	70		11	70						
75	25	102		11	100						

B

GREY NON MARKING RUBBER TYRE ON BLACK PLASTIC CENTRE WHEELS & CASTORS



- Polypropylene black wheel centre with grey solid rubber tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel



80	35	12	40			70	B080R1021							
100	35	12	40			75	B100R1021							
125	37	15	44			110	223103							
160	40	20	59			150	B160R1021							
200	50	20	59			205	B200R1021							

Top Plate & Bolt Hole Castors



80	35	108	100x80	80x60	9 12	70	B080R2Z08	B080R3Z08	B080R4Z08	B080R5Z08	B080R6Z08
100	35	127	100x80	80x60	9 12	75	B100R2Z08	B100R3Z08	B100R4Z08	B100R5Z08	B100R6Z08
125	37	155	100x80	80x60	9 12	110	B125R2Z08	B125R3Z08	B125R4Z08	B125R5Z08	B125R6Z08
150	40	197/198	132x108	105x80	11 16	150	B150R2Z08	B150R3Z08	B150R4Z08	B150R5Z08	B150R6Z08
200	50	240	132x108	105x80	11 16	205	B200R2Z08	B200R3Z08	B200R4Z08	B200R5Z08	B200R6Z08



Stainless Steel Top Plate & Bolt Hole Castors



80	25	108	100x80	80x60	9 12	70	B080P2S08	B080P3S08	B080P4S08	B080P5S08	B080P6S08
100	30	127	100x80	80x60	9 12	75	B100P2S08	B100P3S08	B100P4S08	B100P5S08	B100P6S08
125	37	155	100x80	80x60	9 12	110	B125P2S08	B125P3S08	B125P4S08	B125P5S08	B125P6S08
150	40	197/198	132x108	105x80	11 16	150	B150P2S08	B150P3S08	B150P4S08	B150P5S08	B150P6S08
200	50	240	132x108	105x80	11 16	205	B200P2S08	B200P3S08	B200P4S08	B200P5S08	B200P6S08

C

BLACK RUBBER TYRE ON BLACK PLASTIC CENTRE WHEELS & CASTORS



- Black polypropylene wheel centre with black solid rubber tread.
- Also available with red plastic centre.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel



80	35	12	40					70	roller bearing					
100	35	12	40					75	C080R1021					
125	37	15	44					110	C100R1021					
160	40	20	59					150	523103					
200	50	20	59					205	C160R1021					
									C200R1021					



Top Plate & Bolt Hole Castors



80	35	108	100x80	80x60	9	12	70	swivel	fixed	+ total brake	bolt hole	+ total brake
100	35	127	100x80	80x60	9	12	75	C080R2Z08	C080R3Z08	C080R4Z08	C080R5Z08	C080R6Z08
125	37	155	100x80	80x60	9	12	110	C100R2Z08	C100R3Z08	C100R4Z08	C100R5Z08	C100R6Z08
150	40	197/198	132x108	105x80	11	16	150	C125R2Z08	C125R3Z08	C125R4Z08	C125R5Z08	C125R6Z08
200	50	240	132x108	105x80	11	16	205	C150R2Z08	C150R3Z08	C150R4Z08	C150R5Z08	C150R6Z08
								C200R2Z08	C200R3Z08	C200R4Z08	C200R5Z08	C200R6Z08

D

BLACK RUBBER TYRE ON STEEL CENTRE WHEELS & CASTORS



- Steel centre wheel with black solid rubber tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel



80	35	12	40						70		D080R1021					
100	35	12	40					75			D100R1021					
125	37	15	44					130			533110					
160	40	20	59					180			D160R1021					
200	50	20	59					230			005310					


Top Plate & Bolt Hole Castors



80	35	108	100x80	80x60	9	12	70					
100	35	127	100x80	80x60	9	12	75	D080R2Z08	D080R3Z08	D080R4Z08	D080R5Z08	D080R6Z08
125	37	155	100x80	80x60	9	12	130	D100R2Z08	D100R3Z08	D100R4Z08	D100R5Z08	D100R6Z08
150	40	197/198	132x108	105x80	11	16	180	D125R2Z08	D125R3Z08	D125R4Z08	D125R5Z08	D125R6Z08
200	50	240	132x108	105x80	11	16	205	D150R2Z08	D150R3Z08	D150R4Z08	D150R5Z08	D150R6Z08
								D200R2Z08	D200R3Z08	D200R4Z08	D200R5Z08	D200R6Z08

D

BLACK RUBBER TYRE ON PRESSED STEEL CENTRE WHEELS IN REFUSE CASTOR



- Steel centre wheel with black solid rubber tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

C Series



160	40	199	140x110	105x80	11		180							
200	50	240	140x110	105x80	11		230	C160R2Z03 C200R2Z03	C160R4Z03 C200R4Z03					

D Series



160	40	199	140x110	105x80	11		180							
200	50	240	140x110	105x80	11		230	D160R2Z03 D200R2Z03	D160R4Z03 D200R4Z03					

Towing Black Seal




200	50	240	140x110	105x80	11		230							
								72A4306	72A7106					

Towing Heavy Duty



200	50	250	140x110	105x80	11		500							
								727516	728516	727206				



- Steel centre wheel with grey solid rubber tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel




80	35	12	40						70		DG080R1021					
100	35	12	40						75		DG100R1021					
125	37	15	44						110		233103					
160	40	20	59						150		DG160R1021					
200	50	20	59						205		DG200R1021					

Top Plate & Bolt Hole Castors



80	35	108	100x80	80x60	9 12	70		DG080R2Z08	DG080R3Z08	DG080R4Z08	DG080R5Z08	DG080R6Z08
100	35	127	100x80	80x60	9 12	75		DG100R2Z08	DG100R3Z08	DG100R4Z08	DG100R5Z08	DG100R6Z08
125	37	155	100x80	80x60	9 12	110		DG125R2Z08	DG125R3Z08	DG125R4Z08	DG125R5Z08	DG125R6Z08
150	40	197/198	132x108	105x80	11 16	150		DG150R2Z08	DG150R3Z08	DG150R4Z08	DG150R5Z08	DG150R6Z08
200	50	240	132x108	105x80	11 16	205		DG200R2Z08	DG200R3Z08	DG200R4Z08	DG200R5Z08	DG200R6Z08



- Red polyurethane tyre on grey polyamide centre wheel.
- Pressed steel, zinc plated castor body, also available in stainless steel castor body.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



80	30	12	39						120	601101				
100	30	12	39						170	006036				
125	35	15	44						230	60R1103				
150	45	20	59						350	601104				
200	50	20	59						450	601106				

Zinc Plated Top Plate & Bolt Hole Castors



80	30	108	100x80	80x60	9	12	130	E080P2Z08	E080P3Z08	E080P4Z08	E080P5Z08	E080P6Z08
100	30	127	100x80	80x60	9	12	130	E100P2Z08	E100P3Z08	E100P4Z08	E100P5Z08	E100P6Z08
125	35	155	100x80	80x60	9	12	150	E125P2Z08	E125P3Z08	E125P4Z08	E125P5Z08	E125P6Z08
150	45	192/193	132x108	105x80	11	16	300	E150P2Z08	E150P3Z08	E150P4Z08	E150P5Z08	E150P6Z08
200	50	240	132x108	105x80	11	16	300	E200P2Z08	E200P3Z08	E200P4Z08	E200P5Z08	E200P6Z08


Stainless Steel Top Plate & Bolt Hole Castors



80	30	108	100x80	80x60	9	12	130	E080P2S08	E080P3S08	E080P4S08	E080P5S08	E080P6S08
100	30	127	100x80	80x60	9	12	130	E100P2S08	E100P3S08	E100P4S08	E100P5S08	E100P6S08
125	35	155	100x80	80x60	9	12	150	E125P2S08	E125P3S08	E125P4S08	E125P5S08	E125P6S08
150	45	192/193	132x108	105x80	11	16	300	E150P2S08	E150P3S08	E150P4S08	E150P5S08	E150P6S08
200	50	240	132x108	105x80	11	16	300	E200P2S08	E200P3S08	E200P4S08	E200P5S08	E200P6S08

F

NATURAL POLYAMIDE WHEELS



- Natural polyamide wheel.
- Pressed steel, zinc plated castor body, also available in stainless steel castor body.
- Plain bearing without threadguards. Roller bearing has metal threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



80	34	12	40						130	F080P1021					
100	36	12	40						150	F100P1021					
125	38	15	44						250	F125P1031					
160	40	20	59						350	68T0004					
200	50	20	59						350	68R1206					

Zinc Plated Top Plate & Bolt Hole Castors



80	34	108	100x80	80x60	9 12	130	F080P2Z08	F080P3Z08	F080P4Z08	F080P5Z08	F080P6Z08
100	36	127	100x80	80x60	9 12	150	F100P2Z08	F100P3Z08	F100P4Z08	F100P5Z08	F100P6Z08
125	38	155	100x80	80x60	9 12	250	F125P2Z08	F125P3Z08	F125P4Z08	F125P5Z08	F125P6Z08
150	40	197/198	132x108	105x80	11 16	300	F150P2Z08	F150P3Z08	F150P4Z08	F150P5Z08	F150P6Z08
200	50	240	132x108	105x80	11 16	350	F200P2Z08	F200P3Z08	F200P4Z08	F200P5Z08	F200P6Z08


Stainless Steel Top Plate & Bolt Hole Castors



80	34	108	100x80	80x60	9 12	130	F080P2S08	F080P3S08	F080P4S08	F080P5S08	F080P6S08
100	36	127	100x80	80x60	9 12	150	F100P2S08	F100P3S08	F100P4S08	F100P5S08	F100P6S08
125	38	155	100x80	80x60	9 12	250	F125P2S08	F125P3S08	F125P4S08	F125P5S08	F125P6S08
150	40	197/198	132x108	105x80	11 16	300	F150P2S08	F150P3S08	F150P4S08	F150P5S08	F150P6S08
200	50	240	132x108	105x80	11 16	350	F200P2S08	F200P3S08	F200P4S08	F200P5S08	F200P6S08

G

WHITE POLYPROPYLENE WHEELS



- White polypropylene wheel.
- Pressed steel, zinc plated castor body, also available in stainless steel castor body.
- Plain bearing without threadguards. Roller bearing has metal threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



80	34	12	40						80		G080P1021					
100	36	12	40						100		G100P1021					
125	38	15	44						150		G125P1041					
150	40	20	59						200		G150P1031					
200	50	20	59						250		G200P1031					

Zinc Plated Top Plate & Bolt Hole Castors




80	34	108	100x80	80x60	9	12	80					
100	36	127	100x80	80x60	9	12	100					
125	38	155	100x80	80x60	9	12	150					
150	40	197/198	132x108	105x80	11	16	200					
200	50	240	132x108	105x80	11	16	250					

Stainless Steel Top Plate & Bolt Hole Castors



80	34	108	100x80	80x60	9	12	130					
100	36	127	100x80	80x60	9	12	150					
125	38	155	100x80	80x60	9	12	250					
150	40	197/198	132x108	105x80	11	16	300					
200	50	240	132x108	105x80	11	16	350					



- Black polyamide wheel with blue elastic rubber tread.
- Pressed steel, zinc plated castor body, also available in stainless steel castor body.
- Roller bearing without threadguards. Ball bearing has plastic threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



80	35	12	40						130	H080R1021					
100	35	12	40						160	H100R1021					
125	38	12	50						200	H125R1021					
150	46	20	59						300	H150R1021					
200	46	20	59						350	H200R1021					

Zinc Plated Top Plate & Bolt Hole Castors




80	35	108	100x80	80x60	9	12	120	H080R2Z08	H080R3Z08	H080R4Z08	H080R5Z08	H080R6Z08
100	35	127	100x80	80x60	9	12	130	H100R2Z08	H100R3Z08	H100R4Z08	H100R5Z08	H100R6Z08
125	38	155	105x80	80x60	9	12	200	H125R2Z08	H125R3Z08	H125R4Z08	H125R5Z08	H125R6Z08
150	46	197/198	132x108	105x80	11	16	300	H150R2Z08	H150R3Z08	H150R4Z08	H150R5Z08	H160R6Z08
200	46	240	132x108	105x80	11	16	350	H200R2Z08	H200R3Z08	H200R4Z08	H200R5Z08	H200R6Z08


Stainless Steel Top Plate & Bolt Hole Castors




80	35	108	100x80	80x60	9	12	120	H080R2S08	H080R3S08	H080R4S08	H080R5S08	H080R6S08
100	35	127	100x80	80x60	9	12	130	H100R2S08	H100R3S08	H100R4S08	H100R5S08	H100R6S08
125	38	155	100x80	80x60	9	12	200	H125R2S08	H125R3S08	H125R4S08	H125R5S08	H125R6S08
150	46	197/198	132x108	105x80	11	16	300	H150R2S08	H150R3S08	H150R4S08	H150R5S08	H160R6S08
200	46	240	132x108	105x80	11	16	350	H200R2S08	H200R3S08	H200R4S08	H200R5S08	H200R6S08



65 shore A



80mm -
200mm



70Kg -
225Kg

- Light grey polypropylene wheel with dark grey thermoplastic rubber tread.
- Pressed steel, zinc plated castor body, also available in stainless steel castor body.
- Roller bearing has metal threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



80	30	12	39						70	711101					
100	30	12	39						100	711132					
125	35	12	44						120	711103					
150	45	20	59						180	711104					
200	50	20	59						225	711106					

Zinc Plated Top Plate & Bolt Hole Castors




80	30	108	100x80	80x60	9 12	70	K080P2Z08	K080P3Z08	K080P4Z08	K080P5Z08	K080P6Z08
100	30	127	100x80	80x60	9 12	100	K100P2Z08	K100P3Z08	K100P4Z08	K100P5Z08	K100P6Z08
125	35	155	105x80	80x60	9 12	120	K125P2Z08	K125P3Z08	K125P4Z08	K125P5Z08	K125P6Z08
150	45	197/198	132x108	105x80	11 16	180	K150P2Z08	K150P3Z08	K150P4Z08	K150P5Z08	K150P6Z08
200	50	240	132x108	105x80	11 16	225	K200P2Z08	K200P3Z08	K200P4Z08	K200P5Z08	K200P6Z08

Stainless Steel Top Plate & Bolt Hole Castors



80	30	108	100x80	80x60	9 12	70	K080P2S08	K080P3S08	K080P4S08	K080P5S08	K080P6S08
100	30	127	100x80	80x60	9 12	100	K100P2S08	K100P3S08	K100P4S08	K100P5S08	K100P6S08
125	35	155	100x80	80x60	9 12	120	K125P2S08	K125P3S08	K125P4S08	K125P5S08	K125P6S08
150	45	197/198	132x108	105x80	11 16	180	K150P2S08	K150P3S08	K150P4S08	K150P5S08	K150P6S08
200	50	240	132x108	105x80	11 16	225	K200P2S08	K200P3S08	K200P4S08	K200P5S08	K200P6S08



- Grey nylon wheel with red rubber damping centre for noise reduction.
- Pressed steel, zinc plated castor body.
- Ball bearing has plastic threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels




100	36	12	40					160	S100R1031	S100B1031				
125	36	15	50					200	S125R1031	S125B1031				

Top Plate Castors



100	36	125	105x80	80/77x60	9			160	S100R2Z31	S100R3Z31	S100R4Z31			
125	36	155	105x80	80/77x60	9			200	S125R2Z31	S125R3Z31	S125R4Z31			

100	36	125	105x80	80/77x60	9			160	S100B2Z31	S100B3Z31	S100B4Z31			
125	36	155	105x80	80/77x60	9			200	S125B2Z31	S125B3Z31	S125B4Z31			



- Grey polypropylene wheel with red TPR damping centre for noise reduction.
- Pressed steel, zinc plated castor body.
- Roller bearing has metal threadguards. Ball bearing has plastic threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



100	36	12	40					160	S100R1021	S100B1021				
125	36	15	50					200	S125R1021	S125B1021				

Top Plate Castors




100	36	125	105x80	80/77x60	9			160	S100R2Z21	S100R3Z21	S100R4Z21			
125	36	155	105x80	80/77x60	9			200	S125R2Z21	S125R3Z21	S125R4Z21			

100	36	125	105x80	80/77x60	9			160	S100B2Z21	S100B3Z21	S100B4Z21			
125	36	155	105x80	80/77x60	9			200	S125B2Z21	S125B3Z21	S125B4Z21			

T

CAST POLYURETHANE TYRE BONDED TO CAST ALUMINIUM WHEEL CENTRES & CASTORS



- Aluminium centre wheel with brown polyurethane tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for handling trolleys and pallet trucks.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel



100	40	12	40						250	ball bearing	T100B1051				
125	40	15	40						300	ball bearing	T125B1051				


Top Plate Castors



100	40	128	105x80	80/77x60	9		250	swivel	fixed	+ total brake	T100B2Z51	T100B3Z51	T100B4Z51		
100	40	128	135x110	105x84/76	11		250	swivel	fixed	+ total brake	T100B2Z52	T100B3Z52	T100B4Z52		
125	40	155	105x80	80/77x60	9		300	swivel	fixed	+ total brake	T125B2Z51	T125B3Z51	T125B4Z51		
125	40	155	135x110	105x84/76	11		300	swivel	fixed	+ total brake	T125B2Z52	T125B3Z52	T125B4Z52		

T

CAST POLYURETHANE TYRE BONDED TO CAST ALUMINIUM WHEEL CENTRES & CASTORS



- Aluminium centre wheel with brown polyurethane tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for pallet trucks.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel



125	50	15	60					300	ball bearing	T125B1061				
160	50	20	60					400		T160B1061				
200	50	20	60					400		T200B1061				


Top Plate Castors



125	50	162	135x110	105x84/76	11			300	swivel	fixed	+ total brake	T125B2Z61	T125B3Z61	T125B4Z61
160	50	195	135x110	105x84/76	11			400				T160B2Z61	T160B3Z61	T160B4Z61
200	50	235	135x110	105x84/76	11			400				T200B2Z61	T200B3Z61	T200B4Z61

V

BLACK ELASTIC RUBBER TYRE BONDED TO ALUMINIUM WHEEL CENTRES & CASTORS



- Aluminium centre wheel with black elastic rubber tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for pallet trucks.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel





125	40	15	50						250	ball bearing	V125B1051					
160	40	15	60						300	ball bearing	V160B1051					
200	50	20	60						400	ball bearing	V200B1051					

Top Plate Castors



125	40	162	135x110	105x84/76	11				250	swivel	fixed	+ total brake	V125B2Z51	V125B3Z51	V125B4Z51	
160	40	195	135x110	105x84/76	11				300	swivel	fixed	+ total brake	V160B2Z51	V160B3Z51	V160B4Z51	
200	50	235	135x110	105x84/76	11				400	swivel	fixed	+ total brake	V200B2Z51	V200B3Z51	V200B4Z51	



- Aluminium centre wheel with grey elastic rubber tread.
- Pressed steel, zinc plated castor body.
- Without threadguards.
- Ideal for handling trolleys.

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheel




100	40	12	40					200	ball bearing					
125	40	15	40					250	ball bearing					

Top Plate Castors



100	40	128	105x80	80/77x60	9	200	swivel	fixed	+ total brake					
100	40	128	135x110	105x84/76	11	200	swivel	fixed	+ total brake					
125	40	155	105x80	80/77x60	9	250	swivel	fixed	+ total brake					
125	40	155	135x110	105x84/76	11	250	swivel	fixed	+ total brake					



- Cast iron centre wheel.
- Heavy duty loads.
- Zinc plated pressed steel castor housings.
- Suitable for textile, chemical industries and tanneries.
- Suitable where atmospheric agents, alcohol and glycol, mineral and organic acids, base solutions and saturated vapours are present.
- Tested in accordance with ISO 22878:2004
- Manufactured in accordance with ISO 22883:2004

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



											ball bearing					
80	28	12	32						280		642151					
100	38	15	40						380		642152					
125	38	15	40						450		642153					
150	50	20	55						700		642154					
200	50	20	59						1000		642156					

Zinc Plated AM Housings 300-450Kg



											swivel		fixed		swivel brake		bolt hole		bolt hole + brake
80	28	107	108	100x84	80x60	10	12		280		64M080B2Z08		64M080B3Z08		64M080B4Z08		64M080B5Z08		64M080B6Z08
100	38	128	130	100x84	80x60	10	12		300		64M100B2Z08		64M100B3Z08		64M100B4Z08		64M100B5Z08		64M100B6Z08
125	38	157	157	100x84	80x60	10	12		300		64M125B2Z08		64M125B3Z08		64M125B4Z08		64M125B5Z08		64M125B6Z08
125	38	165	163	132x110	105x80	12	12		450		64M125B2Z18		64M125B3Z18		64M125B4Z18		-		-
150	50	195	195	132x108	105x80	12	12		450 (350Kg BH)		64M150B2Z08		64M150B3Z08		64M150B4Z08		64M150B5Z08		64M150B6Z08
200	50	241	240	132x108	105x80	12	12		450 (350Kg BH)		64M200B2Z08		64M200B3Z08		64M200B4Z08		64M200B5Z08		64M200B6Z08

Zinc Plated AP Housings 450-700Kg




										swivel		fixed		swivel brake		
80	28	125	100x84	80x60	10			280		64AP080B2Z08		64AP080B3Z08		64AP080B4Z08		
100	38	135	100x84	80x60	10			380		64AP100B2Z08		64AP100B3Z08		64AP100B4Z08		
125	58	165	132x110	105x80	12			600		64AP125B2Z08		64AP125B3Z08		64AP125B4Z08		
150	50	195	132x108	105x80	12			700		64AP150B2Z08		64AP150B3Z08		64AP150B4Z08		
200	50	242	132x108	105x80	12			700		64AP200B2Z08		64AP200B3Z08		64AP200B4Z08		

Zinc Plated AEP Housings 1000Kg



										swivel		fixed		swivel brake		
150	58	195	132x110	105x80	12			850		64AEP150B2Z08		64AEP150B3Z08		64AEP150B4Z08		
200	50	242	132x110	105x80	12			1000		64AEP200B2Z08		64AEP200B3Z08		64AEP200B4Z08		
250	60	309	200x160	160x120	15			1500		64AEP250B2Z08		64AEP250B3Z08		64AEP250B4Z08		



- Brown 'TR' cast polyurethane tyre.
- Standard to extra-heavy duty loads.
- Manual handling applications.
- Suitable for use on compact surfaces.
- Not recommended for soft, non compact surfaces such as asphalt.
- Suitable for use where alcohol and glycol are present.
- Not recommended for use with mineral and organic acids, base solutions and saturated vapour.
- Tested in accordance with ISO 22878:2004
- Manufactured in accordance with ISO 22883:2004

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



											plain bore				
80	28	12	32						280		652101				
100	38	15	40						380		652102				
125	38	15	40						450		652103				
150	50	20	55						700		652104				
200	50	20	59						1000		652106				

Zinc Plated AM Housings 300-450Kg



										swivel		fixed		swivel brake		bolt hole		bolt hole + brake
80	28	107	108	100x84	80x60	10	12	280		65M080P2Z08		65M080P3Z08		65M080P4Z08		65M080P5Z08		65M080P6Z08
100	38	128	130	100x84	80x60	10	12	300		65M100P2Z08		65M100P3Z08		65M100P4Z08		65M100P5Z08		65M100P6Z08
125	38	157	157	100x84	80x60	10	12	300		65M125P2Z08		65M125P3Z08		65M125P4Z08		65M125P5Z08		65M125P6Z08
125	38	165	163	132x110	105x80	12	12	450		65M125P2Z18		65M125P3Z18		65M125P4Z18	-	-	-	-
150	50	195	195	132x108	105x80	12	12	450 (350Kg BH)		65M150P2Z08		65M150P3Z08		65M150P4Z08		65M150P5Z08		65M150P6Z08
200	50	241	240	132x108	105x80	12	12	450 (350Kg BH)		65M200P2Z08		65M200P3Z08		65M200P4Z08		65M200P5Z08		65M200P6Z08

Zinc Plated AP Housings 450-700Kg




								swivel		fixed		swivel brake		
150	45	195	132x108	105x80	12	600		65AP150P2Z08		65AP150P4Z08		65AP150P4Z08		
200	50	242	132x108	105x80	12	700		65AP200P2Z08		65AP200P4Z08		65AP200P4Z08		

Zinc Plated AEP Housings 1000Kg



								swivel		fixed		swivel brake		
200	50	242	132x110	105x80	12	1000		65AEP200P2Z08		65AEP200P3Z08		65AEP200P4Z08*		
250	60	309	200x160	160x120	15	1200		65AEP250P2Z08		65AEP250P3Z08		65AEP250P4Z08*		

* cast iron centre



- Natural colour injection moulded virgin nylon 6 hard tread wheel.
- Heavy duty loads.
- Zinc plated (unless described by stainless) pressed steel castor housings.
- Manual handling applications.
- Suitable for use on compact floors eg cement, stone tiles, metallic, epoxy resins etc.
- Particularly recommended for the food industry.
- Not recommended for use with concentrated organic acids or strong mineral acids.
- Tested in accordance with ISO 22878:2004
- Manufactured in accordance with ISO 22883:2004

AVAILABLE BORE TYPES		
	plain bore	
	roller bearing	
	ss roller bearing	
	ball bearing	
	ball bearing facility	

Wheels



80	30	12	39						180		681111				
100	35	20	44						400		681202				
125	45	20	58						650		681203				
150	45	20	58						750		681204				
200	50	20	58						900		681206				

Zinc Plated AM Housings 300-450Kg



80	30	107	108	100x84	80x60	10	12	180						
100	35	128	130	100x84	80x60	10	12	300						
125	45	157	157	100x84	80x60	10	12	300						
125	45	165	163	132x110	105x80	12	12	450				-	-	
150	45	195	195	132x108	105x80	12	12	450 (350Kg BH)						
200	50	241	240	132x108	105x80	12	12	450 (350Kg BH)						

Stainless Steel AM Housings 300-450Kg



80	30	107	108	100x84	80x60	10	12	180						
100	35	128	130	100x84	80x60	10	12	300						
125	45	157	157	100x84	80x60	10	12	300						
125	45	165	163	132x110	105x80	12	12	450				-	-	
150	45	195	195	132x108	105x80	12	12	450 (350Kg BH)						
200	50	241	240	132x108	105x80	12	12	450 (350Kg BH)						



Zinc Plated AP Housings 450-700Kg



									swivel	fixed	swivel brake		
100	35	135	100x84	80x60	10		400		68AP100P2Z08	68AP100P3Z08	68AP100P4Z08		
125	45	165	132x110	105x80	12		650		68AP125P2Z08	68AP125P3Z08	68AP125P4Z08		
150	45	195	132x108	105x80	12		700		68AP150P2Z08	68AP150P3Z08	68AP150P4Z08		
200	50	242	132x108	105x80	12		700		68AP200P2Z08	68AP200P3Z08	68AP200P4Z08		

Stainless Steel AP Housings 450-700Kg



									swivel	fixed	swivel brake		
100	35	135	100x84	80x60	10		400		68AP100P2S08	68AP100P3S08	68AP100P4S08		
125	45	165	132x110	105x80	12		650		68AP125P2S08	68AP125P3S08	68AP125P4S08		
150	45	195	132x108	105x80	12		700		68AP150P2S08	68AP150P3S08	68AP150P4S08		
200	50	242	132x108	105x80	12		700		68AP200P2S08	68AP200P3S08	68AP200P4S08		

Zinc Plated AEP Housings 1000Kg



									swivel	fixed	swivel brake		
150	45	195	132x110	105x80	12		750		68AEP150P2Z08	68AEP150P3Z08	68AEP150P4Z08		
200	50	242	132x110	105x80	12		900		68AEP200P2Z08	68AEP200P3Z08	68AEP200P4Z08		
250	60	309	200x160	160x120	15		1200		68AEP250P2Z08	68AEP250P3Z08	68AEP250P4Z08		

Stainless Steel AEP Housings 1000Kg



									swivel	fixed	swivel brake		
150	45	195	132x110	105x80	12		750		68AEP150P2S08	68AEP150P3S08	68AEP150P4S08		
200	50	242	132x110	105x80	12		900		68AEP200P2S08	68AEP200P3S08	68AEP200P4S08		
250	60	309	200x160	160x120	15		1200		68AEP250P2S08	68AEP250P3S08	68AEP250P4S08		



AUT (Wheels & Castors) Co. Ltd.

The Wheel House • Egmont Street • Mossley • Lancashire • OL5 9NB

T 01457 837772 **F** 01457 832472 **W** aut.co.uk

