HUTS POMER **BIG BRANDS MASSIVE SAVINGS**













No Load Speed: 0-400/0-1,800/min. Impact Rate: 0-7,200/0-32,400/bpm Torque: 68Nm, Settings: 25

Capacity: Steel: 13mm, Masonry: 13mm,

Wood: 36mm

RRP £299.99 ONLY **£179.99**



1 x 12V GSB 12 V-15 Professional Combi Drill

1 x 12V GDR 12V-105 Professional Impact Driver

2 x 12V 2.0Ah Li-ion Batteries

1 x 12V GAL 12V-20 Compact Charger



MAKDLX2173TJ 18V BRUSHLESS TWIN KIT (2 X 5.0AH BATTERIES)

Contains:

- 1 x 18 Volt DHP459 LXT Brushless Combi Drill.
- 1 x 18 Volt DTD153 LXT Brushless Impact Driver.
- 2 x 18 Volt 5.0Ah Li-Ion Batteries.
- 1 x 14.4-18 Volt DC18RC Compact Li-lon Charger.
- 1 x Type 3 MAKPAC Connector Case.

RRP £599.99

ONLY **2399.99 INC VAT**

Tnakita



MAKDJV181Z 18V BRUSHLESS TOP GRIP JIGSAW

Strokes No Load: 800-3,500/min.

Stroke Length: 26mm. Bevel Capacity: 45°. Capacity: Steel: 10mm,

Wood: 135mm, Aluminium: 20mm.

<u>extra</u> CONTROL **ON CURVED CUTS**

RRP **£299.99**

Tnakita

ONLY £224.99



No Load Speed: 3,700/min. Blade: 165 x 20mm

Depth of Cut: @90° 57mm, @45° 40mm,

@50° 36mm





MAKDJV182Z 18V BRUSHLESS JIGSAW

No Load Speed: 800-3,500/min. Stroke Length: 26mm Capacity: Aluminium 20mm, Wood 135mm, Steel 10mm

> RRP **£299.99** ONLY £229.99



Tnakita

MAKDML185SD 18V WORK TORCH -BARE UNIT - LOOSE

Bulb Type: Xenon Max. Output: 180 Lumens Overall Length: 282mm

> RRP £44.99 ONLY £24.99 **INC VAT**



MAKBL1840 4.OAH LI-ION BATTERY

Features: Foam cell technology. Slide on battery, firm holding with multi contacts and shock absorbing pack. It will not puncture and remains cool even in heavy use.





Tnakita

Tnakita

MAKDTW1001Z 18V BRUSHLESS 3/4" IMPACT WRENCH -BARE UNIT



Tnakita

Bit Holder: 3/4in Square No Load Speed: 900/1,000/0-1,800/min. Impact Rate: 0-1,800/0-2,000/0-2,200/bpm Thakita Max. Fastening Torque: 1,050Nm Nut Busting Torque: 1,700Nm Capacity: Standard Bolt: M12-M30, High Tensile Bolt: M10-M24 RRP £399.99 ONLY £299.99

INC VAT

MAKDTM51ZJX7 18V MULTI-TOOL BARE IINIT WITH ACCESSORIES 7/makita



MAKDCS551ZJ 18V BRUSHLESS METAL CUTTING SAW - BARE UNIT

No Load Speed: 3,900/min.



MAKDRT50ZJX3 18V ROUTER / TRIMMER BODY + 4 BASES -

No Load Speed: 10,000-30,000/min. Collet Capacity: 3/8in and 1/4in Plunge Capacity: Trimmer 0-40mm,

ONLY £349.99 Plunge: 0-35mm **INC VAT**

RRP **£499.99**

MAKDLX4051PM 18V 4 PIECE KIT (3 X 4.0AH BAT)

- 1 x 18V DHP482 LXT Combi Drill
- 1 x 18V DGA452 LXT Angle Grinder 115mm
- 1 x 18V DJV180 LXT Jigsaw
- 1 x 18V BML185 LXT Torch
- 1 x 14.4-18V Twin Port Li-ion Charger
- 3 x 18V 4.0Ah Li-ion Batteries
- 1 x LXT400 Cordless Carry Bag















MAKHR2631FT - 240V MAKHR2631FTL - 110V SDS+ 3 MODE ROTARY HAMN

Tnakita

Mode: Rotation Only, Rotation with Hammering, Hammering Only

Input Power: 800W No Load Speed: 0-1,200/min.

Impact Rate: 0-4,600/bpm with 2.4 Joules

Capacity: Concrete: TCT Bit 26mm, TCT Core 68mm,

Diamond Core 80mm; Wood 32mm, Steel 13mm



MAKHR3210C - 240V MAKHR3210CL - 110V **SDS+ ROTARY**

Input Power: 850W

No Load Speed: 315-630/min. Impact Rate: 1,650-3,300/bpm Impact Energy: 5.0 joules

Capacity: Concrete 32mm, Core Diameter (TCT) 90mm





MAKHM1111C - 240V <u>is max</u> demoli

INC VAT

Input Power: 1,300 Watt. Impact Rate: 1,100-2,660/bpm. Impact Energy: 11.2 Joules. Bit Angle Setting: 12 Stage.



MAKHS7611J - 240V MAKHS7611JL - 110V 190MM CIRCULAR SAW - 1,600W

Input Power: 1,600W No Load Speed: 5,500/min. Depth of Cut: @45° 45mm, @90° 65mm









Input Power: 2,000 Watt. No Load Speed: 6,600/min. Grinding Spindle Thread: M14. Disc Diameter: 230mm.

RRP £169.99 ONLY **INC VAT**



BSHGWS750 - 240V BSHGW5750L - 110V 115MM ANGLE GRINDER

Input Power: 750 Watt. No Load Speed: 11,000/min. Disc: 115mm x M14.



BSHGBH225 - 240V BSHGBH225L - 110V SDS+ 3 MODE ROTARY

Input Power: 790W No Load Speed: 0-900/min. Impact Rate: 0-4,000/bpm, 2.5 joules Capacity: Concrete 25mm, Masonry 68mm, Steel 13mm,



BSHGSS23AE - 240V 1/3RD SHEET ORBITAL BOSCH

No Load Speed: 7,000-12,000/min.

No Load Orbital Stroke Rate: 14,000-24,000/min.

Oscillating Diameter: 2mm

Sanding Surface Plate: Width: 92mm, Length: 182mm Sanding Sheet for Clamping: Width: 93mm, Length:

230mm

BOSCH

Sanding Sheet with Hook and Loop Fastening: Width:

93mm Length: 185mm



SELF-LEVELLING CROSS LINE GREEN LASER LEVEL

IP54 rated, against dust and water. Laser Class: 2, Level Accuracy: ±0.3 mm/m Self-Levelling Range: 4°

Visibility Indoor: 15m

Power: 3 x AA Batteries (Supplied)

Thread: 1/4in or 5/8in Size: 132 x 81 x 163mm













18V STRAIGHT GRINDER IN L-BOXX - BARE UNIT





BSHGKS18VLSD 18V CIRCULAR SAW -

No Load Speed: 3,900/min. Blade Diameter: 165 x 20mm bore





BSHGST18VLSD 18V JIGSAW - BARE UNIT

No Load Speed: 2,700/min. Stroke Height: 23mm. Mitre Cuts: 0-45°. Capacity: Wood: 90mm.





1 x 18V GSB 18-2-LI Plus Professional Combi

OUTSTANDING

VALUE

1 x 18V GDR 18-LI Impact Driver

2 x 18V 3.0Ah Li-Ion Batteries

1 x Charger

1 x L-Boxx Carry Case

(A) BOSCH

RRP **£399.99 INC VAT**



PAN4550X 18V JIGSAW - BARE UNIT

Panasonic

Panasonic

No Load Speed: 0-2,500/min. Stroke Length: 26mm Max. Thickness of Mounting Blade: 1.6mm Capacity: Wood 65mm, Mild Steel 6mm, Aluminium 10mm

RRP £249.99 **ONLY 2189.99 INC VAT**



No Load Speed: 30-470/70-1,580/min. Impact Rate: 540-8,500/1,260-28,400/bpm Max. Torque: 32/50Nm Capacity: Wood: 38mm, Steel: 13mm, Concrete: 33mm

PAN79A2LJR 18V BRUSHLESS COMRI (2 X 5.0AI

RRP £449.99 ONLY



PAN45A5LI 18V BANDŞAW KIT

Blade Speed: 0-120/0-140/0-162m/min. Blade: 730 x 13 x 0.5mm Capacity: Round Stock 63.5mm, Rectangular Stock 56 x 63.5mm

> RRP **£599.99** ONLY £499.99 **INC VAT**



Panasonic

Panasonic

PAN45A2XW32 18V CIRCULAR SAW

No Load Speed: 4,500/min. Max Cutting Depth: 46mm Blade Size: 135 x 20mm Bore



Panasonic

PAN46A2X32 18V GRINDER -

For use with 125mm or 115mm diameter blades



PANC225LI 18V BRUSHLESS COMBI DRILL & IMPACT DRIVER KIT (2 X 5.0AH)

- 1 x 18V EY79A2 Brushless Combi Drill
- 1 x 18V EY75A7 Brushless Impact Driver
- 2 x 18V 5.0Ah Li-ion Batteries
- 1 x EY0L82B Charger
- 1 x Systainer Case



PASIM3501 + ROU60750 GAS FRAMING NAILER

OUTSTANDING PERFORMANCE

Power: 82 Joules. Nail Range: 51 - 90mm. Cycle Rate: 2-3 nails/second. Magazine Angle: 34°. Magazine Capacity: 55 nails. Maximum Cycle Rate: 1,000 nails/hour. Fuel Cell Life: Approx 1,250.



PASIM45GN + PAS142207 MULTIPURPOSE COIL

30J nail rnage 24-45mm Up to 1,000 nails/per house 125 nails per magazine Ideal for roofing, cladding & fencing Includes a box of 1,000 stainless steel nails 3.5 x 25mm

> RRP **£949.99 ONLY** £799.99 **INC VAT**





HTC42 - 240V HTC42L - 110V

Input Power: 1,200W No Load Speed: 450/min. Magnet Adhesion: 1500Kg f

Maximum Cutter Diameter: 42mm, Depth: 50mm Dimensions Rack Fully Raised (HxWxL): 580 x 320x

180mm, Lowered: 340 x 320 x 180mm

Magnet Dimensions (HxWxL): 40 x 90 x 180mm

Cutter Retainer Internal Diameter: 19mm Weldon Shank



HTCEVO230 - 240V HTCEVO230L - 110V **30MM METAL CUTTING**

Input Power: 1,750W No Load Speed: 2,700/min. Blade: 230 x 25.4mm

Box Cutting Capacity: 6mm Wall @90°: 84mm, @45°: 53mm, Cutting Depth: Mild Steel Plate: 12mm



HTCRAGE2 - 240V HTCRAGE2L - 110V **355MM CHOP SAW**

Input Power: 1,800W No Load Speed: 1,450/min. Blade: 355 x 25.4mm Bore

Max. Box Section: 6mm Wall @90°: 120 x 120mm, @45°: 89 x 89mm, Rectangle: 6mm Wall @90°: 95 x 180mm, @45°: 78 x 110mm, Round: 6mm Wall @90°: 130mm, @45°: 105mm Recommended Duty Cycle: 30 Mins



evolution°

eVOLUTION

HTCRAGE4185 - 240V HTCRAGE4185L - 110V 185MM CHOP SAW

Input Power: 1,250W No Load Speed: 3,500/min. Blade: 185 x 20mm Bore

Max. Box Section: 3mm Wall @90°: 45 x 45mm, @45°: 45 x 45mm, Max. Rectangle: 3mm Wall @45°: 46 x 97mm, Max. Round: 3mm Wall @90°: 45mm

Recommended duty cycle: 30 mins



evolution







Input Power: 1,500W No Load Speed: 3,750/min. Cutting Capacity (W x D): Cross Cut (0°x 0°): 230 x

65mm, Bevel Cut (0° x 45°): 230 x 38mm, Mitre Cut (45° x 0°): 150 x 65mm, Compound Cut (45° x 45°): 150 x

38mm

Max. Mitre (Left/Right): 50°/50°

Max. Bevel (Left): 45° Blade: 210 x 25.4mm Bore RRP £169.99 ONLY

INC VAT



- cutting TCT blade
- Dust bag
- Integrated carry handles

HTCR255SMS - 240V HTCR255SMSL - 110V SAW: 'PLUS' MODE Input Power: 240V: 2,000W, 110V: 1,600W

No Load Speed: 2,500/min.

Cutting Capacity (W x D): Cross Cut (0°x 0°): 300 x 80mm, Bevel Cut (0° x 45°): 300 x 45mm, Mitre Cut (45° x 0°): 210 x 80mm, Compound Cut (45° x 45°): 210 x 45mm

Max. Mitre (Left/Right): 50°/50° Max. Bevel (Left): 45°

Blade: 255 x 25.4mm Bore





'Plus' model includes:

- 2 work/material clamps
- Premium 28 tooth multi-material cutting TCT blade
- Dust bag
- Integrated carry handles

ONLY **2189.99 INC VAT**

PRECISION FILE SANDER

Input Power: 400W No Load Speed: 300-1,700/min. Sanding Belt: 475 x 13mm







SPKBPR18LI 18V SDS+ 3 MODE ROTARY HAMMER DRILL

Three mode settings: Drilling, Hammer drilling and Chiseling SDS+ drill bit connection Safety clutch

Brushless DC electric motor Variable speed control switch Adjustable anti-vibration front handle RRP £399.99
ONLY **£329.99**INC VAT

SPARKY

PROFESSIONAL

SPARKY

PROFESSIONAL



18V 1/2" IMPACT WRENCH (2 X 4.0AH)

Bit Holder: 1/2in Square Drive. No Load Speed: 0-1,000/0-1,800/0-2,800/min. Impact Rate: 0-1,150/0-2,400/0-4,400/bpm.

Max Torque: 180Nm.



18V IMPACT DRIVER (2 X 4.0AH)

Bit Holder: 6.35mm (1/4in). No Load Speed: 0-1,000/0-1,800/0-2,800/min. Impact Rate: 0-1,150/0-2,400/0-4,400/bpm.



18V ANGLE GRINDER -BARE UNIT

No Load Speed: 10,000/min. Disc Diameter: 115/125mm, 22/23mm. Max Disc Thickness: 6mm, Spindle Thread: M14.



SPARKY

PROFESSIONAL



SPKBPR260E - 240V

SPKBPR260EL - 110V SDS+ 3 MODE ROTARY HAMMER WITH EXTRA

SPARKY PROFESSIONAL

SPKK615CE - 240V SPKK615CEL - 110V SDS MAX DEMO

SPARKY PROFESSIONAL

SPARKY

PROFESSIONAL

Chuck Capacity: SDS PLUS fitting with 13mm keyed chuck & adaptor.

Input Power: 800 Watt. No Load Speed: 0-1,150/min. Impact Rate: 0-5,200/min. Impact Energy: 3.0 Joules.

Capacity: Concrete: 26mm, Steel: 13mm, Wood: 30mm, Core Cutter Masonry: 68mm, Journal Diameter: 43mm.

RRP **£199.99**

ONLY

Input Power: 1,300 Watt. No Load Speed: 1,900-3,000/min. Impact Energy: 9 Joules. Chisel Positions: 12.



SPKBM1060E - 240V

Input Power: 240V: 1,050 Watt, 110V: 1,010 Watt. No Load Speed: 200-750/min.

Max. Torque: 55Nm.



SPKVC1431 - 240V SPKVC1431L - 110V

L WET & DRY VACUUM TH POWER TAKE OFF

Input Power: 1,700 Watt. Max Power (Integrated Socket): 2,000 Watt. Max Airflow: 5,700l/min. Max Suction Force: 18kpa. RRP £159.99 Container Volume: 30 Litre ONLY **INC VAT**



Stepladder Height: 0.95m

MULTI-FOLDING LADDER

The ladder is compact and easy to store. It has many uses, it can be used as: a stepladder, ladder with wall spacers and scaffold ladder with work platform. Supplied with: 1 x Aluminium Platform for use as a scaffold and 2 x Stabiliser Bars with robust non-slip caps. Complies with EN 131, GS & Warenwet (NL). Total Ladder Height: 3.56m Straight Ladder Height: 3.42m Ladder with Wall Spacer Height: 2.56m











MAXXSERIES JUMP STARTER &

Input voltage charging port: 15 V Output voltage: 12 V / 4 A 2 USB Port

Starter function initial power: 300 A Starter function max power: 600 A Battery capacity: 3000 mAh Max. pressure: 10 bar / 1000 kPa / 150 PSI

> RRP **£149.99** ONLY 2109.99 INC VAT



NEW

ROTARY TOOL KIT WITH 190 ACCESSORIES

Input Power: 170W





BAT7060517 BOXXER 2" PETROL WATER PUMP

Supplied with a 4m reinforced hose and a 25m delivery

Flow Capacity: 550 Litre/Min. Inlet/Outlet Diameter: 50mm (2in)

Max. Head Height: 26m Fuel Tank Capacity 3.6 Litre Oil Tank Capacity: 0.6 Litre







2.62MM SOFT-CLOSE TELESCOPIC LADDER

Rated to EN131-6/GS Standard, and 150 Kilo rating. Rungs: 8 - (9). Minimum Length: 0.74m. Max. Length: 2.62m. Width: 46cm









RECHARGEABLE 10W LED SPOTLIGHT WITH USB

Rated to IP54. USB charging port for devices with USB charging cables such as smart phones, MP3 players, GPS,

Power: 10 Watt.

Colour Temperature: 6500 K. Luminous Flux: 1,000 Lumens.

Runtime: High (100%): 3 Hours, Low (50%): 6 Hours. Input Power: Rechargeable 3.7 Volt Li-Ion Battery, 4400









MULTI-POSITION RECHARGEABLE 20W WORKLIGHT

Rated to IP54

USB charging port for devices such as smart phones, MP3 players, tablets, etc. It uses a (replaceable) high-quality lithium-ion battery that has a charging time of around 4.5 hours and offers up to 3 hours of continuous light. Contains built-in LED lamps (light unit NOT replaceable).

> RRP **£119.99** ONLY £79.99 **INC VAT**



BRE253103 - 240V BRE253113 - 110V 10W CREE - SUPER BRIGHT WORKLIGHT

Water resistant to IP65. Output: 10 Watt/700 Lumens. Cable: 2 Meters, H05RNF3G1,0.





brennenstuhl*

SUPER SOLID 8 GANG

Made from highly break-resistant polycarbonate with an illuminated 2-pole ON/OFF switch. It has eight earthed, childproof sockets in a 90° arrangement. The sockets allows the use of large charger units. It has a 2.5 metre, extra heavy-duty 3G1.5mm² cable for increased safety. It also has a fuse button to reset in case of overload and the cable is fitted opposite the switch, meaning there is no surplus cable left reducing potential hazards in the home/workplace.

RRP **£29.99** ONLY **£14.99 INC VAT**

brennenstuhl®





BSHGKS190 - 240V BSHGKS190L - 110V 190MM CIRCULAR SAW

Input Power: 1,400 Watt. No Load Speed: 5,500/min. Bevel Capacity: 56mm. Blade: 190 x 30mm.

Cutting Capacity: @90°: 70 mm, @45°: 50mm



CORDLESS ASH VACUUM - BARE UNIT

BATAVIA TOOLS TO BUILD

Max. Airflow: 11 litres/sec Max. Sealed Suction 9 kPa Tank Capacity: Dry: 12 litres



18V BRUSHLESS IMPACT DRIVER (2 X 1.5AH)

Bit Holder: 1/4in Hex. No Load Speed: 0-2,700/min. Impact Rate: 0-3,250/bpm. Max Torque: 200Nm Samsung Li-lon batteries

> GREAT VALUE

Kielder.

BOSCH



Available from:

* If you do not have a Batavia 18V battery or charger from other machines in the range you will need to add them.

BAT7062517 18V MAXXPACK BATTERY 2.OAH

The MAXXPACK Slide Battery Pack unites one type of battery with a host of different tools.





18V FAST CHARGER

Compatible with Batavia 18V Li-lon slide on batteries. It has a long 1.8m cable and a red and green indicator light system that shows if the battery is charged or not.

RRP **£34.99**

INC VAT





Products and colours may vary from those illustrated. All prices include VAT @ 20% unless otherwise stated. All goods are offered subject to availability. All codes shown are our internal stock codes. Although every care has been taken to ensure accuracy, we cannot accept liability in the event of any errors. Promotion runs from 1st September to 31st December 2019. While stocks last.

