

Beta  
Beta



1939  
2019

**ANNIVERSARY**

*40% off list  
Promotion*

*Valid 01/01/2019 - 31/03/2019*

*Prices do not include V.A.T.*

# A solution for every need! Choose the roller cab which best fits your requirements!



## Certified quality


In 2018 Beta roller cabs were awarded prestigious Tuv certification, after passing intensive testing according to protocol EK5/TA5.

Protocol EK5/TA5 deals with 31 well-defined building characteristics, stringent static tests and dynamic behaviour tests. Other tests determine resistance to high and low temperatures, the service life of markings over time and corrosion resistance.


Credit for this achievement is due to the expert design, accurate manufacture and stringent tests Beta relies on for its roller cabs, which has allowed their quality to be acknowledged by end users.




RAL 2011



RAL 7016



RAL 3000



740 x 955 x 445 mm

807 x 1016 x 500 mm

1050 x 973 x 565 mm

1035 x 970 x 445 mm



6  
55 kg

7  
58 kg

8  
61 kg

6  
69 kg

7  
71 kg

8  
73 kg

80 kg

7  
84 kg

8  
88 kg

9  
92 kg




367 x 588 mm

367 x 588 mm

367 x 588 mm

367 x 882 mm



6

7

8

6

7

8

7

7

8

9

h 70 mm 30 kg	4 x h 70 mm	5 x h 70 mm	6 x h 70 mm	4 x h 75 mm	5 x h 75 mm	6 x h 75 mm	5 x h 70 mm	5 x h 70 mm	6 x h 70 mm	8 x h 70 mm
h 140 mm 35 kg	1 x h 140 mm	1 x h 140 mm	2 x h 140 mm	1 x h 150 mm	1 x h 150 mm	2 x h 150 mm	1 x h 140 mm	1 x h 140 mm	2 x h 140 mm	1 x h 140 mm
h 210 mm 35 kg	1 x h 210 mm	1 x h 210 mm	-	1 x h 305 mm	1 x h 225 mm	-	1 x h 210 mm	1 x h 210 mm	-	-

## C24S

### Mobile roller cab

- Four castors with steel cores, Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Can accommodate paper roll holder item 2400S-R/PC, to be ordered separately.



Sturdy ABS worktop.



Pull-out drawer with quick release system made of fibreglass-reinforced nylon, running throughout the length of the drawer.



C24S/7	024002071	024002072	024002073	<del>£ 800,00</del> £ 480,00
--------	-----------	-----------	-----------	------------------------------




Built-in side bottle holder.



## C24SA-XL

### Mobile roller cab with eight drawers, with anti-tilt system, long model

- Four castors with steel cores, Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Front centralized lock.
- Can accommodate paper roll holder item 2400S-R/PC, to be ordered separately.



Can accommodate up to 6 thermoformed trays in one drawer

### Anti-tilt system



ABS worktop, with 6 tote-trays. Sturdy nylon front, with built-in label holder. Built-in side bottle holder.



C24SA-XL/8	024002281	024002282	024002283	<del>£ 1.180,00</del> £ 708,00
------------	-----------	-----------	-----------	--------------------------------

## C33

### Mobile roller cab

- Four castors with steel cores, Ø 125 mm: 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.



Pull-out drawer with quick release system made of fibreglass-reinforced nylon, running throughout the length of the drawer.



Sturdy multi-purpose worktop. Tote-trays and holes for accommodating screwdrivers.

Convenient "V" groove for working pipes and sections.

Corner bumpers throughout height of roller cab, to avoid damaging vehicles in garage.

Built-in side bottle and paper holders, adjustable in several positions



C33/6	033000261	033000262	033000263	<del>£ 925,00</del>	<b>£ 555,00</b>
C33/7	033000271	033000272	033000273	<del>£ 990,00</del>	<b>£ 594,00</b>
C33/8	033000281	033000282	033000283	<del>£ 1.040,00</del>	<b>£ 624,00</b>



## C23ST

### Portable tool chest with five drawers

- Can be fitted with thermoformed trays
- Five drawers (588x367 mm) with ball bearing slides: 5 drawers, 70 mm high.
  - Front centralized safety lock.
  - Can be fitted with kit composed of 4 castors and 1 handle (2300ST/KIT)

n°	h	↓ max
5	70 mm	25 kg



023000521	023000522	023000523	<del>£ 630,00</del>	<b>£ 378,00</b>
-----------	-----------	-----------	---------------------	-----------------




## C23SC

### Portable tool chest with 8 drawers

- Eight drawers with ball bearing slides:
  - 4 drawers, 50 mm high
  - 3 drawers, 70 mm high
  - 1 drawer, 100 mm high.
- Front centralized safety lock.
- Retractable side handles for ease of transport.

n°	h	max
4	50 mm	25 kg
3	70 mm	30 kg
1	100 mm	35 kg



023000511 023000512 023000513 ~~£ 610,00~~ £ 366,00

## C24SL

### Mobile roller cab with 7 drawers and side tops

- 7 drawers (588x367 mm) with ball bearing slides:
  - 5 drawers, 70 mm high
  - 1 drawer, 140 mm high
  - 1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- Four castors 125 mm in Ø: 2 fixed and 2 steering (two with brakes).
- Front centralized safety lock.
- Static load capacity: 1.100 kg.
- Side compartment with vertically adjustable top.
- Integrated paper roll holder.
- Double rear bottle holder.

- Multi-ply wood worktop with holes for a vice (1599F/100, to be ordered separately).



024002101 024002102 024002103 ~~£ 1.280,00~~ £ 768,00





# C51

## Trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm:  
2 fixed and 2 steering (1 with brake)
- Static load capacity: 200 kg  
(distributed between 3 shelves)



21 kg

051000001	051000002	051000003	<del>£ 256,00</del> <b>£ 154,00</b>
-----------	-----------	-----------	-------------------------------------

# C41H

## Two-module tool trolley

- Sheet metal frame and plastic top, Remarkably sturdy and light.
- 2 modules: 1 upper tool box, 1 module with 2 drawers 95 mm in height, 1 pull-out case made of plastic, 66 mm high, and 1 drawer 295 mm in height.
- Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
- Side centralized lock
- Drawers with ball bearing slides and double closing hook.
- Telescopic aluminium handle.
- Small tool holder built into upper tool box.
- Lower drawer with double ball bearing slides



C41H W  
RAL 9016

C41H Y  
RAL 1023

C41H R  
RAL 3000

C41H V  
RAL 6024

C41H B  
RAL 5002

C41H G  
RAL 7016

C41H N  
RAL 9005

21 kg

041000002	041000021	041000012	041000008	<del>£ 545,00</del> <b>£ 309,00</b>
041000024	041000006	041000010	041000005	



# "Endurance" workbench



Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).

- Drawers protected by foamed rubber mats.
- Hard-wearing nylon drawer front.
- Drawers can accommodate thermoformed trays.
- Front centralized safety lock.
- Lower object shelf.
- Can be fitted with paper roll holder (2400S-R/PC) and bottle holder (2400S/PF), to be ordered separately.



## C59A

### Endurance workbench with 1 cab with 6 drawers

- 6 drawers (588x367 mm) with ball bearing slides:  
4 drawers, 70 mm high  
1 drawer, 140 mm high  
1 drawer, 280 mm high.

n°	h	max
4	70 mm	25 kg
1	140 mm	30 kg
1	280 mm	35 kg



059000001	059000021	059000041	115 kg	<del>£ 1.440,00</del> £ 864,00
-----------	-----------	-----------	--------	--------------------------------



## C59B

### "Endurance" workbench with 2 cabs with six drawers

- 12 drawers (588x367 mm) with ball bearing slides:  
8 drawers, 70 mm high  
2 drawers, 140 mm high  
2 drawers, 280 mm high.

n°	h	max
8	70 mm	25 kg
2	140 mm	30 kg
2	280 mm	35 kg



059000002	059000022	059000042	155 kg	<del>£ 1.910,00</del> £ 1.146,00
-----------	-----------	-----------	--------	----------------------------------



# C55PB-PRO/5

**Workbench, for workshop equipment combination**  
**Comprised of:**

## C55B-PRO

**Bench with worktop**  
 2050x700 mm covered with a shockproof, non-scratch PVC coating, resistant to oil and hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Vertically adjustable feet

## C55C7

**Mobile roller cab with seven drawers**  
 588x367 mm with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Drawer bases protected by foamed rubber mats
- Front centralized lock

## C55M7

**Fixed module with seven drawers**  
 588x367 mm with ball bearing slides

- Drawer bases protected by foamed rubber mats
- Front centralized lock

## C55PSP

**Tool panel**  
 with shutter and framework

- Aluminium shutter, vertically adjustable, with lock, for tool protection
- Removable perforated panel for holding tools



Can be fitted with foam trays of the Beta range



The steering wheels allow mobile roller cab C55C7 to be easily pulled out



Compressed air outlet and roller Ø 8 mm. Length: 10 m



Schuko socket+16+10A EU Plug 16+10A

055000025 246 kg  
~~£ 7.520,00~~ **£ 4.512,00**





## Technical fabric tool bags

Lightweight and sturdy, for absolutely safe transportation of your tools

### C5

#### Rucksack

- Removable interior tool panel
- Six exterior pockets and two interior pockets
- Waterproof plastic base
- Double safety lace for fixing rucksack to shoulders
- Ergonomic padded back



021050000 2,5 kg

~~£ 129,00~~ £ 77,00

500x400x180 mm

### C6T

#### Rucksack with castors

- Telescopic handle for easy transport
- Built-in castors with practical dustproof cover for use as a rucksack
- Two removable tool panels
- Interior PC pocket and five exterior pockets
- Waterproof plastic base



021060010 4,5 kg

~~£ 193,00~~ £ 116,00

480x370x220 mm

### C11

#### Box

- Hard, water resistant plastic base
- Elastic tool bands and interior and exterior tool pockets
- Document holders built into lid



021110000 2 kg

~~£ 77,00~~ £ 46,00

400x240x220 mm

#### Box

- Hard frame
- Double bottom.
- Tilting handle for easier access to tools
- Elastic tool bands and interior and exterior pockets
- Cover
- Tool tray included in base
- Can be used with trolley C8



### C10

520x220x250 mm

021100000 3,3 kg

~~£ 130,00~~ £ 78,00

### C10S

420x220x250 mm

021100001 2,3 kg

~~£ 102,00~~ £ 61,00

**Tool boxes, made from plastic empty**

- 3 tool trays built into cover with adjustable partitions
- 1 interior tote-tray with adjustable partitions
- Carrying capacity: 30 kg

**CP15L**



≡ 558x277x270 mm

021150202 2,5 kg

~~£ 61,00~~ **£ 37,00**



**CP15**



≡ 445x240x250 mm

021150201 2 kg

~~£ 47,00~~ **£ 28,00**

**CP17**

Tool box, made of stainless steel and plastic, removable tote-tray, empty



021170500 2,5 kg

~~£ 83,00~~ **£ 50,00**

≡ 500x200x220 mm

**C20L**

Five-section cantilever tool box, made from sheet metal, empty



021200002 5,4 kg

~~£ 77,00~~ **£ 46,00**

≡ 550x200x210 mm

**C20TSS**

Five-section cantilever tool box,  
made of AISI 304 stainless steel

**New Item**

450x200x210 mm

**Beta stainless steel  
tools can be autoclave  
sterilized at 121 °C**

021203001 4 kg


~~£ 233,00~~ **£ 140,00**

**C04TSS/7**

Mobile roller cab with seven  
drawers, made of stainless steel

- Four castors with steel cores, Ø 125 mm:  
2 fixed and 2 steering (with brakes);
- Front centralized lock;
- Frame made entirely of stainless steel
- Castors, supports, ball bearings, drawer  
interiors and guides made of stainless steel
- Drawer handles made of aluminium

**Beta stainless steel  
tools can be autoclave  
sterilized at 121 °C**



n°	h	↓ max
6	83 mm	25 kg
1	170 mm	30 kg

024003077 63 kg

~~£ 2.480,00~~ **£ 1.488,00**



935 mm

470 mm

680 mm

### 42/SP15

Set of 15 combination wrenches with holder

6-7-8-9-10-11-12-13-14-15  
16-17-19-22-24 mm



000420078 2,1 kg

~~£ 155,00~~ £ 93,00

### 42/SC9I

Set of 9 reversible ratcheting combination wrenches, with compact support

8-10-11-12-13-14-15-17-19 mm



000420087 900 g

~~£ 93,00~~ £ 56,00

### 111

Adjustable wrenches with scales, chrome-plated

- Movable jaw opening with right-hand rotation of pin
- Head angled at 22.5 degrees, with mm and inch scale

mm/inch readout



	L mm	A max.	g			
111/150	150	24 mm	165	001110015	<del>£ 18,50</del>	£ 11,00
111/250	250	34 mm	505	001110025	<del>£ 30,00</del>	£ 18,00
111/450	450	54 mm	2043	001110045	<del>£ 134,00</del>	£ 80,00
111/600	600	62 mm	3300	001110060	<del>£ 182,00</del>	£ 109,00


### 192/S2

Set of 2 reversible ratcheting offset bi-hex ring wrenches

001920070 500 g

~~£ 56,00~~ £ 34,00

8 sizes in 2 wrenches



### 142SN/SC9

Set of 9 swivel end ratcheting combination wrenches with compact support

8-10-11-12-13-14-15-17-19 mm



001420259 1,3 kg

~~£ 229,00~~ £ 137,00



### 142C/A12

Set of 12 ratcheting combination wrenches, straight short series (item 142C) in case

8-9-10-11-12-13-14-15 -16-17-18-19 mm



001420175 1,3 kg

~~£ 196,00~~ £ 118,00



## 96BPA/SC9

Set of 9 ball head offset hexagon key wrenches, 110°, extra-short side model

EXTRA-SHORT SIDE



Ø mm	L mm
1,5	72
2	88
2,5	98
3	107
4	120
5	137
6	160
8	184
10	210

000961974 400 g


~~£24,50~~ £ 15,00

## 97BTX/SC8

Set of 8 ball head offset key wrenches, for Torx® head screws



Ø mm	L mm
T9	65
T10	74
T15	84
T20	96
T25	98
T27	109
T30	123
T40	136




000970164 170 g

~~£65,00~~ £ 39,00

## 951/S6

T-handle wrenches with hexagon male ends

Ø 2,5-3-4-5-6-8 mm



009510687 600 g

~~£118,00~~ £ 71,00

## 97BTXL/SC8

Set of 8 ball head offset key wrenches, long model, for Torx® head screws



Extra-long model +30%

Ø mm	L mm
T9	83
T10	89
T15	103
T20	114
T25	130
T27	145
T30	166
T40	183



000970364 240 g

~~£59,50~~ £ 36,00

## 96BPC/SC9

Set of 9 ball head offset hexagon key wrenches



Ø mm	L mm
1,5	79
2	85
2,5	89
3	100
4	110
5	129
6	152
8	173
10	194



000960354 400 g

~~£33,50~~ £ 20,00


## 96LBP/SC9

Set of 9 ball head offset hexagon key wrenches



Extra-long model

Ø mm	L mm
1,5	91
2	100
2,5	113
3	130
4	142
5	163
6	185
8	205
10	231



000961354 500 g

~~£26,50~~ £ 16,00



### 860MIX/A10 1/4

Set of 10 bits with magnetic bit holder in plastic case

- 860LP 0,5x3-1,0x5,5-1,2x6,5 mm
- 860PH PH1-PH2 (x2)-PH3
- 860PZ PZ1-PZ2-PZ3
- 882M1 ○ 1/4" - ● 1/4"

008600900 130 g

~~£ 23,00~~ **£ 14,00**



### 860PHZ/A10 1/4

Set of 10 bits with magnetic bit holder in plastic case

- 860PH PH1 - PH2 (x2) - PH3
- 860PZ PZ1 - PZ2 (x3) - PZ3
- 882M1 ○ 1/4" - ● 1/4"

008600910 130 g

~~£ 23,00~~ **£ 14,00**



### 860PE/A10 1/4

Set of 10 bits with magnetic bit holder in plastic case

- 860PE 2 - 2,5 mm
- 882M1 ○ 1/4 ○ 1/4 ● 1/4

008600920 130 g

~~£ 25,00~~ **£ 15,00**



### 860TX/A10 1/4

Set of 10 bits with magnetic bit holder in plastic case

- 860TX T7-T8-T9-T10-T15-T20  
T25-T27-T30-T40
- 882M1 ○ 1/4 ● 1/4

008600970 130 g

~~£ 26,50~~ **£ 16,00**



### 860/C27 1/4

Set of 25 bits, 1 connector and 1 reversible ratchet in plastic case

- 860LP 0,5x3-1,0x5,5-1,2x6,5 mm
- 860PE 2-2,5-3-4-5-6-mm
- 860PH PH1-PH2(x2)-PH3
- 860TX T6-T8-T10-T15-T20-T25-T30-T40
- 860PZ PZ1 - PZ2(2x) - PZ3
- 860/55 100 mm
- 892/0

008600880 320 g

~~£ 72,50~~ **£ 44,00**



### 860MIX/A31 1/4

Set of 30 bits with magnetic bit holder in plastic case

- 860LP 0,5x3 - 0,6x4 - 0,8x5,5  
1,0x5,5 - 1,2x6,5 mm
- 860PE 2-2,5-3-4-5-6-8-10 mm
- 860PH PH0 - PH1 - PH2 - PH3 - PH4
- 860RTX T9-T10-T15-T20-T25-T27-T30-T40
- 860PZ PZ1 - PZ2 - PZ3 - PZ4
- 882MSR/50 ○ 1/4 ● 1/4

008600902 320 g

~~£ 70,50~~ **£ 42,00**



### 862F/A7 1/4

Set of 7 magnetic bits, hexagon sockets, in plastic case

- 862F ○ 5,5-6-7-8-10-12-13 mm

008620950 350 g

~~£ 38,00~~ **£ 23,00**



## 1256/C36-2

Bi-material micro-screwdriver with 36 interchangeable 4-mm bits and magnetic extension

	1256TX	⊙	T3-T4-T5-T6-T7-T8-T9-T10-T15
	1256RTX	⊙	T6-T7-T8-T9-T10
	1256LP	●	0,8-1,2-1,5-1,8-2-2,5-3-3,5-4 mm
	1256PE	⊙	0,7-0,9-1,3-1,5-2 mm
	1256PH	⊕	PH000-PH00-PH0-PH1
	1256PZ	⊕	PZ000-PZ00-PZ0-PZ1
	1256/30		

012560100 200 g

~~£ 60,00~~ **£ 36,00**

130x60x35 mm



*For precision jobs*

## 1207TX/D7

Set of 7 screwdrivers

1207TX ⊙ T6-T8-T10-T15  
T20-T25-T30

012070207 560 g

~~£ 39,50~~ **£ 24,00**



**Beta**  
EASY

## 1263/D10

Set of 10 screwdrivers

1260 ● 3x75-3,5x100-4x125-5,5x150-6,5x150 mm  
1262 ⊕ PH0x60- PH1x8- PH2x100 mm  
1260N ● 4x30 mm  
1262N ⊕ PH1x30 mm

012630010 690 g

~~£ 74,00~~ **£ 44,00**



**Beta**  
GRIP



## 1293/D8

Set of 8 screwdrivers

1260 ● 2,5x50-3x75-4x100- 5,5x125-6,5x150 mm  
1262 ⊕ PH0x60-PH1x80- PH2x100 mm

012930403 730 g

~~£ 74,50~~ **£ 45,00**



**Beta**  
max  
MAXIMUM PERFORMANCE

## 1273MQ/D6

Set of 6 screwdrivers

1274MQ ● 3x100-4x100-5,5x125 mm  
1272MQ ⊕ PH0x60-PH1x80-PH2x100 mm

012730851 500 g

~~£ 61,50~~ **£ 37,00**



**1000 V**



14" 1/4"

Assortment of 11 hexagon sockets, 21 bits and 7 accessories in plastic case

	861LP	● 0,6x4,5-1,2x6,5-1,2x8 mm
	861PE	○ 2,5-3-4-5-6 mm
	861PH	⊕ PH1-PH2-PH3
	861PZ	⊕ PZ1-PZ2-PZ3
	861RTX	⊗ T10-T15-T20-T25-T27-T30-T40 mm
	892/0	● 1/4" - ■ 1/4"
	895/1	○ 1/4" - □ 1/4"
	900	○ 5-5,5-6-7-8-9-10-11-12-13-14 mm
	900/20	50 mm
	900/20L	100 mm
	900/25	
	900BG/30C	

**900/C39-R**



009000938 785 g

£ 191,00 £ 115,00

reversible ratchet with rotating handle (900/58)

**38"** Assortment of 16 hexagon sockets and 5 accessories in foam tray, in metal case

	910A	○ 6-7-8-9-10-11-12-13-14 15-16-17-18-19-21-22 mm
	910/21	125 mm
	910/22	250 mm
	910/25	
	910/42	



**910A/C16HR**



009100935 2,4 kg

£ 279,00 £ 167,00

reversible ratchet with rotating handle (910/58)

12"



Assortment of 17 hexagon sockets and 5 accessories in foam tray, in metal case

	920A	○ 10-11-12-13-14-15-16-17-18-19 20-21-22-24-27-30-32 mm
	920/21	125 mm
	920/22	255 mm
	920/25	
	920/42	

420x185x60 mm



**920A/C17MR**



009200937 5,1 kg

£ 314,00 £ 188,00

reversible ratchet with rotating handle (920/58)

**928A/C12** 3/4"

Assortment of 12 hexagon hand sockets and 5 accessories in metal case



	928A	○ 22-24-27-30-32-34-36-38-41 46-50-55 mm
	928/21	200 mm
	928/22	380 mm
	928/25	
	928/42	
	928/55	⊗

009280955 13,5 kg

£ 685,00 £ 411,00

530x220x80 mm





# 1031/S4

Set of 4 circlip pliers



010310000 650 g

~~£ 85,00~~ **£ 51,00**

# 1047/240

Slip joint pliers, push button alignment

- Quick, accurate adjustment by pressing push button
- No accidental misadjustment
- Heat-treated jaws



L 240 mm    ø Max 36 mm    Max 32 mm

010470240 340 g

~~£ 34,50~~ **£ 21,00**

# 1169BM/D3

Set of 3 pliers. 1 combination, 1 long needle nose and 1 diagonal cutting nipper



011690123 700 g

~~£ 84,50~~ **£ 51,00**

# 1081

Semi-flush cutting nippers, slip-proof double layer PVC coated handles

- For micro-mechanics and heavy-duty electronics

**New Item**



010810130 75 g

~~£ 27,00~~ **£ 16,00**

# 1169/D4

Set of 4 pliers. 1 combination, 1 long needle nose, 1 cutting nipper and 1 slip joint with boxed joints.

**New Item**



1048 250 mm

1082 160 mm

1150 180 mm

1166 160 mm

011690004 11 kg

~~£ 94,50~~ **£ 57,00**




# 1128BAX *PATENTED*

**Double-acting electricians' scissors, with milling profiles in DLC-coated stainless steel**

DLC coating:  
DLC (diamond-like carbon) is an innovative carbon-based coating: the high hardness and low coefficient of friction arise from the simultaneous presence of carbon on the surface in the form of graphite, and diamond.

- High blade surface hardness (resistance to abrasion and wear)
- Low coefficient of friction (smoothness and anti-adherence)
  - Anti-loose eccentric pin
  - With articulated plastic case



**Profile and mill: designed to enlarge holes on plastic, from 13 mm to 24 mm.**

**Double-acting cutting  
- effort + power**



**+ hardness  
- coefficient  
of friction**

011280088 160 g

~~£ 26,50~~ **£ 16,00**

# 1149F

**Front wire stripping pliers with cutting blade, self-adjusting**

**0,2÷6  
mm<sup>2</sup>**



011490010 500 g

~~£ 16,00~~ **£ 10,00**

# 1827F


**Butane gas soldering iron**

- 35 g tank
- three interchangeable nozzles: 550 °C; 1000 °C; 1300 °C
  - supplied with a stand in hard case



**For deforming plastics  
and unlocking metal parts**

**New Item**



018270200 1,5 kg

~~£ 135,00~~ **£ 81,00**

## 412/SP19P

Set of 19 Twist drills with cylindrical shanks, HSS, entirely ground glossy finish

Ø 1÷10 x 0,5 mm

R ≤ 700 N/mm<sup>2</sup>  
HV ≈ 750÷820



118°

004120429 590 g

£ 59,00 **£ 35,00**

115x170x40 mm

## 415C0/SP19A

Set of 19 twist drills with cylindrical shanks, HSS-CO 5%

• For drilling holes into STAINLESS steel, alloy steel, cast iron, mild steel, light alloys

Ø 1÷10 x 0,5 mm

R ≤ 1400 N/mm<sup>2</sup>  
HV ≈ 850÷920



130°

004150440 590 g

£ 118,00 **£ 71,00**

115x170x40 mm

## 426MD-3/A9

Set of 9 mini rotary burr made from hard metal, in plastic case

- Shank ø: 3 mm
- Smooth cross cut with chip breaker
- For precision and finishing jobs

**New Item**



004260349 100 g

£ 94,50 **£ 57,00**

## 437U/09

Assortment for repairing damaged threads

M5X0,8  
M6X1,0  
M8X1,25  
M10X1,5  
M12X1,75




004370550 2 kg

£ 313,00 **£ 188,00**

370x230x55 mm

**Sliding gauge made from hardened stainless steel in leather sheath**

- Reading to 0.05 mm
- Spring locking



**1650/150**

*A Max 150 mm L 235 mm*

016500001 170 g

~~£ 57,00~~ **£ 34,00**

**1650/200**

*A Max 200 mm L 290 mm*

016500002 230 g

~~£ 83,00~~ **£ 50,00**

**1726** Hacksaw frame, blade attachment system in the handle



- hacksaw frame, aluminium handle

017260001 600 g

~~£ 23,50~~ **£ 14,00**



**1772M**


**New Item**

**Safety utility knife with retractable blade, supplied with 3 blades**

- blade retracts through an automatic spring mechanism
- die-cast alloy body
- staple remover built into handle



*Adjustable cutting depth: 5-25 mm*



017720040 160 g

~~£ 17,50~~ **£ 11,00**

**1778U**

**New Item**

**Foldaway knife, hardened steel blade in case**



017780070 176 g

~~£ 24,00~~ **£ 14,00**

## 1740B 330

### Compact heavy-duty riveting pliers

- Optimized lever ratio for increased compactness and handiness.
- 3 jaws lock rivet for a perfect grip.
- Adjustable head for pulling rivet by 2 to 5 leg movements.

3,2÷6,4 mm steel

017400330 600 g

~~£ 68,00~~ £ 41,00



## 1750

### Lever operated grease guns, 500 cc

017500500 1,2 kg

~~£ 34,50~~ £ 21,00



**550 Bar**

## Vacuum cleaner

### Technical data:

#### 1870

voltage:	230/240 V
frequency:	50/60 Hz
max. power:	1200 W
airflow rate:	58 l/sec.
max. suction power:	190 mbar
max. drum capacity:	20 l
acoustic emissions:	<70 dB(A)
cable length	5 m



## 1870 20-UK

Solid and fluid vacuum cleaner, 20 l



### STANDARD ACCESSORIES, Ø 36 mm:

#### 1870

corrugated hose:	✓
hard tubes:	✓
multiuse brush:	✓
flat nozzle:	✓
rubber fitting inside Ø	x
<b>FILTERING SYSTEMS</b>	
air filter cartridge:	✓
anti-foam filter:	✓
bag:	x

018700120 6,9 kg

~~£ 235,00~~ £ 89,00



## 1756C

### Suction guns, made of polypropylene

- Double gasket
- Operating temperature: +0 ÷ +50 °C
- Not suitable for fuel and mineral oil

**200 ml**

Double NBR gasket

Ø 8 mm



017560502 250 g

~~£ 30,50~~ £ 18,00



## 1838/11LED



Rechargeable inspection lamp with ultra-high brightness LEDs, lithium polymer battery

- Compact body made of antislip rubber
- With charging station, 110-230 Vac




With multidirectional head LED



018380111 700 g

~~£ 144,00~~ £ 86,00

## 1837N



Magnetic, articulated lamp with high-brightness LEDs, up to 400 lumen

- Batteries (not included) :
  - 1xAA (life 20/60 h)
  - 2xAA (life 28/84 h)
  - 3xAA (life 36/108 h)
- Lumens: 400>40>OFF
- Charge indicator
- Adjustable focus
- IPX6



018370002 260 g

~~£ 77,00~~ £ 46,00



## 1842LED/ABM



Lamp with ultra-high brightness LEDs, 12-24V AC/DC

- 10m long cable
- compact body made of antislip rubber
- easy-to-replace front glass
- swinging hook
- 320 lumens
- with multi-directional head LED light



018420311 1,1 kg

~~£ 123,00~~ £ 74,00




## 1838COB



Compact rechargeable inspection lamp with ultra-brightness LED. Lithium polymer battery

- Compact body made of antislip rubber
- Swinging hook
- Magnetic base can be rotated 180 degrees
- With charger 100-240Vac / 50-60Hz
- 100/200 - spot 75 lumens
- Operating range: 5 / 2.5 hours
- IP65



018380010 200 g

~~£ 91,00~~ £ 55,00



## 1836A

LED headlamp, dual brightness, with contactless ON/OFF sensor

- 120/65 lumens
- IP54
- Batteries: 3xAAA included



018360050 215 g

~~£ 48,50~~ £ 29,00

## 1838FLASH



Rechargeable, ultracompact spotlight, designed to offer the best possible solution for each use

- IP65 - without external power supply
- Dual brightness: 720 / 360 lumens
- Lithium polymer battery 7.4 V 4000 mAh



018380300 820 g

~~£ 322,00~~ £ 193,00



# 18V

## 1984/18QM

### Impact wrench, 18V, brushless

- Triple front LED
- 4 modes available:
  - 1: 270Nm; 1400 RPM
  - 2: 360Nm; 2000 RPM
  - 3: 450Nm; 2750 RPM
  - A: 450Nm Autostop- As long as the impact wrench detects a free rotation, it applies maximum torque/speed (450Nm; 2750 RPM)
- When the nut reaches the end of stroke and stops rotating, the impact wrench keeps applying maximum torque for 1 second; then it sets itself to the lowest level, to avoid damaging the nut.




12"



450 Nm

no dust



270 Nm

360 Nm

450 Nm

Autostop



196 mm



1/4"



12"

019840018 2,3 kg

£ 1,170,00 £ 702,00



### BRUSHLESS

Digital brushless motor: remarkably enhanced performance, including: increased power, reduced energy consumption

- 2Ah batteries and charge indicator on drill body
- Triple battery self-protection (heat, overload and monitoring of charge differences (if any) between cells) for increased safety and durable high performance
- Supplied in a hard case with 2 lithium ion batteries (2 Ah) and quick charger (45 min)



## 1982/12EF

### Reversible impact wrench, 12V

Ideal for jobs in small areas, provides high torque (115 Nm), one-handed operation

- 1/4" hexagon drive with locknut
- Ultracompact: no more than 163 mm in length
- Ultralightweight, no more than 1.1 kg, with battery
- Triple front LED



1/4"



163 mm



019820012 1,1 kg

£ 425,00 £ 255,00

## 351C

Pipe cutter and tube flaring tool



350  $\varnothing$  4÷14 mm



334  $\varnothing$  3÷30 mm  
1/8"÷1 1/8"



351P  $\varnothing$  4-4,75-6-8-10-12-14 mm



225x150x45 mm

003510010 1,6 kg

~~£ 119,00~~ **£ 71,00**

## 32AU

Automatic centre punch



L 150 mm



$\varnothing$  3 mm

000320160 135 g

~~£ 52,00~~ **£ 31,00**

## 388C/C8

Pipe bender with 7 forms, made of aluminium, for soft copper and light alloy pipes in plastic case



400x330x110 mm



$\varnothing$  10, 12, 14, 16, 18, 20, 22 mm

003880200 3,6 kg

~~£ 445,00~~ **£ 267,00**

## 342

Ratchet-type shears for plastic pipes



$\varnothing$  0÷42 mm  
1 5/8"

003420030 500 g

~~£ 43,00~~ **£ 26,00**

## 1392

Dead-blow hammer, with interchangeable plastic faces, steel shafts




	$\varnothing$	kg			
1392/30	30	575	013920030	<del>£ 46,50</del>	<b>£ 28,00</b>
1392/35	35	670	013920035	<del>£ 48,50</del>	<b>£ 29,00</b>
1392/40	40	796	013920040	<del>£ 56,00</del>	<b>£ 34,00</b>
1392/50	50	1206	013920050	<del>£ 64,00</del>	<b>£ 38,00</b>
1392/60	60	1505	013920060	<del>£ 101,00</del>	<b>£ 61,00</b>



# 1500


## Two-leg universal pullers



	A min÷Max	A1 min÷Max mm	L mm	L1 mm	● mm	Charge Max	kg		
1500/1	25÷80 mm	70÷130	100	135	17	4500	0,9	015000301	<del>£ 67,00</del> £ 40,00
1500/2	25÷130 mm	80÷180	100	135	17	4500	1,1	015000302	<del>£ 69,00</del> £ 41,00
1500/3	50÷160 mm	105÷220	150	210	22	6000	2,8	015000303	<del>£ 119,00</del> £ 71,00
1500/4	60÷200 mm	120÷270	150	210	22	6000	3,1	015000304	<del>£ 166,00</del> £ 100,00

# 1545/C5M

## Puller 1542/1 with 5 extractors 1544



	A mm	C mm
1544/1	9÷12	0,80
1544/2	13÷17	1,15
1544/3	16÷21	1,70
1544/4	20÷25	1,65
1544/5	25÷30	2,00



015450011 2,4 kg

~~£ 440,00~~ £ 264,00

420x185x60 mm

# 1547/C6

## Dummy ball bearing extractors in cassetta di lamiera

- quick, safe extraction



### Bearings

#### 1547/1

6011-6014, 6206-6211, 6303-6308, 6403-6405 1

#### 1547/2

6004-6010, 6200-6205, 6300-6304



015470006 3 kg


~~£ 229,00~~ £ 137,00

420x185x60 mm

**1927CD/K3** 12" CE

**Assortment of one reversible impact wrench and three impact sockets**

- Double hammer impulse device
- Lightweight and well-balanced for enhanced ease of use
- High torque
- Reversible lever
- Three power adjustable screwing positions
- Exhaust through handle
- Silenced



720LC 17-19-21 mm

Free speed	rpm	7.000
Impulse device		Double hammer
Maximum torque	Nm	<b>1020</b>
Bolt capacity	Cl 8.8	M22●34 mm
Bolt capacity	Cl 12.9	M18●27 mm
Air inlet	GAS	1/4"
Working pressure	bar	6.2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	130
Weight	kg	1,9

019270107 1,9 kg


~~£ 406,00~~ **£ 244,00**

350x305x86 mm

**1927P** 12" CE

**Reversible impact wrench, made from composite material**

- Lightweight and well-balanced for enhanced ease of use
- Reversible lever
- Three power adjustable screwing positions
- Exhaust through handle
- Vibration-dumping handle



*Extremely powerful*  
**1750 Nm**

Free speed	rpm	7.500
Impulse device		Double hammer
Maximum torque	Nm	<b>1750</b>
Bolt capacity	Cl 8.8	M24●36 mm
Bolt capacity	Cl 12.9	M20●30 mm
Air inlet	GAS	1/4"
Working pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	290
Weight	kg	2

019270008 2 kg

~~£ 415,00~~ **£ 249,00**



**720LC/C3** 12" CE

**3 impact sockets for wheel nuts, with polymeric inserts**

in plastic case  
Ø: 17 - 19 - 21 mm



148x132x44 mm

007200653 800 g

~~£ 31,50~~ **£ 19,00**

**1927XM/K5** 12" CE

**Assortment of one compact reversible impact wrench and five impact sockets, in plastic case**

- Single hammer impulse device
- Amazingly compact and powerful
- One-hand reverse button
- Three power adjustable screwing/unscrewing positions
- Exhaust through handle
- Balancing hook




307x206x86 mm

720 17-19-21-22-24 mm

019270129 1,3 kg

~~£ 311,00~~ **£ 187,00**



Free speed	rpm	10.000
Impulse device		Single hammer
Max. torque	Nm	<b>770</b>
Bolt capacity	Cl 8.8	M22●34 mm
Bolt capacity	Cl 12.9	M18●27 mm
Air inlet	GAS	1/4"
Operating pressure	bar	6,2
Internal hose size (Ø)	mm	10
Mean air consumption	l/min	122
Weight	kg	1,3

### Ultrasonic cleaning tank, with special degas function

- Ultrasonic cleaning relies on fluid heating to effectively clean spare parts and metal pieces in general (carburetors, valves etc.)
- Digital display for temperature and cleaning time selection
- two cleaning modes: "soft" and "normal"
- For normal cleaning, just use water at a temperature of 50/60 °C
- For more accurate cleaning, add non-foaming detergent solutions specific for ultrasonic tanks
- Using the degas mode speeds up air release throughout the tank, thereby improving ultrasonic cleaning efficiency



**1895 6    1895 13    1895 27**

Tank capacity	6 l	13 l	27 l
Drain tap	✓	✓	✓
Power	150 Watt	300 Watt	500 Watt
Heating power	300 Watt	400 Watt	500 Watt
Temperature range	0+80°C	0+80°C	0+80°C
Cleaning time range	0-99 minutes	0-99 minutes	0-99 minutes
Frequency	40 kHz	40 kHz	40 kHz
Power supply	220/230V	220/230V	220/230V
Dimensions	330x180x310 mm	350x325x320 mm	530x330x380 mm
Dimensions tank	300x155x150 mm	325x235x145 mm	500x300x200 mm



*Ideal for injectors*

**6 l**  
**1895 6**

☎ 018950060 8,1 kg

~~£ 700,00~~ **£ 420,00**

**13 l**  
**1895 13**

☎ 018950130 12,5 kg

~~£ 1.070,00~~ **£ 642,00**

**New Item**

**27 l**  
**1895 27**

☎ 018950270 13,5 kg

~~£ 1.510,00~~ **£ 906,00**

**New Item**



# 1366S

## Wheeled bodywork spotter

- microprocessor for managing welding parameters
- welding power and time adjustment
- adjustment range: 400÷2200 Ah
- single, pulsed, continuous point selector
- welding parameters table
- thermal protection indicator
- quick coupling gun
- voltage: 230 V



20 kg

013660000 30 kg

~~£ 1.650,00~~ **£ 990,00**



**New Item**

## Handy trolley version

400÷2200 Ah



## 1366S-KIT

### Spotter accessory kit

- 10 slotted washers
- 10 90° slotted washers
- 100 threaded pins, 5x18 mm
- 100 self-threading pins, 5x18 mm
- 100 self-threading pins, 5x25 mm
- washer hook, Ø 8x16x1.5 mm
- electrode for M5-M6 screws
- electrode for slotted washers



013660001 1,4 kg

~~£ 216,00~~ **£ 130,00**

250x170x35 mm

## 1366SL

### Pulling lever for repairing dents on metal surfaces

Articulated multihook head for use with crimped wire



**New Item**

L mm

74

013660002 1,3 kg

~~£ 185,00~~ **£ 111,00**

## 1366ST

### Cross bar for repairing dents on metal surfaces

Articulated multihook head for use with crimped wire



**New Item**

013660003 4,1 kg

~~£ 600,00~~ **£ 360,00**

L mm

85

## 1365/K13

### Oil pressure pump, 10t, and bodywork accessories kit in handy trolley

Kit contents:

- oil pressure pump, 10t, with 1.5m long hose, 1/2" coupling
- wing opening pliers
- L-shaped base, 50x50 mm
- male-to-male coupling for installing accessories



≡ 900x420x180 mm

013650013 33 kg

~~£ 660,00~~ £ 396,00

## 1366A

### Dent puller with kit of 19 plastic glue tabs

Ideal for removing:

- hail dents
- dents caused by doors
- small dents in general



013660200 600 g

~~£ 78,00~~ £ 47,00



## 1366/K5

### Pneumatic dent puller, with 1.1 kg hammer face

Kit contents:

- 1 suction cup Ø 75 mm
- 1 suction cup Ø 100 mm
- 1 suction cup Ø 125 mm
- 1 hook



≡ 610x240x90 mm



**Heavy duty  
suction cups**

013660010 4,5 kg

~~£ 224,00~~ £ 134,00



## 1366/KF

### Kit of 19 plastic glue tabs for item 1366A




013660205 56 g

~~£ 28,00~~ £ 17,00

# 1367

Punches for installing parking sensors



	∅ mm	N° pz	kg		
1367/S4	23-24 27-28	4	1	013670104	<del>£ 225,00</del> £ 135,00

# 1368 (CE)

Plastic repair kit



### TECHNICAL DESCRIPTION

- power supply: 220÷240 V with Schuko socket
- heat gun cable length: 3.5 m
- power supply cable length: 1.35 m
- 2 power adjustments: 35-75 W
- heat gun with brass terminals, 2 staple insertion angles: 0°-90°
- input protection: thermal circuit breaker
- output protection: 10 A fuse
- metal gun pocket



013680001 3,7 kg

~~£ 408,00~~ £ 245,00

*Allows cracked and broken plastic parts to be quickly fixed*

# 1368G/K400

Assortment of 400 clips for item 1368

Contents:

- 100 small coil clips
- 100 big coil clips
- 100 concave angle clips
- 100 convex angle clips



013680140 255 g

~~£ 66,00~~ £ 40,00

**960PI/C19****New Item**

Assortment of 19 tools  
for cleaning injector seats

Kit contents:

- 11 flat reamers, Ø:  
14/14 mm - 15.5/15.5 mm - 15/19 mm - 17/19 mm - 17/17.5 mm  
17/19 mm - 17/19.5 mm - 17/20 mm - 18/21 mm - 19 mm - 20/21 mm
- 4 angled reamers, Ø:  
15.5/15.5 mm - 17/17 mm - 17.5/20.5 mm - 17/21 mm
- Handle and cutter accessories

**15 cutters**

009600217 2,5 kg

~~£ 290,00~~ **£ 174,00**

360x230x60 mm

**960KC-M8/M9/M10**

Assortment of tools  
for removing broken  
or damaged glow plugs

*For spark plugs with  
threads M8-M9-M10*




380x290x50 mm

009600801 2,5 kg

~~£ 368,00~~ **£ 221,00**

**1472FC/GE****New Item**

Heavy-duty Clic® collar pliers



*Particularly suitable for  
large-size clippers*



014720093 200 g

~~£ 70,00~~ **£ 42,00**

L mm
230

New Item

### 962P

Tyre levers with non-scratch rubber protection



009620049 750 g

~~£ 89,00~~ £ 53,00



L mm	L1 mm
490	25

New Item

### 987AR

Tyre valve lever with non-scratch fulcrum

- rubber and nylon fulcrum for alloy and iron rims
- valve quick coupling, does not require screwing



009870021 200 g

~~£ 100,00~~ £ 60,00



L mm
305

### 986PT

Tyre valve screwdriver, precalibrated, 0.4 Nm

Automatic valve retention  
Slip mechanism prevents valve core gasket from getting damaged

New Item

*Particularly suitable for TPMS valves*



009860140 30 g

~~£ 51,00~~ £ 31,00

L mm	L1 mm
19	120

### 962M

Tyre removal/installation tool

- non-scratch rim locking jaws
- tyre removal lever seat

New Item

*Particularly recommended for runflat tyres and lower shoulder models*



009620501 450 g

~~£ 320,00~~ £ 192,00



**1464T** **Digital pressure and compression tester**

014640050 1,1 kg

~~£ 825,00~~ **£ 495,00**

## SPECIFICATIONS

- 5" touch screen display
- rechargeable polymer lithium battery
- complete with 80 bar sensor (for low pressure) and USB cable

**1464IC** **Set of dummy injectors and dummy glow plugs for item 1461T**

Makes it possible to connect to the engine to check compression in diesel engines with digital tester 1464T.

014640350 4,5 kg

~~£ 540,00~~ **£ 324,00**

- 22 dummy glow plugs
- 5 dummy injectors
- 1 universal dummy injector kit for trucks, marine engines and agricultural machines

≡ 559x312x50 mm

**1464AP** **Set for testing high pressure system in common rail diesel engines, with item 1464T**

- high pressure pipe set
- fittings
- 2,000 bar sensor



014640450 1,8 kg

~~£ 710,00~~ **£ 426,00**

≡ 430x310x50 mm

**1464APB** **Set for testing high pressure system in FSI petrol engines, for use with item 1464T**

Comes with 200 bar sensor and connectors



014640500 600 g

~~£ 405,00~~ **£ 243,00**

≡ 240x210x50 mm

**1464FG** **Set of dummy regulators for testing diesel common rail system (for use with Beta 1464T-1464AP)**

Used with the tester and suitable adapters, it makes it possible to determine whether the problem is the high pressure pump or the regulator when there is no pressure in the high pressure circuit in common rail engines.

014640470 1,8 kg

~~£ 309,00~~ **£ 185,00**

Recommended for Bosch, Delphi, Denso and Siemens pressure regulators

**New Item**

**1464TDI** 1464T ✓

Set for testing pump pressure in TDI engines, for use with item 1464T  
Comes with connector



014640600 400 g

~~£ 120,00~~ **£ 72,00**

240x210x50 mm

**1464PT** 1464T ✓

Set for testing turbo pressure, for use with item 1464T  
Comes with sensor and connecting cable



014640550 380 g

~~£ 174,00~~ **£ 104,00**

240x210x50 mm

**1464PF** 1464T ✓

Set for testing pressure in braking system, for use with item 1464T  
Comes with adapters and connectors



014640650 3 kg

~~£ 725,00~~ **£ 435,00**

600x280x60 mm

**1464PB** 1464T ✓

Set of 9 connectors for testing fuel low pressure (for use with item 1464T)

Quick connectors to test 1464T allow fuel low pressure in diesel and petrol engines to be quickly checked

**New Item**



014640700 3,8 kg

~~£ 540,00~~ **£ 324,00**

530x440x120 mm

### 3002

#### Creeper and seat

- Steel frame
- PVC lining with upholstery
- Easily convertible into a creeper or a seat



030020001 8 kg

~~£ 98,00~~ £ 59,00

### 3003

#### Creeper made of shockproof plastic

Wheel Ø: 76 mm



030030001 5 kg

~~£ 71,00~~ £ 43,00


### 3027 20    3027 30    3027 50

	20 t	30 t	50 t
Maximum capacity	20 t	30 t	50 t
Manual 2-speed pump	✓	✓	✓
Moving piston	✓	✓	✓
Hydraulic safety in case of overloading	✓	✓	✓
Gauge	✓	✓	✓
Set of V-shaped prisms included	✓	✓	✓
Argano	x	x	✓

Ⓢ Hydraulic press with moving piston



### 3027 20




030270020 140 kg

~~£ 2.330,00~~ £ 1.398,00



### 3027 30




030270030 230 kg

~~£ 4.110,00~~ £ 2.466,00



### 3027 50



030270050 350 kg

~~£ 6.360,00~~ £ 3.816,00



# Mobile workstation

Can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers.

- Painted sheet metal frame: unparalleled firmness and sturdiness
- Ergonomic handle
- 2 fixed rear castors Ø 160 mm
- 2 steering front castors Ø 125 mm (one with brake)



**New Item**

## CA49-G

Multi-purpose trolley with door



## CX49-G

Multi-purpose trolley



2-level top



Pull-out drawer for housing a mini keyboard

2 central shelves with adjustable position and 1 fixed low shelf



1 paper holder



4 useful side cable reels made of plastic



2 useful side containers



1099 mm  
460 mm  
435 mm

1099 mm  
460 mm  
435 mm



049000112 36,5 kg  
~~£ 745,00~~ **£ 447,00**



049000102 36 kg  
~~£ 655,00~~ **£ 393,00**

**1428/SB11** **3/8"** **1/2"**

Set of pullers for damaged nuts  
3/8" and 1/2" square drive  
with support



014280111 822 g

~~£ 224,00~~ **£ 134,00**

**3/8"** 8-10-11-12-13-14 mm

**1/2"** 15-16-17-18-19 mm

**1433/C11**

Set of 11 roller stud extractors with 1/2" female  
square and hexagon drives in metal case with  
soft thermoformed tray

- A roller system works on studs in required direction (left or right) with progressive intensity

014330311 3 kg

~~£ 195,00~~ **£ 117,00**

340x135x56 mm

**1529/C7**

**Pulley puller**

Kit contents:

- 2 legs with two 4.7-mm-thick feet
- 2 legs with one 4.3-mm-thick foot
- 1 leg with two 2.3-mm-thick feet
- 1 leg with one 2.3-mm-thick foot

The pair of legs can be made up according to one's operating requirements




015290100 2 kg

~~£ 141,00~~ **£ 85,00**

285x155x50 mm

**1430/S8**

Set of 8 tapered extractors for broken  
screws and studs, made from hardened  
steel (item 1430/..), in case



	M	A mm
1430/1	3÷6	2,5
1430/2	6÷8	3,0
1430/3	8÷11	4,5
1430/4	11÷14	6,0
1430/5	14÷18	8,0
1430/6	18÷24	11,0
1430/7	24÷33	14,0
1430/8	33÷50	21,0



014300108 745 g

~~£ 71,00~~ **£ 43,00**

## 1438K/DSG

**New Item**

**Set of 13 tools for removing, installing and adjusting VW 6- and 7- gear DSG clutches**

Allows jobs on automatic and electronic dual clutch gearbox transmissions. Includes pliers for removing/installing snap ring of main shaft and adjustment gauge for clutch system



014380250 5,2 kg

~~£ 875,00~~ **£ 525,00**

500x390x135 mm

## 1471M/C22

**Pneumatic tool for pushing back and rotating right and left disc brake pistons with accessories in plastic case**

- Automatic jack
- New assortment complete with all new adaptors
- Thrust: 150 kg
- Operating pressure 5÷8 bar



014710101 3,8 kg

~~£ 229,00~~ **£ 137,00**

350x310x85 mm

## 1466/C5



**Kit of 5 brake bleeding wrenches**

kit contents:

- 5 wrenches sizes 7-8-9-10-11 mm
- 1 drain hose with check valve

*Oil goes into bush*



260x170x50 mm

*Wrench does not have to be removed to bleed brakes*

014660100 700 g

~~£ 125,00~~ **£ 75,00**


## 3025/PF

**Barrel handling pliers**



70 mm

*Maximum capacity: 300 kg*



550 ÷ 640 mm

030250011 10 kg

~~£ 326,00~~ **£ 196,00**

New Item

**1493/C7**  $\frac{3}{8}$ "  $\square$  16 mm

Self-adjusting oil filter wrench with three arms for right- and left-hand tightening, with interchangeable arms

- 2 sets of arms:  
 • 1 set with 20 mm working length  
 • 1 set with 38 mm working length

*Antislip diamond finish*



210x150x50 mm

014930079 600 g

~~£ 116,00~~ £ 70,00

Ø mm  
50÷100

Self-locking oil filter wrenches, for left-hand tightening

New Item

**1493/X1**  $\frac{3}{8}$ "

014930105 280 g

~~£ 25,00~~ £ 15,00

**1493/X2**  $\frac{3}{8}$ "

014930110 280 g

~~£ 25,00~~ £ 15,00



	Ø mm	$\frac{+s}{-}$ mm
1493/X1	60÷80	2,9
1493/X2	80÷98	2,9



Self-locking oil filter wrenches, for right- and left-hand tightening, heavy-duty version

New Item

**1493/Y1**  $\frac{1}{2}$ "

014930120 300 g

~~£ 109,00~~ £ 65,00


**1493/Y2**  $\frac{1}{2}$ "

014930122 1,2 kg

~~£ 167,00~~ £ 100,00



	Ø mm	$\frac{+s}{-}$ mm
1493/Y1	80÷110	7,3
1493/Y2	104÷150	7,3



\* Item 1493Y/2 can also be used for drier filters



998015509



Beta Tools (UK) Limited  
Unit D - Horton Enterprise Park  
Hortonwood 50, Telford  
Shropshire, TF1 7GZ  
Sales: Tel. (01952) 677977

[www.beta-tools.co.uk](http://www.beta-tools.co.uk)  
[sales@beta-tools.com](mailto:sales@beta-tools.com)

*Promotion valid from 01/01/2019 to 31/03/2019,  
subject to availability*

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.