

Beta — EASY —

range
2018

by

 **Beta**



www.beta-tools.com

903E/C42

009031042

1/4"

42

Assortment of 13 hexagon sockets,
18 bits, 4 offset hexagon
key wrenches and 7 accessories
in plastic case

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊗	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/42		115 mm
	C900/30		150 mm
	96	○	1,3-1,5-2-2,5 mm
	C900AD	⊗ 1/4"	
	861LP	●	0,6x4-0,8x5,5-1,2x6,5 mm
	861PH	⊕	PH1-PH2-PH3
	861PZ	⊕	PZ1-PZ2-PZ3
	861PE	○	3-4-5-6 mm
	861TX	⊗	T10-T15-T20-T25-T30



190x160x60 mm

860 EA/31

008600992

1/4"



31

Set of 30 bits
with magnetic bit holder,
in plastic case

	861LP	●	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	861PH	⊕	PH1-PH2-PH3
	861PZ	⊕	PZ1-PZ2-PZ3
	861PE	○	2-3-4-5-6-8 mm
	861TX	⊗	T8-T9-T10-T15-T20-T25-T27-T30-T40
	861PQ	○	1-2-3 mm
	882M1	○ 1/4 - ● 1/4	



100x60x30 mm

923E-PE/C18

009231028

1/2"

**Assortment of 18 sockets drivers
for hexagon screws**
in plastic case

	C920PE	○ 4-5-6-7-8-10-12 14-17-19 mm
	C920PE-L	○ 4-5-6-7-8 mm
	C920PE-XL	○ 10-12-14 mm

18



285x210x84 mm

923E-TX/C18

009231018

1/2"

**Assortment of 18 sockets drivers
for Torx® head screws**
in plastic case

	C920TX	⊕ T20-T25-T27-T30-T40- T45-T50-T55-T60-T70
	C920TX-L	⊕ T20-T25-T27-T30-T40
	C920TX-XL	⊕ T45-T50-T55

18



285x210x84 mm

913E/C33

009131033

3/8"

Assortment of 28 hexagon sockets
and 5 accessories,
in plastic case

	C910A	○	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	C910AL	○	8-9-10-12-13-14-17-19 mm
	C956E	○	16 mm (5/8") 21 mm (13/16")
	910E/55	⊗	
	C910/25		
	C910/21		75 mm
	C910/22		150 mm
	C920/15F	□ 1/2" - ■ 3/8"	

33



285x210x84 mm

923E-FTX/C17

009231017

1/2"

Assortment of 17 hand sockets
for Torx® head screws,
in plastic case

	C920FTX	⊗	E10-E12-E14-E16-E18-E20-E22-E24
	C920TX	⊗	T20-T25-T27-T30-T40-T45-T50-T55-T60

17



285x210x84 mm

923E/C25

009231025

1/2"

Assortment of 20 hexagon sockets
and 5 accessories,
in plastic case

	C920A	○	8-9-10-11-12-13-14-15-16-17- 18-19-20-21-22-23-24-27-30- 32 mm
	920E/55	⊗	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□ 3/8" ■ 1/2"	



285x210x84 mm

928E/C17

009282017

3/4"

Assortment of 12 hexagon sockets
and 5 accessories,
in plastic case

	C928A	○	22-24-27-30-32-34-36-38-41- 46-50-55 mm
	C928/55	⊗	
	C928/25		
	C928/21		100 mm
	C928/22		200 mm
	C928/42		455 mm



555x370x92 mm

903E/C98

009031098

1/4" 1/2"

Assortment of 45 hexagon sockets,
35 bits, 4 offset hexagon key wrenches
and 14 accessories,
in plastic case

98

375x295x84 mm

1/4"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900L	○	6-7-8-9-10-11-12-13 mm
	900E/55	⊗	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm

1/2"

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C920L	○	14-15-17-19-22 mm
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm

	C910/16F	□ 3/8" - ■ 1/2"
	C895/6	□ 1/2" - ◇ 5/16"
	C900AD	⊗ 14"
	892/0	● 1/4" - ■ 1/4"
	861PH	⊕ ⊗ PH1-PH2
	861PZ	⊕ ⊗ PZ1-PZ2
	861PE	○ ⊗ 3-4-5-6 mm
	861LP	● ⊗ 0,6x4-0,8x5,5-1,2x6,5 mm
	861TX	⊗ ⊗ T10-T15-T20-T25-T27-T30
	C866LP	● ⊗ 1,6x8-1,6x10-2,0x12 mm
	C866PH	⊕ ⊗ PH3-PH4
	C866PZ	⊕ ⊗ PZ3-PZ4
	866PE	○ ⊗ 7-8-10-12-14 mm
	866TX	⊗ ⊗ T40-T45-T50-T55-T60-T70
	96	○ 1,3-1,5-2-2,5 mm

903E/C170

009031170

1/4" 3/8" 1/2"

Assortment of 74 hexagon sockets,
42 bits, 30 socket drivers,
7 offset hexagon key wrenches
and 17 accessories,
in plastic case

170

453x375x90 mm



1/4"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900L	○	4-5-6-7-8-9-10 mm
	900E/55	⊗	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm
	C900FTX	⊗	E4-E5-E6-E7-E8
	C900LP	●	0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm
	C900PH	⊕	PH0-PH1-PH2
	C900PZ	⊕	PZ0-PZ1-PZ2
	C900ME	○	3-4-5-6 mm
	C900TX	⊗	T08-T09-T10-T15-T20-T25-T27-T30
	C900RTX	⊗	T08-T09-T10-T15-T20-T25-T27-T30

1/2"

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C920L	○	16-17-18-19-22 mm
	C920FTX	⊗	E18-E20-E24
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□ 3/8" - ■ 1/2"	

3/8"

	C910A	○	10-11-12-13-14-15-16-17-18-19 mm
	C910AL	○	10-11-12-13-14-15 mm
	C910FTX	⊗	E10-E11-E12-E14-E16
	C956E	○	18 mm (11/16")
	910E/55	⊗	
	C910/25		
	C910/22		150 mm

	96	○	0,9-1,5-2-2,5-3-4-5 mm
	C895/4	□ 3/8" - ◇ 5/16"	
	C895/6	□ 1/2" - ◇ 5/16"	
	C900AD	⊗ - ⊗	
	892/0	⊗ - ⊗	
	861RTX	⊗	T09-T10-T15-T20-T25-T27-T30-T40
	861TX	⊗	T6-T7-T8
	861RIBE	⊗	7-8-9 mm
	861XZN	○	5-6-8 mm
	C866LP	●	1,6x8-1,6x10-2,0x12 mm
	C866PH	⊕	PH3-PH4
	C866PZ	⊕	PZ3-PZ4
	866PE	○	7-8-10-12-14 mm
	866TX	⊗	T40-T45-T50-T55-T60-T70
	866RTX	⊗	T40-T45-T50-T55-T60-T70

2046E/C116

020460116

1/4" 1/2"

Tool case with assortment
of 116 general maintenance
tools, made of plastic

116



453x375x90 mm

1/4"

	C900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900L	○	6-7-8-9-10-11-12-13 mm
	900E/55	⊗	
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm

1/2"

	C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C920L	○	14-15-17-19-22 mm
	C956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F	□ 3/8" - ■ 1/2"	
	C895/6F	□ 1/2" - ○ 5/16"	

	C900AD	⊗ 1/4"	
	892/0	● 1/4" - ■ 1/4"	
	861PH	⊕ ⊗ PH1-PH2	
	861PZ	⊕ ⊗ PZ1-PZ2	
	861PE	○ ⊗ 3-4-5-6 mm	
	861LP	● ⊗ 0,6x4-0,8x5,5-1,2x6,5 mm	
	861TX	⊗ ⊗ T10-T15-T20-T25-T27-T30	
	C866LP	● ⊗ 1,6x8-1,6x10-2,0x12 mm	
	C866PH	⊕ ⊗ PH3-PH4	
	C866PZ	⊕ ⊗ PZ3-PZ4	
	866PE	○ ⊗ 7-8-10-12-14 mm	
	866TX	⊗ ⊗ T40-T45-T50-T55-T60-T70	
	42C	⊗ 7-8-9-10-11-12-13-14-15-16-17-18-19 mm	
	96/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm	

2047E/C108

020470108

1/4" 1/2"

Tool case with assortment
of 108 general maintenance
tools, made of plastic

108



555x370x92 mm

1/4"

	C900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55		
	C900/25		
	C900/20		50 mm
	C900/20L		100 mm
	C900/30		150 mm
	C900/42		115 mm



860EA/31

861LP 0,5x3-0,6x4-5-0,8x5,5-1,0x5,5-1,2x6-5-1,6x8 mm
 861PH 1-2-3
 861PZ 1-2-3
 861PE 2-3-4-5-6-8 mm
 861TX T8-T9-T10-T15-T20-T25-T27-T30-T40
 861PQ 1-2-3 mm
 862M1 1/4" - 1/4"

1/2"

	C920A		10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	C956C		16 mm (5/8") - 21 mm (13/16")
	920E/55		
	C920/25		
	C920/21		125 mm
	C920/22		250 mm
	C910/16F		□ 3/8" - ■ 1/2"

	C900AD		14"
	42C		7-8-9-10-11-12-13-14 15-16-17-18-19 mm
	96/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	1048		250 mm
	1082CM		160 mm
	1150CM		180 mm
	1166CM		160 mm
	1201		3x75-4x100-5,5x125 6,5x150mm
	1202		PH1-PH2
	1370		300 g

2120L-E/T91-E

021200901

Cantilever tool box
with assortment
of 91 general
maintenance tools,
made of sheet metal

91



550x200x210 mm

1/2"



C920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
920E/55	⊗	
C920/25		



C920/21	○	125 mm
C920/22		250 mm
C910/16F	□ 3/8" - ■ 1/2"	
1048		250 mm
1771	 3x	18 mm



42C	⊗	8-9-10-11-12-13-14-15-16-17-19 mm
96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm



1201	●	2,5x50-3x75-4x100-5,5x125-6,5x150 mm
1201N	●	4x30 mm



860EA/31	⊗ ⊕ ⊕ ⊕ ⊕ ⊕	
C900AD	⊗ 14"	
C900/30		150 mm
1202	⊕	PH0x60-PH1x80-PH2x100 mm
1202N	⊕	PH1x30 mm



1082CM	⌢	160 mm
1150CM	≡	180 mm
1166CM	●	160 mm

2056E/E

020560411

1/4" 1/2"

146

Tool case with assortment of 146 general maintenance tools

- Removable tool panel
- Integrated thermoformed tool tray

	861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	861PH	1-2-3
	861PZ	1-2-3
	861PE	2-3-4-5-6-8 mm
	861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
	861PQ	1-2-3 mm
	882M1	○ 1/4 - ● 1/4

	1256TX	○ T3-T4-T5-T6-T7-T8-T9-T10-T15
	1256RTX	⊗ T6-T7-T8-T9-T10
	1256LP	● 0,8-1,2-1,5-1,8-2,2-2,5-3-3,5-4 mm
	1256PE	○ 0,7-0,9-1,3-1,5-2 mm
	1256PH	⊕ PH000-PH00-PH0-PH1
	1256PZ	⊕ PZ000-PZ00-PZ0-PZ1
	1256/20	
	1256/30	4 mm 110 mm

465x330x170 mm

1/4"

	895 /1	○ 1/4 - □ 1/4
	C900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	C900/20	50 mm
	C900/20L	100 mm
	C900/25	
	C900/30	150 mm
	C900/42	110 mm
	900E/55	⊗

1/2"

	C920A	○ 10-11-12-13-14-15-16-17-18-19-21-22-24 mm
	C910/16F	□ 3/8" - ■ 1/2"
	C920/21	125 mm
	C920/22	250 mm
	C920/25	
	920E/55	⊗

	42C	⊗ 8-9-10-11-12-13-14-15-16-17-18-19 mm
	96BPC/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
	111	250 mm
	1048	250 mm
	1082CM	⊗ 160 mm
	1098	220 mm
	1150CM	⊗ 180 mm
	1166CM	● 160 mm
	1128BMX	
	1201	● 3x75-4x125-5,5x150-6,5x150 mm
	1202	⊕ PH1x80 - PH2x100 mm
	1253	● 3,5x100 mm
	1370	300 g
	1692/5	5 m
	1725CR	150 mm
	1771	3x 18 mm



Containers



Assortments



2400S-07/E-M

024002291

Mobile roller cab with 7 drawers, with assortment of 210 tools

- 7 drawers (588x367 mm), with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Integrated side bottle holder.



Castors with metal cores for enhanced sturdiness



Sturdy nylon front

n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



2400S-G7/E-M
024002294



2400S-R7/E-M
024002297



1/4"

C900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
C900L ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
900E/55 ®
C900/25
C900/20L 50 mm
C900/20L 100 mm
C900/42 115 mm
C900/30 150 mm
C900ME ○ 3-4-5-6-7-8 mm
C900TX ○ T06-T07-T08-T09-T10-T15-T20-T25
C900AD ○ 14"

1/2"

C920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
C920L ○ 10-12-13-14-15-16-17-18-19-21-22 mm
920E/55 ®
C920/25
C920/21 125 mm
C920/22 250 mm
C910/16F □ 3/8" - 1/2"
C920PE ○ 5-6-7-8-9-10-12-14 mm
C920TX ○ T27-T30-T40-T45-T50-T55-T60

860EA/C31 ○ 1/4" 1/2" 3/8" 5/16" 3/16" 1/8"



42C ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm
55 ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
90 ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
111 250 mm



1201 ○ 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201N ○ 4x30 mm
1202 ○ PH0x60-PH1x80-PH2x100-PH3x150 mm
1202N ○ PH1x30 mm
1207TX ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40
96BPC/SC9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm



1082CM 160 mm
1150CM 180 mm
1166CM 200 mm
1032-180 ○ 19÷60 mm
1034-170 ○ 19÷60 mm
1036-175 ● 19÷60 mm
1038-175 ● 19÷60 mm

1048 250 mm
1370 500 g
1390 Ø 35 mm
32 Ø 4 mm
34 150 mm
36 125 mm

2400S-07/E-L

024002292

Mobile roller cab with 7 drawers, with assortment of 295 tools

- 7 drawers (588x367 mm), with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Integrated side bottle holder.



Castors with metal cores for enhanced sturdiness



Sturdy nylon front

955 mm
445 mm
740 mm



n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg



2400S-G7/E-L
024002295



2400S-R7/E-L
024002298



1/4"

C900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
C900L ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
900E/55 Ⓢ
C900/25
C900/20L 100 mm
C900/42 115 mm
C900/30 150 mm
C900ME ○ 3-4-5-6-7-8 mm
C900TX ○ T06-T07-T08-T09-T10-T15-T20-T25
C900AD Ⓢ

860EA/C31 Ⓢ

1/2"

C920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
C920L ○ 10-12-13-14-15-16-17-18-19-21-22 mm
920E/55 Ⓢ
C920/25
C920/21 125 mm
C920/22 250 mm
C910/16F □ 3/8" - ■ 1/2"
C920PE ○ 5-6-7-8-9-10-12-14 mm
C920TX ○ T27-T30-T40-T45-T50-T55-T60



1201 ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201N ● 4x30 mm
1202 Ⓢ PH0x60-PH1x80-PH2x100-PH3x150
1202N Ⓢ PH1x30 mm
1207TX ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
1256/C36-2



42C Ⓢ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
96BPC/SC9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm



3/8"

C910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
C910L ○ 8-10-11-12-13-14-17-19 mm
910E/55 Ⓢ
C910/25
C910/21 75 mm

C910/22 150 mm
C920/15F □ 1/2" - ■ 3/8"
C910PE ○ 4-5-6-7-8-9-10 mm
C910TX ○ T15-T20-T25-T27-T30-T40-T45
55 Ⓢ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
90 Ⓢ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm



1082CM 160 mm
1150CM 180 mm
1166CM 200 mm
1032-180 ○ 19+60 mm
1034-170 ○ 19+60 mm
1036-175 ● 19+60 mm
1038-175 ● 19+60 mm


1048 250 mm
1370 500 g
1390 Ø 35 mm
32 Ø 4 mm
34 150 mm
36 125 mm

2400S-08/E-XL

024002293

Mobile roller cab with 8 drawers, with assortment of 384 tools

- 8 drawers (588x367 mm), with ball bearing slides:
 - 7 drawers, 70 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats.
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake).
- Front centralized safety lock.
- Static load capacity: 800 kg.
- Integrated side bottle holder.



n°	h	max
7	70 mm	25 kg
1	210 mm	30 kg



2400S-G8/E-XL

024002296



2400S-R8/E-XL

024002299



Castors with metal cores for enhanced sturdiness



Sturdy nylon front



30 Ø 2-3-4 mm	36 125 mm	1719BMA/Q	■ 200 mm
31 Ø 2-3-4-5-6-8 mm	1370 500 g	1719BMA/T	▲ 200 mm
32 Ø 4 mm	1390 Ø 35 mm	1719BMA/P	■ 200 mm
34 150 mm	1692 3 m	1719BMA/M	▶ 200 mm
35 200-250 mm	1712	1719BMA/R	● 200 mm
1771	1737		



1/4"

C900 ○ 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm
C900L ○ 4-4,5-5,5-5,6-7-8-9-10-11-12-13-14 mm
C900FTX ○ E4-E5-E6-E7-E8-E10
900E/55 Ⓢ
C900/25
C900/21 50 mm
C900/20L 100 mm
C900/30 150 mm
C900/42 115 mm
C900ME ○ 3-4-5-6-7-8 mm
C900TX ○ T06-T07-T08-T09-T10-T15-T20-T25
C900LP ● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
C900PH + PH0-PH1-PH2-PH3
C900AD Ⓢ 14"

3/8"

C910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
C910L ○ 8-10-11-12-13-14-17-19 mm
C910FTX ○ E6-E7-E8-E10-E11-E12-E14
910E/55 200 mm
C910/25
C910/21 75 mm
C910/22 150 mm
C920/15F □ 1/2" - ■ 3/8"
C910PE ○ 4-5-6-7-8-9-10 mm
C910TX ○ T15-T20-T25-T27-T30-T40-T45
860EA/C31 Ⓢ +
 Ⓢ ○ ○ ○ ○



1256/C36-2



1/2"

C920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
C920L ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
C920FTX ○ E10-E12-E14-E16-E18-E20-E22-E24
920E/55 Ⓢ
C920/25
C920/21 125 mm
C920/22 250 mm
C910/16F □ 3/8" - ■ 1/2"
C920PE ○ 5-6-7-8-9-10-12-14 mm
C920PE/L ○ 5-6-7-8-9-10-12-14 mm
C920TX ○ T27-T30-T40-T45-T50-T55-T60
C920TX/L ○ T30-T40-T45-T50-T55-T60-T70



55 Ⓢ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
90 Ⓢ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40



42C Ⓢ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
96BPC/SC9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm



1201 ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201N ● 4x30 mm
1202 + PH0x60-PH1x80-PH2x100-PH3x150
1202N + PH1x30 mm
1207TX ○ T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
1253 ● 3,5x100 mm



1082CM 160 mm
1150CM 180 mm
1166CM 200 mm
1168CM 200 mm
1048 250 mm
1098 220 mm
1032-180 ○ 19÷60 mm
1034-170 ○ 19÷60 mm
1036-175 ● 19÷60 mm
1038-175 ● 19÷60 mm
1052 190-240 mm
1128BMX

Beta Utensili S.p.A.
Via Volta 18
20845 Sovico (MB) - Italy
Tel. +39 039.2077.1
Fax + 39 039.2010742



 **Beta**
— EASY —

099804311



8

The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice.