



# Company Brochure Issue 12a

Bespoke Workspace Solutions Hazardous & General Storage Cabinets Workbenches | Trolleys | Stainless Steel







# INTRODUCTION FROM DANIEL

It's certainly been a turbulent couple of years since our last brochure with the resulting economic uncertainty having a negative impact on an already challenging trading environment. However, here at James Bedford we have continued to invest in our people, innovation and new initiatives including a digital platform which makes it even easier for customers to access our products quickly and conveniently on-line. We have been absolutely committed to ensuring that despite all the change, our customers continue to receive the highest quality products that deliver lifelong value whilst experiencing exceptional customer service. Undoubtedly the uncertainty will continue into 2019 and beyond but you can be absolutely certain that at James Bedford we will continue to meet all your workspace needs now and into the future. Thank you for your business and we look forward to serving you again in the coming years.

Daniel Cookland Managing Director.

# **NEW FOR 2019**

As the demand for a visible on-line presence grows we have made a significant investment in re-launching an e-commerce enabled website to help all our customers select the right equipment for their workspace. Currently a range of our products are available to buy on line and we'll be adding to this selection over the coming months. We will be updating the website frequently with case studies of bespoke installations for customers, new product information and industry insight to help you keep up to date with all the latest information. And if you can't see what you're looking for on the website we are available and will be happy to discuss the options and solutions for your workspace needs.

www.jbedford.co.uk

# CONTENTS

WHO WE ARE	4	- 5
BESPOKE SERVICE	6	- 7
GLOBAL HEALTHCARE LABORATORY		
SANDAL MOTORS (BAYERN) LTD		
HAZARDOUS STORAGE		
Hazardous STORAGE  Hazardous Cabinets	. 12	1/1
Accessories		
Stainless Steel Hazardous Storage Cabinets		
Ready to Order Flammable Storage Cabinets		
Flammable Storage Cabinets		.16
Grey Flammable Storage Cabinets		
COSHH Cabinets		
Acid & Alkali Cabinets		
First Aid Cabinets		
First Aid Wall Mounted Cabinets		
PPE Cabinets		
Heavy Duty Safety Cabinets		23
Heavy Duty Chemical / Hazardous Storage Cabinets		23
Mobile Hazardous Storage Cabinets		
First Aid Mobile Storage		
Flammable Vaults		
Flat Top Bins		
PREMIER WORKSHOP	26 -	- 27
Flexible, Bespoke & Affordable Workshop Solutions		
WORKBENCHES	30 -	- 31
Premier 1 - Workbench Range		
Premier 2 - Workbench Range		
Premier 3 & 4 - Square Tube & Cantilever Workbenches . Infinite - Workbench System 1000kg UDL		
Economy 1 - Medium Duty Workbenches		
Economy 2 - Heavy Duty Workbenches		
Height Adjustable Ergonomic Workbenches		
Medium Duty Square Tube Workbenches		44
Medium Duty Cantilever Workbenches		
Medium & Heavy Duty Workbenches		
Extra Heavy Duty Large Workbenches		
Ergonomic Industrial Seating		
Premier Modular Pedestal Workbenches		
Premier Trollevs		
General Purpose Trolleys		
Medical Trolleys		
STORAGE CABINETS	54 -	- 55
Medium Duty Workshop Cabinets		56
Medium Duty BDU Desk Units		57
Beuro Modular Cabinets & Drawers		
Mesh Door Cabinets		
Sliding Mesh Door Cabinets		
Sliding Door Cabinets		
Heavy Duty Cabinets		
Heavy Duty Mobile Cabinets		
Heavy Duty Security Cabinets		
Heavy Duty Roller Shutter Cabinets		
Morstor Heavy Duty Cabinets		
Heavy Duty Tough Cubes		
STAINLESS STEEL		
Heavy Duty Stainless Steel Workbenches & Trolleys		68
Stainless Steel Cabinets & Desk Units		

# PREMIER SHIELD



#### Key Features:

In addition to our standard powder coating we have developed an antibacterial coating with active silver ions that penetrate bacterial cell walls and prevent growth. PremierShield is available in a range of colours and is effective against both gram negative and gram positive bacteria. It is recommended as an aid to hygiene best practice in laboratories, schools, public buildings and hospitals.

# RESULTS OF INDEPENDENT TESTS Bacteria Tested % CFU reduction

Staphylococcus Aureus (MRSA)	.99.99
Escherichia (e-coli)	.99.99
Pseudomonas Aeruginosa	99.99
Bactillus Subtilis	99.98
Salmonella Enteritidis	99.98
_isteria MonocytogeneS	99.98

COLOUR RANGE.



# WHO WE ARE

James Bedford has been under the current family ownership since 1974 but has been established as a Yorkshire manufacturer for over 100 years. Having passed through 3 generations since our early days, the principles of quality, value and customer service are as strong today as when Ernest Howker proudly took up the reigns over 40 years ago.

Whilst our company values remain unchanged, James Bedford has adapted our range of market leading industrial and commercial furniture to access new and exciting markets. These days our equipment can be found in situ across a broad range of industries including education, defence, pharmaceutical, petro-chemical, manufacturing and food preparation. And it can even be found beyond British shores with regular exports being made to European and Middle Eastern markets.

James Bedford has also listened closely to our customers over the years and adapted the services and products offered to exceed customer needs. Our standard range of products continues to deliver reliable and cost-effective solutions for many situations but the development of a bespoke design service has proved vital for a growing number of customers. Working with customers to deliver end-to-end project management through design, production and installation, we have developed expertise in bringing our customer's vision to life.

James Bedford remain committed to providing jobs and revenue to the Yorkshire region with a 30,000 sq ft base just outside Leeds, employing a team of almost 30 people.

Alongside the expertise, scale and track record needed to supply high profile customers both at home and abroad, James Bedford also strive to uphold the solid Yorkshire values that Ernest instilled into the business back in 1974.



BESPOKE SERVICE

From listening to customers and understanding the challenges they face, James Bedford realised that a standard product wasn't always the right solution on every occasion. Many of our customers were suggesting they would find our products more useful if only `...it was a bit shorter or `...it came with this widget attached.'

> Committed to finding the right solution and delivering outstanding customer service, we started to develop our design capabilities and tailor existing products to meet the specific needs of a whole range of customers. By adding a couple of drawers or removing a couple of feet, customers quickly found that we were able to modify standard equipment to make it more efficient and applicable to their unique circumstances.

Not content with making a few modifications to existing product lines, James Bedford have now extended that design and production capability to offer an end-to-end project management service to build the exact workspace that a customer needs. From the initial design, to in-house production, installation and maintenance, we work with customers every step of the way, tailoring plans and overcoming challenges to ensure that every minute detail is captured in creating the perfect space.

From premium consumer garages including BMW, through to scientific development and food preparation James Bedford has created efficient, unique and tailored work spaces that help businesses operate more effectively.

Over the next few pages are examples of the work we have already delivered on behalf of customers. In over 40 years there haven't been many challenges the team couldn't overcome so whatever the size of your idea, we have the experience and skill

If you think your business could benefit from a no obligation design consultation please contact a member of the sales team on 01924 442048.

6



9



Creating a clean, efficient and professional workspace is critical to any business involved in the manufacture and repair of high tech medical equipment for use in intricate surgery. One such organisation approached James Bedford to create a fully bespoke and tailored workspace in their new premises.

The customer had become frustrated with the lack of flexibility in the market for delivering against their unique needs and approached James Bedford having learnt about their capability to manufacture equipment to a bespoke plan.

Teams from both organisations worked together to design, develop, manufacture and install a combination of static and mobile workbenches in combination with drawer & cabinet units and accessories. Components used by the customer can be less than 1mm in diameter and therefore unique worktop colour combinations were required to ensure visibility of elements placed on them. Equally, specialised drawer units were created to house the specific measurements of the tools and equipment being stored.

Upon completion of the installation the team were delighted to move into a clean and bright environment, with efficient workspaces that reflected the professional and hygienic sector in which they operate.

"The whole process of working with James Bedford has been trouble free from start to finish. We worked as one team to develop the equipment that perfectly matched our needs and it was delivered on-time, in-full with the minimum of fuss. We are confident we have lifetime value through high quality equipment which enables our team to do their job effectively and wouldn't hesitate in working with James Bedford on one of our many other global sites"

Integration Project Manager



SANDAL MOTORS (BAYERN) LTD



Requiring a top end facility that was engineered around the needs of the technician and the BMW brand, Sandal worked with the team at James Bedford through every stage of design, production and installation to ensure that each unique specification was understood and addressed.

From design detailing such as oil and air cabinets at waist level to minimise the risk of back injuries, to minimising exposed pipework, every inch of the installation was carefully considered and tailored to maintain the premium look and feel of the workspace whilst maximising operational capability.

"What really mattered to us was finding a supplier who could manage the project end-to-end through design, production and installation. James Bedford definitely fit the bill in that respect and went on to impress us with their flexibility, attention to detail and innovative ideas. We've now got a great workspace which meets all our specific needs and the whole process was easy and hassle-free"

Matthew Duke, Service Manager, Sandal Wakefield

10 | 11





A range of high quality and reliable storage cabinets which are fully compliant to all current regulations, creating safe and secure workspaces for those working with hazardous materials.

All prices include full standard delivery costs to mainland UK (excluding Scottish Highlands, Islands and overseas). For express delivery quotes please contact the sales team.

For more information and on-line exclusives visit www.jbedford.co.uk

\* Illustrations may vary to actual products delivered in line with any changes to hazardous storage legislation. All Hazardous Storage warning symbols and specifications correct at time of going to press.





HAZARDOUS STORAGE **HAZARDOUS STORAGE** 

# **Hazardous Cabinets**

A range of high quality, medium duty hazardous storage cabinets which are fully compliant with current regulations, helping to create safe and secure workspaces. These cabinets cover a range of hazards including flammable liquids or irritants, acids, agrochemical & pesticide products along with First Aid and PPE storage. There are a range of standard sizes available along with wall-mounted and mobile options. Most cabinets can also be fitted with a set of castors for greater flexibility. All cabinets are supplied with shelves placed loosely in the base to be fitted at the desired height by customers. All products supplied with appropriate hazard warning label applied.

#### **Key Features:**

- Welded construction from 0.9mm steel to deliver lifelong value & durability
- Removable sump trays to catch leaks & spills (excluding 305mm deep sizes) on most ranges
- Adjustable shelves with 75KG UDL with a fully welded retaining lip to also use as a drip tray
- Strong & secure 3-way locks housed in reinforced, rebated doors
- Supplied with Premier Shield anti-bacterial powder coating
- Zinc coated steel for Acid & Alkali and Agrochemical & Pesticide cabinets



# **Accessories**

Accessories such as floor stands, sump trays, castors and extra shelves can all be ordered to complement your cabinet and create your ideal storage solution. When ordered at the same time as a cabinet there is no additional delivery charge for accessories (if ordered separately a £15 delivery charge applies). Across the following pages you will be able to view the full range of accessories to complement your order including:

#### **Extra Shelves**

Available in all colours, please see website for further details.



#### **Sump Trays**

Available in all colours, please see website for further details.



#### Floor Stands Available in a height of 450mm and 100mm





factory fitted and are available on all cabinets excluding 1830mm high

Castors

These must be





Visit www.ibedford.co.uk for exclusive online products and colour options

# **Wall Mounts**

610 x 610 x 305 and 712 x 915 x 305 cabinets can be ordered with holes drilled in the rear for easy wall mounting (hanging brackets not included)



4 PREMIERSHIELD If not standard, please specify colour choice at time of order

# Stainless Steel Hazardous Storage Cabinets 87 SERIES

Welded and riveted construction from 304 quality stainless steel sheet with a brushed polish finish. Manufactured with reinforced doors mounted on pin hinges and secured by flush mounted 3 way locking handle. Fitted internally with adjustable spillage trays and lift out sump. Complete with warning label.



Floor Sta	nds	
H x W x D (mm)	Code	£
100 x 450 x 450	87FS44	192.09
100 x 880 x 450	87FS84	220.11
Extra Sur	np Trays	
Extra Sur	np Trays	£
		£ 131.80

Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
600 x 450 x 450	87F644	1	1	443.98
700 x 880 x 450	87F784	1	2	720.99
900 x 450 x 450	87F944	1	1	557.45
900 x 880 x 450	87F984	1	2	790.17
1200 x 880 x 450	87F284	2	2	896.11
1500 x 880 x 450	87F584	3	2	1040.95
1800 x 450 x 450	87F844	3	1	885.39
1800 x 880 x 450	87F884	3	2	1110.63

	EXIIO 20	erves	
Key Features:	W x D (mm)	Code	
Fully welded adjustable shelves which	450 x 450	87ES44F	64.3
can be inverted and used as spillage trays	880 x 450	87ES84F	77.4

# Ready to Order Flammable Storage Cabinets 88 SERIES

Removable base spillage sump

Supplied with appropriate label

polish finish to all external faces

• 304 quality stainless steel with a brushed

These best-selling sizes are held in stock for rapid dispatch. Welded from 0.9mm steel, they feature strong chrome grab handles (locks supplied from unmastered series with 2 un-numbered keys), a high visibility powder-coated finish, appropriate warning label, adjustable perforated spillage trays / shelves with a 75kg UDL capacity and a lift-out base spillage sump.



Cabinet	S			
H x W x D (mm)	) Code	Shelves	Door	£
712 x 355 x 305	88F733STO	CK 1	1	189.07
915 x 459 x 459	88F944STO	CK 1	1	222.26
712 x 915 x 459	88F794STO	CK 1	2	326.14
915 x 915 x 459	88F994STO	CK 1	2	355.81
1830 x 915 x 459	88F894STO	CK 3	2	419.54
1830 x 1220 x 459	9 88F824STO	CK 3	2	511.62
Please note cast Order Cabinets	ors cannot be	fitted to	Ready	То
Extra Sh	.elves			
W x D (mm)	Code			£

	W x D (mm)	Code	£
	355 x 305	88ES33FSTOCK	42.91
	459 x 459	88ES44FSTOCK	44.14
Ē	915 x 459	88ES94FSTOCK	48.36
2	1220 x 459	88ES24FSTOCK	53.94
1	Extra Su	mp Trays	
)	Extra Su	mp Trays	£
)			£ 60.23
5	W x D (mm)	Code	_

88SU33FSTOCK

355 x 305



Visit www.ibedford.co.uk for exclusive online products and colour options

50.09

# 88 SERIES Flammable Storage Cabinets

Welded & riveted construction fabricated from 0.9mm thick sheet steel enclosed at the front by reinforced rebated doors secured by 3 way locking chrome lever handle (supplied with 2 numbered keys from mastered series as standard). Supplied with fully adjustable welded steel shelves which can be inverted and used as spillage trays each with a 75KG UDL capacity. Removable liquid tight sump tray in all models excluding 305mm deep. Finished with steel work electro statically powder coated in anti-bacterial Golden Yellow (BS08E51) and supplied with the appropriate hazard warning label.



Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88F733	1	1	172.57
610 x 459 x 459	88F644	1	1	200.85
915 x 459 x 459	88F944	1	1	219.01
1830 x 459 x 459	88F844	3	1	332.97
610 x 610 x 305	88F663	1	2	195.14
712 x 915 x 305	88F793	1	2	296.08
712 x 915 x 459	88F794	1	2	314.21
915 x 915 x 459	88F994	1	2	329.55
1220 x 915 x 459	88F294	2	2	382.48
1525 x 915 x 459	88F594	3	2	414.00
1830 x 915 x 459	88F894	3	2	435.79
1830 x 1220 x 459	88F824	3	2	504.81
1830 x 560 x 560	88FSS855	5 3	0	308.52

88F663 & 88F793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

Extra She	elves	
H x W x D (mm)	Code	£
355 x 305	88ES33F	42.91
459 x 459	88ES44F	44.14
610 x 305	88ES63F	43.54
915 x 305	88ES93F	45.50
915 x 459	88ES94F	48.36
1220 x 459	88ES24F	53.94

# Extra Sump Trays

Code	£
B8SU24F	61.77
38SU94F	61.77
B8SU44F	53.74
	88SU24F 88SU94F

Floor Sta	nds		
H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88FFS2	88F644, 944	91.52
450 x 915 x 459	88FFS3	88F794, 994, 294	105.71
100 x 1220 x 459	88FF124	F	71.60
100 x 915 x 459	88FF194	F	69.66
100 x 459 x 459	88FF144	F	64.97
100 x 305 x 355	88FF133	F	55.79

#### Castor Set (Factory Fitted)

All factory-fitted castors are 125mm black rubber tyred. Castors cannot be fitted to 1830mm high cabinets.

Combination	Code	£
2 x swivel & 2 x swivel braked	C127	114.14
2 x fixed & 2 x swivel	C126	109.61
2 x fixed & 2 x swivel braked	C125	110.47
4 x swivel	C128	110.67
4 x swivel braked	C129	117.60

For overall height including castors please add 160mm to cabinet height.

Visit www.jbedford.co.uk for exclusive

online products and colour options

For Mobile Flammable Cabinets please see page 24

# **Key Features:**

Reinforced rebated doors. Retaining lip to doors creates secure seal for extra peace of mind.



Fully welded adjustable spillage trays. (Supplied loose in the base of cabinets for customers to fit at the required height. Can be secured lipped up to act as a tray or lipped down as a shelf)

> \* PREMIERSHIELD If not standard, please specify colour choice at time of order



# Grey Flammable Storage Cabinets 88 SERIES

Welded & riveted construction fabricated from 0.9mm thick sheet steel enclosed at the front by reinforced rebated doors secured by 3 way locking chrome lever handle (supplied with 2 numbered keys from mastered series as standard). Supplied with fully adjustable welded steel shelves which can be inverted and used as spillage trays each with a 75KG UDL capacity. Removable liquid tight sump tray in all models excluding 305mm deep. Finished with steel work electro statically powder coated in anti-bacterial Blue Grey (RAL 7031) and supplied with the appropriate hazard warning label.



#### Need A Different Size or Colour?

As we manufacture all our hazardous cabinet range on site, if you can't see the size and colour that you need we can make it for you. You can choose any colour from our standard range at no additional cost.

Golden Yellow BS08E51	Signal White RAL 9003  All our standar	Jet Black RAL 9005 and range of
Sky Blue	Signal Green	Traffic Red
RAL 5015	RAL 6032	RAL 3020
Light Grey	Silver Grey	Blue Grey
RAL 7035	RAL 7001	RAL 7031

Whatever the dimensions for your workspace we can create the perfect fit for your cabinets - just send your requirement to sales@jbedford.co.uk and we can quote vou a price.

which kills up to 99% of germs in the workplace

Cabinets				
H x W x D (mm)	Code	Shelves	Door	f
712 x 355 x 305	88F733G	1	1	166.26
610 x 459 x 459	88F644G	1	1	193.73
915 x 459 x 459	88F944G	1	1	209.90
1830 x 459 x 459	88F844G	3	1	316.84
610 x 610 x 305	88F663G	1	2	187.46
712 x 915 x 305	88F793G	1	2	286.15
712 x 915 x 459	88F794G	1	2	299.80
915 x 915 x 459	88F994G	1	2	314.93
1220 x 915 x 459	88F294G	2	2	370.29
1525 x 915 x 459	88F594G	3	2	390.96
1830 x 915 x 459	88F894G	3	2	409.78
1830 x 1220 x 459	88F824G	3	2	472.24

Extra Sh	nelves	
W x D (mm)	Code	£
355 x 305	88ES33FG	42.41
459 x 459	88ES44FG	43.49
610 x 305	88ES63FG	42.96
915 x 305	88ES93FG	45.11
915 x 459	88ES94FG	47.14
1220 x 459	88ES24FG	52.00

Extra sump mays			
	W x D (mm)	Code	£
	1220 x 459	88SU24G	61.77
	915 x 459	88SU94G	60.23
	459 x 459	88SU44G	52.91

Floor Star	nds			
H x W x D (mm)	Code	Shelves	Door	f
450 x 459 x 459	88FFSG2	88F644G	, 944G	89.30
450 x 915 x 459	88FFSG3	88F794G,	994G, 294G	103.06
100 x 1220 x 459	88FF124G	i		70.96
100 x 915 x 459	88FF194G	i		69.1
100 x 459 x 459	88FF144G	;		64.56
100 x 305 x 355	88FF133G	i		60.9

#### Castor Set (Factory Fitted)


All factory-fitted castors are I25mm black rubber tyred.  Castors cannot be fitted to 1830mm high cabinets.		
Combination	Code	£
2 x swivel & 2 x swivel braked	C127	114.14
2 x fixed & 2 x swivel	C126	109.61
2 x fixed & 2 x swivel braked	C125	110.47
4 x swivel	C128	110.67
4 x swivel braked	C129	117.60

For overall height including castors please add 160mm to cabinet height.

For Mobile Flammable Cabinets please see page 24

# 88 SERIES COSHH Cabinets

Comprehensive range of COSHH cabinets for the safe storage and segregation of substances that are labelled as being hazardous to health, for example Toxic or Irritant. Based on employers carrying out mandatory risk assessments in accordance with the COSHH regulations, cabinets can be utilised as a precautionary measure to aid with the control and maintenance of control elements to help promote successful compliance with the COSHH regulations 2002. Welded & riveted construction from 0.9mm thick steel supplied with adjustable spillage trays / shelves with a 75kg UDI. capacity and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle (supplied with 2 numbered keys from mastered series as standard). Powder coated finish in Silver Grey (RAL 7001) with



Cabinets				
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88H733	1	1	169.67
610 x 459 x 459	88H644	1	1	201.31
915 x 459 x 459	88H944	1	1	218.56
1830 x 459 x 459	88H844	3	1	329.28
610 x 610 x 305	88H663	1	2	195.34
712 x 915 x 305	88H793	1	2	295.25
712 x 915 x 459	88H794	1	2	313.89
915 x 915 x 459	88H994	1	2	330.08
1220 x 915 x 459	88H294	2	2	384.21
1525 x 915 x 459	88H594	3	2	407.15
1830 x 915 x 459	88H894	3	2	427.57
1830 x 1220 x 459	88H824	3	2	493.57

88H663 & 88H793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

EXIIA 20	ieives	
W x D (mm)	Code	£
355 x 305	88ES33H	42.69
459 x 459	88ES44H	43.84
610 x 305	88ES63H	43.27
915 x 305	88ES93H	45.11
915 x 459	88ES94H	47.80
1220 x 459	88ES24H	53.04

18

# Extra Sump Trays

W x D (mm)	Code	£
1220 x 459	88SU24H	61.07
915 x 459	88SU94H	61.07
459 x 459	88SU44H	53.36

Floor Sta	nds		
H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88HFS2	88H644, 944	90.50
450 x 915 x 459	88HFS3	88H794, 944, 294	104.50
100 x 1220 x 459	88FF124	Н	71.31
100 x 915 x 459	88FF194	Н	69.41
100 x 459 x 459	88FF144	Н	64.79
100 x 305 x 355	88FF133	Н	60.88

#### Castor Set (Factory Fitted)

All factory-fitted castors are 125mm black rubber tyred. Castors cannot be fitted to 1830mm high cabinets.

Combination	Code	£
2 x swivel & 2 x swivel braked	C127	114.14
2 x fixed & 2 x swivel	C126	109.61
2 x fixed & 2 x swivel braked	C125	110.47
4 x swivel	C128	110.67
4 x swivel braked	C129	117.60
For overall height including castors please add 160mm to		

cabinet height. For Mobile COSHH Cabinets please see page 24

Visit www.jbedford.co.uk for exclusive

#### Need A Different Size or Colour?

As we manufacture all our hazardous cabinet range on site, if you can't see the size and colour that you need we can make it for you. You can choose any colour from our standard range at no additional cost.

Light Grey RAL 7035	Silver Grey RAL 7001	Blue Grey RAL 7031	
Sky Blue RAL 5015	Signal Green RAL 6032	Traffic Red RAL 3020	
Golden Yellow BS08E51	Signal White RAL 9003	Jet Black RAL 9005	
Pantone 282U  All our standard range of colours contain Premiershield – an antibacterial coating which kills up to 99% of germs in the workplace. Whatever the dimensions for your workspace we can create the perfect fit for your			
workspace we ca	an create the porfe	ct fit for your	

sales@jbedford.co.uk and we can quote you a price.

4 PREMIERSHIELD If not standard, please specify colour choice at time of order



Acid & Alkali Cabinets 88 SERIES

Welded & riveted construction in 0.9mm thick zintec steel for extra corrosive resistance designed to store acids safely. Supplied with adjustable spillage trays / shelves with a 75kg UDL capacity and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle (supplied with 2 numbered keys from mastered series as standard). High visibility powder coated finish in Signal White (RAL 9003) with appropriate warning labels. Note that these cabinets are for storing acids safely and do not claim to be acid proof. It is recommended that acids are stored in their original containers with the lids in the closed position.



# **Key Features:**



Capitiets	1			
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88A733	1	1	172.47
610 x 459 x 459	88A644	1	1	200.79
915 x 459 x 459	88A944	1	1	218.94
1830 x 459 x 459	88A844	3	1	332.84
610 x 610 x 305	88A663	1	2	195.07
712 x 915 x 305	88A793	1	2	295.98
712 x 915 x 459	88A794	1	2	312.31
915 x 915 x 459	88A994	1	2	329.40
1220 x 915 x 459	88A294	2	2	388.93
1525 x 915 x 459	88A594	3	2	413.76
1830 x 915 x 459	88A894	3	2	435.53
1830 x 1220 x 459	88A824	3	2	504.34
88A663 & 88A793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.				
Extra Cha	17700			

Extra Sh	elves	
W x D (mm)	Code	£
355 x 305	88ES33A	42.90
459 x 459	88ES44A	44.13
610 x 305	88ES63A	43.53
915 x 305	88ES93A	45.49
915 x 459	88ES94A	48.34
1220 x 459	88ES24A	53.91

W x D (mm)	Code	£
1220 x 459	88SU24A	61.76
915 x 459	88SU94A	61.76
459 x 459	88SU44A	53.73

Floor Sta			
H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88AFS2	88A644, 944	90.02
450 x 915 x 459	88AFS3	88A794, 994, 294	103.91
100 x 1220 x 459	88FF124		71.17
100 x 915 x 459	88FF194	A	69.28
100 x 459 x 459 88FF144A		A	64.97
100 x 305 x 355	88FF133	A	60.54

# Castor Set (Factory Fitted)

All factory-fitted castors are 125mm black rubber tyred. Castors cannot be fitted to 1830mm high cabinets.

Combination	Code	£
2 x swivel & 2 x swivel braked	C127	114.14
2 x fixed & 2 x swivel	C126	109.61
2 x fixed & 2 x swivel braked	C125	110.47
4 x swivel	C128	110.67
4 x swivel braked	C129	117.60
For overall height including castors cabinet height.	please add	160mm to

For Mobile Acid & Alkali Cabinets please see page 24



down as a shelf)

be secured lipped up to act as a tray or lipped

# 88 SERIES Agrochemical & Pesticide Cabinets

Welded and rivited construction in 0.9mm thick zinter steel with ventilated doors. Supplied with adjustable spillage trays / shelves with a 75kg UDL capacity and liquid tight sump tray (except 305mm deep cabinets). Doors are reinforced rebated double doors secured by strong 3 way locking chrome lever handle (supplied with 2 numbered keys from mastered series as standard). High visibility powder coated finish in Signal Green (RAL 6032) with appropriate warning labels.



H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88P733	1	1	175.10
610 x 459 x 459	88P644	1	1	203.75
915 x 459 x 459	88P944	1	1	222.73
1830 x 459 x 459	88P844	3	1	339.55
610 x 610 x 305	88P663	1	2	198.26
712 x 915 x 305	88P793	1	2	296.57
712 x 915 x 459	88P794	1	2	317.57
915 x 915 x 459	88P994	1	2	335.48
1220 x 915 x 459	88P294	2	2	396.76

88P663 & 88P793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

446.34

2

1525 x 915 x 459 88P594 1830 x 915 x 459 88P894

1830 x 1220 x 459 88P824 3

Extra Shelves			
W x D (mm)	Code	£	
355 x 305	88ES33P	43.11	
459 x 459	88ES44P	44.41	
610 x 305	88ES63P	43.77	
915 x 305	88ES93P	45.83	
915 x 459	88ES94P	48.84	
1220 x 459	88ES24P	54.71	

# Extra Sump Trays

W x D (mm)	Code	£
1220 x 459	88SU24P	62.40
915 x 459	88SU94P	62.40
459 x 459	88SU44P	54.07

Floor Stands					
H x W x D (mm)	Code	Suitable for	£		
450 x 459 x 459	88PFS2	88P644, 944	90.93		
450 x 915 x 459	88PFS3	88P794, 944, 294	105.01		
100 x 1220 x 459	88FF124P		71.43		
100 x 915 x 459	88FF194	P	69.51		
100 x 459 x 459	88FF144	P	64.97		
100 x 305 x 355	88FF133	P	61.15		

#### Castor Set (Factory Fitted)

All factory-fitted castors are 125mm black rubber tyred. Castors cannot be fitted to 1830mm high cabinets.


Combination	Code	£
2 x swivel & 2 x swivel braked	C127	114.14
2 x fixed & 2 x swivel	C126	109.61
2 x fixed & 2 x swivel braked	C125	110.47
4 x swivel	C128	110.67
4 x swivel braked	C129	117.60
For overall height including castors p	lease add 16	0mm to

For Mobile Agrochemical & Pesticide Cabinets please see page 24

Visit www.jbedford.co.uk for exclusive

online products and colour options

# **Key Features:**








82432FA

Cabinet Colour:

# First Aid Cabinets 88 SERIES

High visibility first aid cabinets of welded and rivited construction from 0.9mm thick steel with adjustable shelves with a 75kg UDL capacity. Reinforced rebated double doors secured by strong 3 way locking chrome lever handle (supplied with 2 numbered keys from mastered series as standard). Finished powder coated Signal White (RAL 9003) and supplied with first aid label.



Cabinets	;			
H x W x D (mm)	Code	Shelves	Door	£
712 x 355 x 305	88FA733	1	1	166.52
610 x 459 x 459	88FA644	1	1	188.41
915 x 459 x 459	88FA944	1	1	205.22
1830 x 459 x 459	88FA844	3	1	314.40
610 x 610 x 305	88FA663	1	2	189.04
712 x 915 x 305	88FA793	1	2	282.44
712 x 915 x 459	88FA794	1	2	291.24
915 x 915 x 459	88FA994	1	2	307.00
1220 x 915 x 459	88FA294	2	2	363.72
1525 x 915 x 459	88FA594	3	2	385.74
1830 x 915 x 459	88FA894	3	2	405.51
1830 x 1220 x 459	88FA824	3	2	465.90
88FA663 & 88FA793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.				

Extra She	elves	
W x D (mm)	Code	£
355 x 305	88ES33FA	42.57
459 x 459	88ES44FA	43.70
610 x 305	88ES63FA	43.14
915 x 305	88ES93FA	44.93
915 x 459	88ES94FA	47.53
1220 x 459	88ES24FA	52.61
For Mobile First Aid	d Cabinets please see page 24	

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88FAFS2	88FA644, 944	90.02
450 x 915 x 459	88FAFS3	88FA794, 944, 294	103.91
100 x 1220 x 459	88FF124FA		71.17
100 x 915 x 459	88FF194FA		69.28
100 x 459 x 459	88FF144FA		64.97
100 x 305 x 355	88FF133FA		60.54

Floor Stands

# Castor Set (Factory Fitted) All factory-fitted castors are 125mm black rubber tyred. Castors cannot be fitted to 1830mm high cabinets.

basions cannot be nitted to locomin	mgm cabiin	ccs.	
Combination	Code	£	
2 x swivel & 2 x swivel braked	C127	114.14	
2 x fixed & 2 x swivel	C126	109.61	
2 x fixed & 2 x swivel braked	C125	110.47	
4 x swivel	C128	110.67	
4 x swivel braked	C129	117.60	
For overall height including castors please add 160mm to			

cabinet height.

# First Aid Storage Wall Mounted Cabinets 82 SERIES





H x W x D (mm)	Code	Shelves	£
450 x 380 x 250	82432FA	1	255.45
800 x 800 x 260	82882FA	2	456.94
EXTRA SHELVES	6		
H x W x D (mm)	Code		£
380 x 250	82S32FA		53.97
800 x 260	82S82FA		63.69

Welded construction from 2mm thick steel secured by 5 lever mortice lock(s). Supplied with appropriate warning labels.

For First Aid Trolleys please see page 51



Visit www.ibedford.co.uk for exclusive online products and colour options

# 88 SERIES PPE Cabinets

Welded & riveted construction fabricated from 0.9mm thick sheet steel enclosed at the front by reinforced rebated doors secured by a 3-way locking chrome lever handle (supplied with 2 numbered keys from a mastered series as standard). These cabinets provide safe and secure storage for a range of PPE including clothing and tools. A variety of options are available including solid or mesh doors, a central divider, garment hanging rails and additional shelving. The cabinets are supplied with removable, adjustable shelves with a 75KG UDL capacity and available in any colour option with Silver Grey (RAL 7001) body and Sky Blue (RAL 5015) doors as standard.

#### Solid Door Cabinets H x W x D (mm) Shelves Door £ 712 x 355 x 305 88E733 167.80 610 x 459 x 459 88F644 189 68 915 x 459 x 459 206.89 1830 x 459 x 459 317.50 610 x 610 x 305 88E663 190.61 282.79 712 x 915 x 305 88F793 2 712 x 915 x 459 293.48 88E794 915 x 915 x 459 88F994 309 65 1220 x 915 x 459 88F294 36722 1525 x 915 x 459 88F594 2 390.09 1525 x 915 x 459 418.65 1525 x 915 x 459 88F594S 372.17 1830 x 915 x 459 410 46 1830 x 915 x 459 88F894R 2 455.28 1830 x 915 x 459 391.32 478.16 1830 x 1220 x 459 88E824 2 1830 x 1220 x 459 88E824R 492 54

88E663 & 88E793 can be used as a wall mounted cabinet, £15.00 per cabinet for wall mounting option.

1830 x 1220 x 459 88E824S

#### Mesh Door Cabinets H x W x D (mm) Code Shelves Door 1525 x 915 x 459 1525 x 915 x 459 88FMD594R 3 479.00 1525 x 915 x 459 88FMD594S 3 457.76 1830 x 915 x 459 88FMD894 3 458.61 1830 x 915 x 459 495.96 1830 x 915 x 459 88EMD894S 3 2 458.6 1830 x 1220 x 459 88EMD824 3 584.22 1830 x 1220 x 459 88EMD824R 3 519.84 1830 x 1220 x 459 88EMD824S 3 2

Extra Shelves			
W x D (mm)	Code	£	
355 x 305	88ES33E	42.69	
459 x 459	88ES44E	43.84	
610 x 305	88ES63E	43.27	
915 x 305	88ES93E	45.11	
915 x 459	88ES94E	47.80	
1220 x 459	88ES24E	53.04	

# PPE Storage

Safety cabinet with a robust welded construction.



Floor Sta	nds		
H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88HFS2	88H644, 944	90.50
450 x 915 x 459	88HFS3	88H794, 944, 294	104.50
100 x 1220 x 459	88FF124	E	71.31
100 x 915 x 459	88FF194	E	69.41
100 x 459 x 459	88FF144	E	64.79
100 x 305 x 355	88FF133I	E	60.88
Caratar Ca	J 75		

# Castor Set (Factory Fitted)

All factory-fitted castors are 125mm black rubber tyred. Castors cannot be fitted to 1830mm high cabinets

Combination	Code	£
2 x swivel & 2 x swivel braked	C127	114.14
2 x fixed & 2 x swivel	C126	109.61
2 x fixed & 2 x swivel braked	C125	110.47
4 x swivel	C128	110.67
4 x swivel braked	C129	117.60

For overall height including castors please add 160mm to cabinet height.

> 88E894S - solid door cabinet with 1 full-width shelf and 1 full width hanging rail supplied with Sky Blue doors as standard but available in any colour option (showing Signal Green) 88W894S



Visit www.jbedford.co.uk for exclusive online products and colour options



# **Heavy Duty Safety Cabinets**

Of welded construction from 2mm thick sheet steel with a sealed drainage boss for the easy release of liquids. Secured by reinforced doors mounted on pin hinges and secured by a mortice lock. Shelves are fully adjustable and removable with a 100KG UDL capacity. Cabinets are supplied finished in Traffic Red (RAL 3020) as standard with the appropriate hazard warning label applied. Cabinets are compliant with DSEAR 2001-HS(G)51 and 1990 Factory Inspectorate Certificate of Approval No: Parts 3&4 COSHH.



# Heavy Duty Safety Cabinets 57 SERIES

2

-	
	Extra She
£	W x D (mm)
	1500 x 600
469.25	1200 x 600
501.15	900 x 450
664.92	600 x 450
630.41	
789.33	
938.07	

Extra Shelves			
W x D (mm)	Code	£	
1500 x 600	57ES56	115.09	
1200 x 600	57ES26	97.91	
900 x 450	57ES94	80.21	
600 x 450	57ES64	70.43	

# Heavy Duty Chemical / Hazardous Cabinets 85 SERIES

Extra Sump Trays

Code

85SU96\*

85SU94\*

85SU44\*

Cabinets

900 x 600 x 450 57964

1200 x 600 x 450 57264

1500 x 900 x 450 57594

900 x 900 x 450 57994

1200 x 1200 x 600 57226

1500 x 1500 x 600 57556

H x W x D (mm)

SINGLE DOOR

**DOUBLE DOOR** 

W x D (mm)

900 x 600

900 x 450

450 x 450

Heavy Duty Cabinets

\*H £

243.57 243.50

271.35 271.14

359.44 359.28

403 53 403 33

369.38 369.20

413 26 413 04

33711 343 04

414 67 414 47

456.15 455.90

376.67 384.03

469 38 469 14

520.17 519.87

406.01 414.21

491.52 491.25

3 548.44 548.12

1 223.94 223.97

250 44 250 29

\*H £

57.94 56.56

\*C £

\*C £

Constructed from 1.2mm thick sheet steel these heavy duty cabinets are supplied with a sealed base and removable sump tray as standard. Secured by reinforced rebated doors mounted on continuous hinges with a flush 3 way locking handle. Fully adjustable shelves are supplied loose in the bottom of the cabinet and the appropriate warning labels are applied prior to dispatch. Hazardous Storage cabinets are supplied in Traffic Red (RAL 3020) as standard and Chemical cabinets in Silver Grey (RAL 7001).

\*H£

69 67

66.21

\*C £

67.96

64.81

59.53 58.77

 $H \times W \times D (mm)$ 

600 x 450 x 450 85644\*

900 x 450 x 450 85944

700 x 900 x 450 85794\*

700 x 900 x 600 85796

900 x 900 x 450 85994\*

900 x 900 x 600 85996°

1200 x 450 x 450 85244\*

1200 x 900 x 450 85294\*

1200 x 900 x 600 85296\*

1500 x 450 x 450 85544\*

1500 x 900 x 450 85594°

1500 x 900 x 600 85596\*

1800 x 450 x 450 85844\*

1800 x 900 x 450 85894

1800 x 900 x 600 85896\*

900 x 450 x 250 85942\*

to indicate colour required

xtra Shelves

Code

85ES96

WALL CABINET 600 x 450 x 250 85642\*

Yellow Heavy Duty				
Code	Description	£		
85Y895	Cabinet	535.23		
85SU95Y	Sump Tray	62.80		
85ES95Y	Extra Shelf	67.37		
	Code 85Y895 85SU95Y	Code Description 85Y895 Cabinet 85SU95Y Sump Tray		

pplied with	4 perforated	galvanised	shelves.	

Su



Extra
W x D (mm)
900 x 600
900 x 450
450 x 450
450 x 250
For Mobile H please see p

x 250	85ES42*	46.64	46.3
x 450	85ES44*	48.14	48.6
) X 450	85E594	55.41	52.4

\* Add **H** (RED steel) or **C** (GREY zintec) to order code

Mobile Heavy Duty Chemical / Hazardous Cabinets ase see page 24




Visit www.ibedford.co.uk for exclusive online products and colour options

# 81 SERIES Mobile Hazardous Storage

A range of high quality medium duty mobile hazardous storage cabinets of welded and riveted construction, fabricated from 0.9mm thick steel sheet (zinc coated for extra resistance on the Acid & Alkali/Agrochemical & Pesticide models). Cabinets are mounted on 125mm diameter black rubber tyred castors supplied with 2 fixed and 2 swivel braked castors as standard.

Yellow F	lamm	.able	
H x W x D (mm)	Code	Shelves	£
915 x 915 x 600	81F996	1	556.42
1220 x 915 x 600	81F296	2	614.00
EXTRA SHELVE	S & SUMP	TRAY	
W x D (mm)	Code	Description	£
915 x 600	81FES96	Shelf	48.19
915 x 600	81SU96F	Sump Tray	66.56
Grey Fla	mmal	ble	
H x W x D (mm)	Code	Shelves	£
915 x 915 x 600	81F996G	1	528.80
1220 x 915 x 600	81F296G	2	579.76
EXTRA SHELVE	S & SUMP	TRAY	
W x D (mm)	Code	Description	£
915 x 600	81FES96G	S Shelf	48.19
915 x 600	81SU96G	Sump Tray	64.60
COSHH			
H x W x D (mm)	Code	Shelves	£
915 x 915 x 600	81H996	1	543.73
1220 x 915 x 600	81H296	2	598.05
EXTRA SHELVE			
W x D (mm)	Code	Description	£
915 x 600	81HES96	Shelf	48.19
915 x 600	81SU96H	Sump Tray	65.66
Acid/All	kali		
H x W x D (mm)	Code	Shelves	£
915 x 915 x 600	81A996	1	556.98
1220 x 915 x 600	81A296	2	614.15
EXTRA SHELVE W x D (mm)	S & SUMP Code	<b>TRAY</b> Description	£
915 x 600	81AES96	Shelf	48.19
915 x 600	81SU96A	Sump Tray	66.53
Agroche		/Pesticid	
- U			
H x W x D (mm)	Code	Shelves	£
915 x 915 x 600	81P996	1	570.56
1220 x 915 x 600	81P296	2	630.38
W x D (mm)	S & SUMP Code	<b>TRAY</b> Description	£
915 x 600	81PES96	Shelf	48.19
915 x 600	81SU96P	Sump Tray	67.34
010 A 000	3133301	Junp may	J7.J <del>↑</del>





N.B. Cabinet heights do not include castors. For overall height including castors please add 180mm to cabinet height.

# First Aid Mobile Storage

First Aid			
H x W x D (mm)	Code	Shelves	£
915 x 915 x 600	81FA996	1	537.65
1220 x 915 x 600	81FA296	2	590.57
EXTRA SHELVE	S		
W x D (mm)	Code		£
915 x 600	81FAES9	6	48.19



Visit www.jbedford.co.uk for exclusive online products and colour options



# Flammable Vaults 53 SERIES

These flammable liquid storage vaults are of fully welded construction, fabricated from 2.0mm thick steel sheet with single skinned walls. Internally the vaults have a sealed integral sump with a drain plug outlet and hi lo vents fitted with flash arrest copper mesh. The full-area, lift up lid is mounted on heavy-duty pin hinges supported by a pair of gas-springs (one of which is locking) to support the lid in the open position. Secured by a matched pair of five lever mortice locks with a heavy duty hasp and staple provided for padlock if required (padlock not supplied).





# \* Total vault height including castors

Flammal	ole Vaults	
H x W x D (mm)	Code	:
1235 x 700 x 800	53278	989.0
1235 x 1450 x 800	53248	1208.3
1391 x 700 x 800	53278C*	1205.8
1391 x 1450 x 800	53248C*	1425.1

Flat Top Bins

HxWxD(mm)

450 x 700 x 450

All items on this page are available in any colour from the standard range at no extra cost. Please choose from the  $\ensuremath{\mathsf{RAL}}$  chart at the back to select your option and add the RAL number to your order.

# Flat Top Bins 55 SERIES

53248C\*

Code

These hard wearing flammable storage bins are constructed from 1.2mm sheet steel with a flat top and sealed, removable sump tray making them perfect for the secure storage of larger bottles of hazardous material. These units are fitted as standard with a hinged, flat lid and secured by hasp and staple. These reliable and tough storage solutions come in range of standard Hazard colours including Traffic Red (RAL 3020).



53248

Yellow Flammable	55F474	304.26
Grey Flammable	55F474G	293.75
COSHH	55H474	297.12
Acid & Alkali	55A474	308.43
Agrochemical & Pesticide	55P474	312.80
Standard Red	55R474	312.80
600 x 600 x 600		
Yellow Flammable	55F666	280.53
Grey Flammable	55F666G	274.34
COSHH	55H666	274.34
Acid & Alkali	55A666	284.13
Acid & Alkali Agrochemical & Pesticide		284.13 287.91

Visit www.jbedford.co.uk for exclusive online products and colour options





PREMIER WORKSHOP PREMIER WORKSHOP

# Flexible, Bespoke and Affordable Modular Workshop Solutions

As no two workspaces are the same we've developed the simple and innovative Premier Workshop modular system which allows you to select the exact kit and accessories you need to build the perfect solution. With dozens of combinations of work stations, drawers, cabinets and accessories you can be confident that whatever you need, we can create it for you.

#### How does it work?



Select the base cabinet units you require.



Add in the extras you need

Add a lovered panel, accessories and



**Choose accessories** to complete your workspace

So you could take one double door cabinet







Add rear support posts, and finish off with a top cabinet (long support posts required)

PWS815B PWSAP1L PWSLP1 PWSWT10L PWS413B

In the example below, a 4m run was created using a combination of cabinets, drawer units and accessories to create an efficient garage workspace for the storage of tools and equipment. To replicate this structure, order using the product codes shown beneath each component.



# So what's the real benefit to you from Premier Workshop?

# Flexible

Build your workshop space exactly how you want it

28

#### Value

Bespoke space at standard cost

# **High Quality**

Reliable kit from a name you can trust!

Visit www.jbedford.co.uk for exclusive online products and colour options



# **Key Features:** Rear supporting posts in Adjustable shelves place of wall mounting A versatile modular system that can be (capacity 75kg per supplied as single items or as a full system. shelf unit UDL) Central locking 90mm depth Mounted on full extention Fitted with Re-inforced precision ball bearing anti-tilt cabinet doors slides with a capacity of technology 40kg (UDL)

Premie	er Workshop Modular Cabinets & Drawers		
Code	Description	Size H x W x D (mm)	£
PWS855A	Single door, 2 Shelves	805 x 500 x 500	215.41
PWS855B	Bank of 6 central locking drawers	805 x 500 x 500	531.68
PWS855C	Bank of 3 deep central locking drawers	805 x 500 x 500	460.40
PWS875A	Double doors, 2 Shelves	805 x 750 x 500	297.84
PWS815A	2 sliding doors, 2 Shelves	805 x 1000 x 500	376.78
PWS815B	Double doors, 2 Shelves	805 x 1000 x 500	326.80
PWS815C	Bank of 6 central locking drawers	805 x 1000 x 500	646.41
PWS815D	Bank of 3 deep central locking drawers	805 x 1000 x 500	604.13
PWS1815A	2 sliding doors, 3 Shelves	1800 x 1000 x 500	518.95
PWS1815B	Double doors, 3 Shelves	1800 x 1000 x 500	442.39
PWS1815C	Double doors, no shelves, full louvered panel	1800 x 1000 x 500	459.54
PWS1815D	Double doors, 1 shelf, half louvered panel with 2 drawers (40kg runners)	1800 x 1000 x 500	528.05
PWS1815E	Double doors, 1 shelf, half louvered panel with 6 drawers and perforated door panels (40kg runners)	1800 x 1000 x 500	741.85
PWS453B	Single door, 1 shelf	415 x 500 x 300	186.66
PWS473B	Double doors, 1 shelf	415 x 750 x 300	243.98
PWS413A	2 sliding doors, 1 shelf (top cabinet)	415 x 1000 x 300	319.37
PWS413B	Double doors, 1 shelf (top cabinet)	415 x 1000 x 300	272.94

Access	ories						
Code	Description	Size H x W x D (mm)	£	Code	Description	Size H x W x D (mm)	£
PWSES55	Shelf	500 x 500	44.03	PWSAP1L	Long support posts	1800	89.10
PWSES75	Shelf	750 x 500	46.27	PWSAP2S	Short support posts	1385	75.61
PWSES15	Shelf	1000 x 500	48.51	PWSLP1	Louvered panel	1000	76.47
PWSES15SL	Shelf for sliding door cabinet	1000 x 500	48.51	PWSTP1	Perforated tool panel	1000	76.47
PWSES53	Shelf	500 x 300	42.06	PWSWT10L	Lino worktop (factory fit only)	1000 x 500	185.42
PWSES73	Shelf	750 x 300	43.40	PWSWT15L	Lino worktop (factory fit only)	1500 x 500	191.60
PWSES13	Shelf	1000 x 300	44.74	PWSWT20L	Lino worktop (factory fit only)	2000 x 500	202.72
PWSES13SL	Shelf for sliding door cabinet	1000 x 300	44.74	PWSA	Fully Assembled		52.53



# WORKBENCHES

A comprehensive range of high quality and reliable workbenches available with a number of finishes and accessories to meet the needs of the most demanding workspace challenges.

All prices include full standard delivery costs to mainland UK (excluding Scottish Highlands, Islands and overseas).
For express delivery quotes please contact the sales team.

For more information and on-line exclusives visit www.jbedford.co.uk



All standard products can be ordered in any colour configuration from our RAL chart on page 71. There is no extra charge for these standard colours. Where colour matching is required please call for details and costs.

# PREMIER 1 Workbench Range

A flat pack modular workbench system with a weight capacity of 400kg UDL. All workbenches are 840mm high as standard, other heights available. All Premier workbench frames, cabinet and drawer carcases are epoxy polyester powder coated in Silver Grey (RAL 7001). All premier cabinet doors and drawers are epoxy polyester powder coated in Pantone 282 U.

# Workbenches

L x W (mm)	Тор	Code	£
1500 x 600	Veneer	PW156A	333.68
1500 x 700	Veneer	PW157A	386.33
1500 x 600	Lino	PW156B	386.51
1500 x 700	Lino	PW157B	424.27
1500 x 600	MDF	PW156C	265.26
1500 x 700	MDF	PW157C	314.21
2000 x 600	Veneer	PW126A	344.90
2000 x 700	Veneer	PW127A	454.73
2000 x 600	Lino	PW126B	394.03
2000 x 700	Lino	PW127B	454.62
2000 x 600	MDF	PW126C	265.11
2000 x 700	MDF	PW127C	324.72

Access	ories		
L x W (mm)	Тор	Code	£
1500 x 600	Base Shelf	PW156BS	69.33
1500 x 600	Base Shelf/Mat	PW156BM	90.54
1500 x 700	Base Shelf	PW157BS	73.10
1500 x 700	Base Shelf/Mat	PW157BM	94.31
2000 x 600	Base Shelf	PW126BS	78.14
2000 x 600	Base Shelf/Mat	PW126BM	106.42
2000 x 700	Base Shelf	PW127BS	83.28
2000 x 700	Base Shelf/Mat	PW127BM	111.55

# Caster Set (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x swivel & 2x swivel braked (300kg UDL capacity). Please note this will increase the workbench height by approximately 130mm.

Diameter (mm)	Code	£
100	PW4SC	80.88

#### Cabinets

H/Drawer (mm)	Code	Shelves	Drawers	£
	PC1	1		213.99
150	PC2	1	1	261.17
150/100	PC4		3/1	365.79

### Drawers

L x W x D (mm)	Drawers	Code	£
225 x 500 x 500	1	PD1A	157.23
425 x 500 x 500	1	PD1B	223.67
425 x 500 x 500	2	PD2	294.01

#### Premier 1 Workbench Range

Simple flat pack assembly for a basic bench 600mm wide including all assembly fixings.





#### Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.



# **Key Features:**

- Central locking facility
- Manufactured from 0.9mm thick steel sheet

# Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high. All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL).



Visit www.jbedford.co.uk for exclusive online products and colour options



# Workbench Range PREMIER 1

400kg UDL. Construction from fabricated steel section with welded leg supports and multi position cross rail.

















#### Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 25m thick industrial grey lino. 2mm lino suface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.





# PREMIER 2 Workbench Range



#### Dimensions

All workbenches 840mm high

#### **AVAILABLE IN 2 SIZES**

1500mm length x 700mm wide 2000mm length x 700mm wide

#### Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 25mm thick industrial grey lino. 2mm lino surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.







#### Dimensions

All workbenches 840mm high.

#### **AVAILABLE IN 2 SIZES**

1500mm length x 700mm wide 2000mm length x 700mm wide

#### Visit www.jbedford.co.uk for exclusive online products and colour options



# Workbench Range PREMIER 2

Cabinets

A flat pack heavy duty modular workbench system with a weight capacity of 500kg UDL. All workbenches are 840mm high as standard, other heights available on request. All Premier workbench frames are epoxy polyester powder coated in Silver Grey (RAL 7001). Cabinets/drawers Pantone 282 U.

ACCESSO	RY POSTS	f
PWAP1	Pair of accessory posts for combi panel 1000mm high	60.20
PWAP2	Pair of accessory posts for combi panel & upper shelf 1500mm high	65.16
PWAP3	Pair of accessory posts for combi panel & upper shelf & light 2000mm high	71.97
SERVICE	DUCT	
PWSD15	1500mm long service duct with 2 x 2 13amp double sockets	86.34
PWSD20	2000mm long service duct with 2 x 2 13amp double socket	123.70
COMBINA	TION BACK PANELS 450MM HIGH	
PWCP15	Combination Panel 1500mm x 450mm	84.16
PWCP20	Combination Panel 2000mm x 450mm	99.47
UPPER SH	IELVES	
PWUSS15	1500mm long steel upper shelf	81.59
PWUSS20	2000mm long steel upper shelf	95.13
LIGHT BA	R WITH 1200MM STRIP LIGHT*	
PWLU15	1500mm long supplied with diffuser	166.38
PWLU20	2000mm long supplied with diffuser	169.90

Workbenches				
	L x W x D (mm)	Тор	Code	£
	1500 x 700 x 840	Veneer	PW257A	383.07
	1500 x 700 x 840	Lino	PW257B	422.73
	1500 x 700 x 840	MDF	PW257C	317.07
	2000 x 700 x 840	Veneer	PW227A	469.84
	2000 x 700 x 840	Lino	PW227B	469.73
	2000 x 700 x 840	MDF	PW227C	344.23

L x W x D (mm)	Code	Shelves	Drawers	£
650 x 500 x 500	PC1	1		213.99
650 x 500 x 500	PC2	1	1	261.17
650 x 500 x 500	PC4		3/1	365.79
<u></u>				

Drawers	Code	£
1	PD1A	157.23
1	PD1B	223.67
2	PD2	294.01
	Drawers  1 1 2	Drawers Code 1 PD1A 1 PD1B

#### Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.

# **Key Features:**

- Central locking facility Manufactured from
- 0.9mm thick steel sheet



# Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high

All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL)

# **Key Features:**

- Central locking facility
- Manufactured from 0.9mm thick steel sheet



online products and colour options





Visit www.jbedford.co.uk for exclusive

# PREMIER 3 Square Tube Workbenches

Welded construction from 30mm square steel tube (Premier 3) and 50mm x 25mm rectangular steel tube (Premier 4) with a choice of worktops & accessories. The benches will arrive on site built up with above the work surface accessories supplied loose. All workbenches are 840mm high as standard, other heights available. Silver Grey (RAL 7001) Frames with Pantone 282 U Doors/Drawers.

# Premier 3 Workbenches (Square Tube)

L x W x D (mm)	Тор	Code	£
1500 x 600 x 840	Veneer	PW356A	376.43
1500 x 750 x 840	Veneer	PW357A	390.27
1500 x 600 x 840	Lino	PW356B	419.07
1500 x 750 x 840	Lino	PW357B	428.05
1500 X 600 x 840	) ESD	PW356G	525.83
1500 X 750 x 840	ESD	PW357G	606.46
1800 x 600 x 840	Veneer	PW386A	435.54
1800 x 750 x 840	Veneer	PW387A	437.56
1800 x 600 x 840	Lino	PW386B	406.16
1800 x 750 x 840	Lino	PW387B	431.33
1800 X 600 x 840	) ESD	PW386G	571.73
1800 X 750 x 840	ESD	PW387G	614.64

# Premier 4 Workbenches (Cantilever)

L x W x D (mm)	Тор	Code	£
1500 x 600 x 840	Veneer	PW456A	418.57
1500 x 750 x 840	Veneer	PW457A	435.05
1500 x 600 x 840	Lino	PW456B	461.21
1500 x 750 x 840	Lino	PW457B	471.10
1500 X 600 x 840	ESD	PW456G	597.36
1500 X 750 x 840	ESD	PW457G	686.64
1800 x 600 x 840	Veneer	PW486A	480.32
1800 x 750 x 840	Veneer	PW487A	483.42
1800 x 600 x 840	Lino	PW486B	451.13
1800 x 750 x 840	Lino	PW487B	478.60
1800 X 600 x 840	ESD	PW486G	652.67
1800 X 750 x 840	ESD	PW487G	698.07

#### Cabinets

L x W x D (mm)	Code	Shelves D	rawers	£	
650 x 500 x 500	PC1	1		213.99	
650 x 500 x 500	PC2	1	1	261.17	
650 x 500 x 500	PC4		3/1	365.79	

# Drawers

L x W x D (mm)	Drawers	Code	£
225 x 500 x 500	1	PD1A	157.23
425 x 500 x 500	1	PD1B	223.67
425 x 500 x 500	2	PD2	294.01


# Premier 3 Workbench Range



#### Premier Underbench Cabinets

650mm high, 500mm wide & 500mm deep. All cabinets secured by semi-flush fit locking handle and are complete with perforated tool panel and adjustable shelf.

# **Key Features:**





#### Premier Underbench Drawers

500mm wide x 500mm deep. PD1A = 225mm high PD1B = 425mm high. All drawers are mounted on precision ball bearing telescopic slides (capacity 40kg UDL).

# **Key Features:**

- Central locking facility Manufactured from 0.9mm thick steel sheet
- PD1A

Visit www.jbedford.co.uk for exclusive online products and colour options



# Cantilever Workbenches PREMIER 4

### Premier 4 Workbench Range



Earth Bonding Points shown in image are an optional extra.





## Accessories


ACCESSO	RY POSTS	£
PWAP1	Pair of accessory posts for combi panel 1000mm high	60.20
PWAP2	Pair of accessory posts for combi panel & upper shelf 1500mm high	65.16
PWAP3	Pair of accessory posts for combi panel & upper shelf & light 2000mm high	71.97
SERVICE	DUCT*	
PWSD15	1500mm long service duct with 2 x 2 13amp double sockets	86.34
PWSD18	1800mm long service duct with 2 x 2 13amp double sockets	90.75
COMBINA	TION BACK PANELS 450MM HIGH	
PWCP15	Combination Panel 1500mm x 450mm	84.16
PWCP18	Combination Panel 1800mm x 450mm	95.06
UPPER SH	IELVES	
PWUSS15	1500mm long steel upper shelf	81.59
PWUSS18	1800mm long steel upper shelf	95.13
BASE SHE	ELVES	
PBS15	1500mm long steel base shelf	88.84
PBS18	1800mm long steel base shelf	96.90
LIGHT BA	R WITH 1200MM STRIP LIGHT*	
PWLU15	1500mm long supplied with diffuser	166.38
PWLU18	1800mm long supplied with diffuser	169.90
KBMA1	Keyboard Monitor Arm	163.62
*All electrics a	are supplied unwired, for fitting by a suitably qualified electrician	



Visit www.jbedford.co.uk for exclusive online products and colour options

# Worktops

- A = 20mm thick hardwood veneer top plus 2mm veneer surface on composite core
- B = 20mm thick industrial grey lino top plus 2mm lino surface on composite core
- C = 20mm thick ESD laminate worksurface on composite core



# INFINITE Workbench System 1000kg UDL

INFINITE SYSTEM: Start with a 2M or 3M starter workbench and simply use add-on workbenches and accessories as required.

STRENGTH & FLEXIBILITY: Framework is constructed from fabricated steel section with welded leg supports and bolt in multi-position cross rails, which can be assembled in a variety of combinations to suit individual applications. Steel work powder coated Blue Grey (RAL 7031).

### Benches (25mm MDF Worktop A)

All benches are 840mm high as standard

All benches are 840mm high as standard.				
L x W (mm)	Description	Code	£	
2000 x 700	Starter	KDB2078A	422.29	
2000 x 700	Starter & Base	KDB2078BSA	454.02	
2000 x 1200	Starter	KDB2028A	470.45	
2000 x 1200	Starter & Base	KDB2028BSA	534.82	
2000 x 1400	Starter	KDB2048A	464.10	
2000 x 1400	Starter & Base	KDB2048BSA	527.78	
3000 x 700	Starter	KDB3078A	611.92	
3000 x 700	Starter & Base	KDB3078BSA	695.57	
3000 x 1200	Starter	KDB3028A	679.04	
3000 x 1200	Starter & Base	KDB3028BSA	808.79	
3000 x 1400	Starter	KDB3048A	753.77	
3000 x 1400	Starter & Base	KDB3048BSA	904.27	
2000 x 700	Add-On	KDA278A	383.55	
2000 x 700	Add-On & Base	KDA278BSA	419.93	
2000 x 1200	Add-On	KDA228A	401.29	
2000 x 1200	Add-On & Base	KDA228BSA	469.59	
2000 x 1400	Add-On	KDA248A	448.80	
2000 x 1400	Add-On & Base	KDA248BSA	493.95	



2000 x 1400 Starter workbench with MDF worktop & upper shelf unit Order code: KDB2048A + PICTURED ACCESSORIES USS235 2000mm Upper Shelf

Certain benches within the range are designed to accommodate two or more persons working together. With this in mind the upper shelf unit is accessible from both sides.

#### Benches (25mm Veneer Worktop B)

All benches are 840mm high as standard.				
L x W (mm)	Description	Code	£	
2000 x 700	Starter	KDB2078B	539.41	
2000 x 700	Starter & Base	KDB2078BSB	574.78	
2000 x 1200	Starter	KDB2028B	621.05	
2000 x 1200	Starter & Base	KDB2028BSB	688.18	
2000 x 1400	Starter	KDB2048B	763.12	
2000 x 1400	Starter & Base	KDB2048BSB	829.57	
3000 x 700	Starter	KDB3078B	730.43	
3000 x 700	Starter & Base	KDB3078BSB	819.85	
3000 x 1200	Starter	KDB3028B	960.79	
3000 x 1200	Starter & Base	KDB3028BSB	1084.27	
3000 x 1400	Starter	KDB3048B	1044.32	
3000 x 1400	Starter & Base	KDB3048BSB	1189.76	
2000 x 700	Add-On	KDA278B	489.96	
2000 x 700	Add-On & Base	KDA278BSB	525.34	
2000 x 1200	Add-On	KDA228B	542.00	
2000 x 1200	Add-On & Base	KDA228BSB	617.47	
2000 x 1400	Add-On	KDA248B	699.25	
2000 x 1400	Add-On & Base	KDA248BSB	762.20	

38

#### Benches (25mm Lino Worktop C)

All benches are 840mm high as standard.				
	L x W (mm)	Description	Code	£
	2000 x 700	Starter	KDB2078C	539.28
	2000 x 700	Starter & Base	KDB2078BSC	585.43
	2000 x 1200	Starter	KDB2028C	736.0
	2000 x 1200	Starter & Base	KDB2028BSC	813.9
	2000 x 1400	Starter	KDB2048C	773.64
	2000 x 1400	Starter & Base	KDB2048BSC	850.88
	3000 x 700	Starter	KDB3078C	823.5
	3000 x 700	Starter & Base	KDB3078BSC	921.9
	3000 x 1200	Starter	KDB3028C	1156.29
	3000 x 1200	Starter & Base	KDB3028BSC	1290.5
	3000 x 1400	Starter	KDB3048C	1242.0
	3000 x 1400	Starter & Base	KDB3048BSC	1398.2
	2000 x 700	Add-On	KDA278C	488.08
	2000 x 700	Add-On & Base	KDA278BSC	534.23
	2000 x 1200	Add-On	KDA228C	664.2
	2000 x 1200	Add-On & Base	KDA228BSC	741.5
	2000 x 1400	Add-On	KDA248C	717.0
	2000 x 1400	Add-On & Base	KDA248BSC	785.2

#### Worktops

- A = 25mm thick plain cut MDF
- B = 25mm thick hardwood veneer top 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick industrial marble grey lino. 2mm lino surface on composite core. Edge banded in 2mm thick grey plastic.



All base shelves are 18mm thick plain cut MDF



13 Amp Socket Order code: LS1



Pre-punched to accommodate pipe work

# Workbench System 1000kg UDL INFINITE


**CONVENIENCE:** Each bench is supplied in flat pack form, the larger units having sectional worktops for ease of handling. Available in 2 lengths, 3 depths, and 3 worktop options. **ECONOMIC:** This system offers great economic advantages over standard workbench sizes e.g. the 3000mm x 1200mm workbench (opposite) is the equivalent working area of 4 x 1500mm x 600mm workbenches.



2000 x 700 Starter workbench with MDF worktop, MDF base shelf, cabinet, triple drawer & leg socket Order code: KDB2078BSA +C1 +D3 +LS1



3000 x 1200 Starter workbench with MDF worktop, MDF base shelf and combined cabinet & drawer unit Order code: KDB3028BSA + CD1






3000 x 1200 Starter workbench with MDF worktop and MDF base shelf Order code: KDB3028BSA




3000 x 1200 Starter workbench with MDF worktop Order code: KDB3028A

# **Key Features:**

- Heavy duty modular design
- Starter & add-on benches Height adjustable from 840-940mm
- in 25mm increments
- Easy to add accessories



# Drawers and Cabinets



Description	Code	£
Single Drawer	D1	117.52
Double Drawer	D2	162.08
Triple Drawer	D3	206.30
Quad Drawer	D4	252.36
Cabinet Drawer	CD1	185.45
Cabinet	C1	143.72

# **ECONOMY 1** Medium Duty Workbenches

Taking James Bedford Premier flat pack workbench frame and adding the standard James Bedford underbench storage units makes for a quality yet economic workbench solution. Constructed from fabricated steel section with welded leg supports and multiposition cross rail. Framework powder coated Silver Grey (RAL 7001) with Sky Blue (RAL 5015) doors and drawers front colour.

#### Workbenches L x W x D (mm) Top 1500 x 700 x 840 Veneer EW157A 372.69 1500 x 700 x 840 Lino FW157B 412 35 1500 x 700 x 840 MDF EW157C 304.01 2000 x 700 x 840 Veneer 2000 x 700 x 840 Lino EW127B 433.90 2000 x 700 x 840 MDF EW127C 304.01




### Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 25mm thick industrial marble grey lino. 2mm lino surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.









EW157B + D1











# Drawers and Cabinets

Description	Code	£
Single Drawer	D1	117.52
Double Drawer	D2	162.08
Triple Drawer	D3	206.30
Quad Drawer	D4	252.36
Cabinet Drawer	CD1	185.45
Cabinet	C1	143.72



Visit www.jbedford.co.uk for exclusive online products and colour options



# Mobile Medium Duty Workbenches ECONOMY 1

Take your workbench to the job with a mobile version of the economy workbench system.

















Base Shelves L x W (mm) Description Code 1500 x 700 Base Shelf EW157BS 73.10 Base Shelf/Mat EW157BM 94.31 2000 x 700 Base Shelf EW127BS 83.28 2000 x 700 Base Shelf/Mat EW127BM 111.55

#### Castors (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x swivel & 2x swivel braked. (300kg UDL capacity).

Diameter (mm)	Code	£
100	PW4SC	80.88

## Worktops


- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core Edge banded in 2mm thick grey plastic.
- B = 25mm thick industrial marble grey lino. 2mm lino surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.







Drawers and Cabinets



Description	Code	£
Single Drawer	D1	117.52
Double Drawer	D2	162.08
Triple Drawer	D3	206.30
Quad Drawer	D4	252.36
Cabinet Drawer	CD1	185.45
Cabinet	C1	143.72



# **ECONOMY 2** Heavy Duty Workbenches

86.34

169.90

Taking James Bedford Premier 2 heavy duty flat pack workbench frame and adding the standard James Bedford underbench storage units makes for a quality yet economic workbench solution with a weight capacity of 500kg UDL. Framework powder coated Silver Grey (RAL 7001) with a Sky Blue (RAL 5015) door and drawer.

Workbenches						
L x W x D (mm)	Тор	Code	£			
1500 x 700 x 840	Veneer	EW257A	383.07			
1500 x 700 x 840	Lino	EW257B	422.73			
1500 x 700 x 840	MDF	EW257C	317.07			
2000 x 700 x 840	Veneer	EW227A	469.84			
2000 x 700 x 840	Lino	EW227B	469.73			
2000 x 700 x 840	MDF	EW227C	344.23			

#### Accessories

ACCESSO	ORY POSTS	f
EWAP1	Pair of accessory posts for combi par	nel
	1000mm high	60.20
EWAP2	Pair of accessory posts for combi par	nel
	& upper shelf 1500mm high	65.16
EWAP3	Pair of accessory posts for combi par	nel
	& upper shelf & light 2000mm high	71.9
SERVICE	DUCT	
FWSD15	1500mm long service duct with	

#### 123.70 2 x 2 13amp double sockets

2 x 2 13amp double sockets EWSD20 2000mm long service duct with

COMBINA	TION BACK PANELS 450MM HIG	Н
EWCP15	Combination Panel 1500mm x 450mm	ı
		84.16
EWCP20	Combination Panel 2000mm x 450mm	n
		99.47
<b>UPPER SH</b>	IELVES	
EWUSS15	1500mm long steel upper shelf	81.59
EWUSS20	2000mm long steel upper shelf	95.13
LIGHT BA	R WITH 1200MM STRIP LIGHT*	


EWLU15 Light bar 1500mm length 166.38


EWLU20 Light bar 2000mm length

\*All electrics are supplied unwired, for fitting by a suitably qualified electrician

#### Worktops

- A = 25mm thick hardwood veneer top. 2mm veneer surface on composite core. Edge banded in 2mm thick grey plastic.
- B = 25mm thick industrial marble grey lino. 2mm lino surface on composite core. Edge banded in 2mm thick grey plastic.
- C = 25mm thick plain cut MDF.













Visit www.jbedford.co.uk for exclusive online products and colour options



# Height Adjustable Ergonomic Workbenches 48HA

Ideally suited to most work environments - Education, Electronics, Aerospace, Health, Light Assembly & Industrial research Laboratories etc. Frames Light Grey (RAL 7035), Doors/Drawers Blue Grey (RAL 7031) as standard.









Workbenches					
L x W (mm)	Тор	Code	£		
1200 x 750	18mm Laminate	48127C	796.39		
1500 x 750	18mm Laminate	48157C	816.41		
1800 x 750	18mm Laminate	48187C	816.94		
1200 x 750	18mm Lino	48127D	835.41		
1500 x 750	18mm Lino	48157D	884.43		
1800 x 750	18mm Lino	48187D	884.55		
1200 x 750	24mm MDF	48127F	774.18		
1500 x 750	24mm MDF	48157F	794.52		
1800 x 750	24mm MDF	48187F	794.52		
1200 x 750	18mm ESD Laminate	48127G	980.40		
1500 x 750	18mm ESD Laminate	48157G	1059.40		
1800 x 750	18mm ESD Laminate	48187G	1060.08		
Drawers	& Cabine	ts			

Drawers &	Cabinets			
Description	Code	£		
Single Drawer	D1	117.52		
Double Drawer	D2	162.08		
Triple Drawer	D3	206.30		
Quad Drawer	D4	252.36		
Cabinet Drawer	CD1	185.45		
Cabinet	C1	143.72		
Accessory Docts				

Accessory	Posts		
Description	Code	£	
1000mm High	HAP1	60.20	
1500mm High	HAP2	65.16	
2000mm High	HAP3	71.97	
Louvered Panels			

Louvered Po	uneis	
Description	Code	£
1500mm Length	LP15	84.16
1800mm Length	LP18	95.06
Steel Upper		

Description	Code	£
1500mm Steel Upper Shelf	USS15	81.59
1800mm Steel Upper Shelf	USS18	95.13
Electrics (Unw	vired)	
Description	Code	£
1500mm Light Bar	LU15	166.38
1800mm Light Bar	LU18	169.90
1500mm Cat2 Light Bar	CU15	256.97
1000mm Cat2 Light Bar	CI 110	250.70

SD15

SD18

1500mm Service Duct 1800mm Service Duct





86.34

90.75

# **Medium Duty Square Tube Workbenches**

The Flexistation workbench system is ideal for light assembly work or a production run. These benches arrive on site built up with above the work surface accessories supplied loose. All workbenches are 840mm high as standard, other heights are available. Frames Silver Grey (RAL 7001), Doors/Drawers Sky Blue (RAL 5015) as standard.

#### **Key Features:**

- SECURITY STORAGE Lockable storage cabinets and drawers to encourage an efficient workstation and workplace
- ADJUSTABLE FEET Adjustable feet supplied to correct uneven floors

#### 1800 x 750 Laminate worktop Square Tube Workbench

Order code: 45F187C + main

#### **PICTURED ACCESSORIES**

Triple drawer C1 Cabinet

AP1 Accessory posts I P18 Louvered Panel



**Worktop Options G** 





1800 x 750 c/w Laminate worktop Square Tube Workbench 45F187C



1800 x 750 c/w Laminate worktop Square Tube Workbench with under bench cabinet 45F187C + C1



1800 x 750 c/w Laminate worktop Square Tube Workbench with Single Drawer & Cabinet 45F187C + D3 + C1

# MD Worktops

- A = 1.5mm Steel on composite core
- B = 1.5mm Stainless steel on composite core
- C = 18mm Laminate
- D = 18mm Lino
- E = 24mm Plywood
- F = 24mm MDF

44

G = 18mm ESD Laminate

#### Medium Duty Square Tube Workbenches 45F SIZES ORDER CODE Basic Benches<sup>a</sup> 1200 x 600 x 840 45F126\* 314.80 481.54 309.32 344.74 302.97 284.61 440.06 1200 x 750 x 840 45F127 332.21 510.96 319.14 358.14 333.61 296.91 516.21 1200 x 900 x 840 45F129 339.45 518.20 352.59 389.54 335.73 523.32 299.03 1500 x 600 x 840 45F156\* 349.81 519.00 339.45 420.09 353.63 316.93 523.83 1500 x 750 x 840 45F157° 374.06 521.12 361.28 429.30 410.25 606.46 1500 x 900 x 840 45F159 374.75 518.68 410.24 441.87 412.37 343.23 633.23 1800 x 600 x 840 45F186\* 382.55 528.48 377.67 423.56 425.13 571.73 1800 x 750 x 840 45F187\* 412.60 548.54 383.96 448.94 432.39 614.64 1800 x 900 x 840 45F189\* 422.29 555.06 433.04 486.94 436.22 367.09 670.01 \*choose a worktop and add A, B, C, D, E, F, G, denoting which you require

Visit www.jbedford.co.uk for exclusive

4 PREMIERSHIELD If not standard, please specify colour choice at time of order

# Medium Duty Cantilever Workbenches 46M

The Maxistation workbench system is ideal for light assembly work or a production run. These benches are designed to optimise space under the work surface, especially when used by seated operators. All workbenches are 840mm high as standard, other heights are available. Frames Silver Grey (RAL 7001), Doors/Drawers Sky Blue (RAL 5015) as standard.



#### **Key Features:**

- SECURITY STORAGE Lockable storage cabinets and drawers to encourage an efficient workstation and workplace
- ADJUSTABLE FEET Adjustable feet supplied to correct uneven floors

#### 1800 x 750 ESD Laminate worktop

Square Tube Workbench Order code: 46M187G +

#### **PICTURED ACCESSORIES**

Triple drawer Combination panel SD18 Sloping fronted rear service duct unwired

AP3 Accessory posts USS18 Upper shelf


LU18 Light bar + 1200mm fluorescent light



**Worktop Options G** 

# MD Worktops

- A = 1.5mm Steel on composite core
- B = 1.5mm Stainless steel on composite core
- D = 18mm Lino
- E = 24mm Plywood
- F = 24mm MDF
- G = 18mm ESD Laminate



1800 x 750 c/w Laminate worktop

Cantilever Workbench with sloping

fronted service duct unwired

46M187C + SD18

\*choose a worktop and add A, B, C, D, E, F, G, denoting which you require

1800 x 750 c/w Laminate worktop

Cantilever Workbench

46M187C

SIZES



Visit www.ibedford.co.uk for exclusive online products and colour options



# Medium & Heavy Duty Workbenches

A comprehensive range of fully welded angle iron construction workbenches with a variety of worktop options and accessories. All workbenches are 840mm high as standard, other heights available. Popular models - available in all sizes from 1200mm long x 600mm wide to 1800mm long x 900mm wide. Frames Silver Grey (RAL 7001), Doors/Drawers Sky Blue (RAL 5015) as standard.

#### 1800 x 750 c/w Laminate worktop

Order code MD: 40187C +

#### **PICTURED ACCESSORIES**

Single drawer D1

Cabinet SD18

Sloping fronted rear service duct unwired

Accessory posts LP18 Louvered panel

USS18 Upper shelf

LU18 Light bar



**Worktop Options G** 



MD: 38187 + BS18 + D1 + C1 + SL18

HD: 42187 + BS18 + D1 + C1 + SL18



# MD Worktops

A = 1.5mm Steel on composite core

B = 1.5mm Stainless steel on composite core

C = 18mm Laminate

D = 18mm Lino

E = 24mm Plywood

F = 24mm MDF




#### HD Worktops

3mm Steel

A = 24mm MDF B = 24mm Plywood

C = 36mm Plywood

D = 30mm Beech Hardwood



# Medium Duty Workbenches (500kg UDL)

Welded construction from 40 x 40 x 4mm angle iron with 2 pairs of leg supports with single bottom mounted cross rail.

DER CODES	3				ORDER (	CODES			
2mm Steel Top	£	Wood Top	A £	В£	C£	DΕ	Ε£	F£	G£
38126	287.15	40126*	331.91	488.20	319.08	389.68	334.72	311.97	454.32
38127	301.92	40127*	340.19	496.49	352.65	409.26	371.52	330.44	536.64
38129	306.13	40129*	348.48	504.79	392.29	446.83	379.82	338.72	549.94
38156	306.74	40156*	367.62	521.51	360.02	458.24	431.37	357.85	543.99
38157	317.80	40157*	377.14	531.04	389.26	474.85	442.61	348.74	632.25
38159	328.87	40159*	386.65	540.56	445.60	498.36	452.13	378.61	655.52
38186	326.33	40186*	388.25	541.28	395.85	459.32	452.84	379.32	601.97
38187	338.97	40187*	393.54	546.56	405.32	487.87	458.14	384.62	648.46
38189	351.61	40189*	394.60	547.62	453.33	524.81	459.20	385.67	677.21
	2mm Steel Top 38126 38127 38129 38156 38157 38159 38186 38187	38126 287.15 38127 301.92 38129 306.13 38156 306.74 38157 317.80 38159 328.87 38186 326.33 38187 338.97	2mm Steel Top         £         Wood Top'           38126         287.15         40126*           38127         301.92         40127*           38129         306.13         40129*           38156         306.74         40156*           38157         317.80         40157*           38159         328.87         40159*           38186         326.33         40186*           38187         338.97         40187*	2mm Steel Top         £         Wood Top*         A £           38126         287.15         40126*         331.91           38127         301.92         40127*         340.19           38129         306.13         40129*         348.48           38156         306.74         40156*         367.62           38157         317.80         40157*         377.14           38159         328.87         40159*         386.65           38186         326.33         40186*         388.25           38187         338.97         40187*         393.54	2mm Steel Top         £         Wood Top*         A £         B £           38126         287.15         40126*         331.91         488.20           38127         301.92         40127*         340.19         496.49           38129         306.13         40129*         348.48         504.79           38156         306.74         40156*         367.62         521.51           38157         317.80         40157*         377.14         531.04           38159         328.87         40159*         386.65         540.56           38186         326.33         40186*         388.25         541.28           38187         338.97         40187*         393.54         546.56	2mm Steel Top         £         Wood Top*         A £         B £         C £           38126         287.15         40126*         331.91         488.20         319.08           38127         301.92         40127*         340.19         496.49         352.65           38129         306.13         40129*         348.48         504.79         392.29           38156         306.74         40156*         367.62         521.51         360.02           38157         317.80         40157*         377.14         531.04         389.26           38159         328.87         40159*         386.65         540.56         445.60           38186         326.33         40186*         388.25         541.28         395.85           38187         338.97         40187*         393.54         546.56         405.32	2mm Steel Top         £         Wood Top*         A £         B £         C £         D £           38126         287.15         40126*         331.91         488.20         319.08         389.68           38127         301.92         40127*         340.19         496.49         352.65         409.26           38129         306.13         40129*         348.48         504.79         392.29         446.83           38156         306.74         40156*         367.62         521.51         360.02         458.24           38157         317.80         40157*         377.14         531.04         389.26         474.85           38159         328.87         40159*         386.65         540.56         445.60         498.36           38186         326.33         40186*         388.25         541.28         395.85         459.32           38187         338.97         40187*         393.54         546.56         405.32         487.87	2mm Steel Top         £         Wood Top*         A £         B £         C £         D £         E £           38126         287.15         40126*         331.91         488.20         319.08         389.68         334.72           38127         301.92         40127*         340.19         496.49         352.65         409.26         371.52           38129         306.13         40129*         348.48         504.79         392.29         446.83         379.82           38156         306.74         40156*         367.62         521.51         360.02         458.24         431.37           38157         317.80         40157*         377.14         531.04         389.26         474.85         442.61           38159         328.87         40159*         386.65         540.56         445.60         498.36         452.13           38186         326.33         40186*         388.25         541.28         395.85         459.32         452.84           38187         338.97         40187*         393.54         546.56         405.32         487.87         458.14	2mm Steel Top         £         Wood Top*         A £         B £         C £         D £         E £         F £           38126         287.15         40126*         331.91         488.20         319.08         389.68         334.72         311.97           38127         301.92         40127*         340.19         496.49         352.65         409.26         371.52         330.44           38129         306.13         40129*         348.48         504.79         392.29         446.83         379.82         338.72           38156         306.74         40156*         367.62         521.51         360.02         458.24         431.37         357.85           38157         317.80         40157*         377.14         531.04         389.26         474.85         442.61         348.74           38159         328.87         40159*         386.65         540.56         445.60         498.36         452.13         378.61           38186         326.33         40186*         388.25         541.28         395.85         459.32         452.84         379.32           38187         338.97         40187*         393.54         546.56         405.32         487.87

# Heavy Duty Workbenches (1000kg UDL)

ORDER CODES ORDER CODES L x W x D (mm) 3mm Steel Top С£ 1200 x 600 x 840 42126 328.67 44126\* 328.62 349.01 392.97 P.O.A 1200 x 750 x 840 42127 342.18 44127\* 343.20 379.49 452.31 P.O.A 1200 x 900 x 840 42129 355.71 44129\* 456.72 P.O.A 1500 x 600 x 840 42156 352.34 44156\* 348.79 387.53 459.62 P.O.A 1500 x 750 x 840 42157 368.13 44157\* 375.27 P.O.A 446.44 573.86 1500 x 900 x 840 42159 383.92 44159\* 379.68 450.85 578.27 P.O.A 44186\* 371.06 1800 x 600 x 840 42186 384.85 407.66 480.18

44187\* 395.83 467.00 594.42

420.93 44189\* 400.24 471.40 598.82

Welded construction from 50 x 50 x 5mm angle iron with 2 pairs of leg supports with single bottom mounted cross rail.

Visit www.jbedford.co.uk for exclusive online products and colour options

402.92

1800 x 750 x 840 42187

1800 x 900 x 840 42189



P.O.A

P.O.A

# **Extra Heavy Duty Large Workbenches**

Ideal for an engineering environment. These benches are of fully welded rugged construction, designed to take the everyday knocks of the industrial workplace. All workbenches are 840mm high as standard, other heights available. Frames Silver Grey (RAL 7001), Doors/Drawers Sky Blue (RAL 5015) as standard.



# Extra Heavy Duty Workbenches (1500kg UDL)

Welded construction from 50 x 50 x 5mm angle with 3 pairs of leg supports with bottom mounted cross rail.

SIZES	ORDER CO	DES		•	ORDER CODE	ES	
L x W x D (mm)	3mm Steel Top	£	Wood Top*	Α£	В£	C£	D£
1800 x 750 x 840	42287	511.17	44287*	509.25	595.99	748.60	P.O.A
1800 x 900 x 840	42289	536.15	44289*	495.24	613.12	765.72	P.O.A
2000 x 750 x 840	42227	552.98	44227*	525.71	620.45	773.05	P.O.A
2000 x 900 x 840	42229	579.82	44229*	536.09	637.58	790.19	P.O.A
2400 x 750 x 840	42247	P.O.A	44247*	P.O.A	P.O.A	P.O.A	P.O.A
2400 x 900 x 840	42249	P.O.A	44249*	P.O.A	P.O.A	P.O.A	P.O.A
2400 x 1200 x 840	42242	P.O.A	44242*	P.O.A	P.O.A	P.O.A	P.O.A
3000 x 750 x 840	42237	P.O.A	44237*	P.O.A	P.O.A	P.O.A	P.O.A
3000 x 900 x 840	42239	P.O.A	44239*	P.O.A	P.O.A	P.O.A	P.O.A
3500 x 750 x 840	42257	P.O.A	44257*	P.O.A	P.O.A	P.O.A	P.O.A
3500 x 900 x 840	42259	P.O.A	44259*	P.O.A	P.O.A	P.O.A	P.O.A

\*when choosing a wooden top add A. B. C or D to order code, depending which finish you require

# **HD Worktops**

3mm Steel

A = 24mm MDF

B = 24mm Plywood

Description

Single Drawer

Double Drawer

Triple Drawer


Quad Drawer

Cabinet Drawe

Cabinet

C = 36mm Plywood

D = 30mm Beech Hardwood



# Drawers and Cabinets

D1


D2

D3

D4

CD1

C1



	PREMIERSHIELD
O.T.	anti-bacterial powder coating system
~	ndard please specify colour choice at time of order

D4	CD1	C1
vw.jbedford.co	<b>.uk</b> for exclusive blour options	

117.52

162.08

206.30

252.36

185.45

143.72

# **Workbench Accessories**

A comprehensive range of accessories for storage above and below the work surface. Workbench accessories are factory fitted and not for retro-fit. Above worksurface accessories are supplied detached for transportation purposes.



Code	Length (mm)	£
BS12	1200	80.80
BS15	1500	88.84
BS18	1800	96.90
Rase shelves :	are 12mm thick steel sheet	



Drawers	- 25kg UDL	
Code	Description	£
D1	Single drawer	117.52
D2	Double drawer	162.08
D3	Triple drawer	206.30
D4	Quad drawer	252.36
C1	Cabinet: Cabinet Size - External D450 x W450 x H600mm	143.72
CD1	Cabinet drawer: Cabinet Size - External D450 x W450 x H600mm Drawer Size - Internal	185.45

Castors		
Code	Description	£
C100	x 4 100mm	75.57

Includes shelf

D420 x W355 x H100mm



roommi kerammig tip miee sides					
Code	Description	£			
SL12	Retaining lip for 3 sides for 1200mm long bench	56.19			
SL15	Retaining lip for 3 sides for 1500mm long bench	57.24			
SL18	Retaining lip for 3 sides for 1800mm long bench	58.30			





Sloping fronted rear service duct unwired					
Code	Length (mm)	£			
SD12	1200	81.46			
SD15	1500	86.34			
SD18	1800	90.75			
Supplied unwired electrician.	d, for fitting by a suitably	qualified			



Code	Length (mm)	£
AP1	1000	60.20
AP2	1500	65.16
AP3	2000	71.97
Adjustable a	and supplied in pairs.	

- 500		mile to the	and the last		-	
100	10 C	20	1 6	-	-	
1016	100	1 1	3 6	-	1	
-1 =	10	1 0	11	-		i.
Louv	ered	Pan	els*			
Codo		Long	th (mm)			r

Cc	de					Le	eng	th	(mi	M)							1	E
LP	12					12	00									7	6.9	5
LP	15					15	00									8	34.10	ĉ
LP	18					18	00									9	5.0	ĉ
O	D	(0)	80		C	100	9	10	0	(0)	10		101	0	0	10	SUS	
٥																		
а																		
	O	ß	ď	O	Ø	ď	ß	80	0	O	Ю	O	E()	Ω	O	0	C)	

Perford	ated Panels*				
Code	Length (mm)	f			
TP12	1200	76.95			
TP15	1500	84.16			
TP18	1800	95.06			
Combi Panola*					

Combi-Panels*			
Code	Length (mm)	£	
CP12	1200	76.95	
CP15	1500	84.16	
CP18	1800	95.06	
Vices			
Code	Description	£	

Vice P	late	
Code	Description	£
VP	Vice plate	30.21

150mm Engineers

BV15VP



Code	Length (mm)	£
USS12*	1200	71.56
USS15*	1500	81.59
USS18*	1800	95.13
	ves are 2mm thick steel. MDF also available.	



Code	Length (mm)	£	
LU12	1200	166.01	
LU15	1500	166.38	
LU18	1800	169.90	
Supplied unwired, for fitting by electrician.			

Louvered Category 2 Light Unit***			
Code	Length (mm)	£	
CU12	1200	255.91	
CU15	1500	256.97	
CU18	1800	258.38	
Supplied unwired, for fitting by electrician.			



rabilo birio (r or r doir)					
Code	L (mm)	W (mm)	D (mm)	£	QTY
BB2	165	100	75	58.12	20
BB3	240	150	125	62.83	10
BB4	355	200	125	74.73	10
BB5	355	200	175	98.96	10
Minimum order value £50 net. If ordered separately from					

۲Į	imimum order value £50 net. II ordered separately iro	JII
a	workbench please add £15 carriage.	

WOLKDE	ich Oplio.	115	
1edium & hea	vy duty workbe	enches are	available i

Medium & heavy duty	workbenches	are available in
the following options,	please add:	

Code	Description	£
SDC	Sliding Door	463.03
FP	Flat Pack	39.57

#### \*ACCESSORY POSTS REQUIRED

- \* AP1 Required
- \*\* AP2 Required \*\*\* AP3 Required

#### 4 PREMIERSHIELD If not standard, please specify colour choice at time of order

# **Ergonomic Industrial Seating**

#### Comprehensive range of industrial chairs suitable for most working environments.



**CHAIR** Low lift with castors or feet 470-600mm height adjustment Arms available ESD version available **High Comfort** for continuous duties

> T2: £194.77 T2/ESD: £310.41 Arms: £33.09



**POLYURETHANE HIGH CHAIR** 

High lift with castors or feet 550-800mm height adjustment Arms available ESD version available **High Comfort** for continuous duties

> T3: £216.46 T3/ESD: £349.59 Arms: £33.09



AS.SP2: £347.98

Arms: £124.10

#### **POLYURETHANE FULLY ERGONOMIC CHAIR** Low lift with

castors or feet 430-600mm height adjustment Arms available High Comfort for continuous duties

DPU2: £234.58 Arms: £124.10



**POLYURETHANE FULLY ERGONOMIC HIGH CHAIR** High lift with

castors or feet 550-800mm height adjustment Arms available **High Comfort** for continuous duties

> DPU3: £265.55 Arms: £33.09



500-890mm height adjustment Arms available Pump up lumber support available **High Comfort** 

High lift with castors or feet

HIGH CHAIR

AS.SP3: £375.34 Arms: £124.10

for continuous duties

**FULLY ERGONOMIC OPERATOR CHAIR** 

Low lift with castors or feet 430-570mm height adjustment Arms available **High Comfort** for continuous duties

> C2: £171.57 Arms: £33.09



#### **FULLY ERGONOMIC HIGH OPERATOR CHAIR**

High lift with castors or feet 600-870mm height adjustment Arms available **High Comfort** for continuous duties

> C3: £208.07 Arms: £33.09



# SIT STAND STOOL

High lift with feet 580-800mm height adjustment

> For operators that are stood for long periods of time

> PS2: £143.66

#### UPHOLSTERED **OPERATOR CHAIR** Low lift with castors or feet

450-590mm height adjustment Arms available ESD Version available **High Comfort** for continuous duties

B2 (feet or castors): £142.48 AS2 ESD: £176.74 AS2/C ESD: £206.24 Arms: £33.09

Options & Accessories



#### **UPHOLSTERED HIGH OPERATOR CHAIR**

High lift with castors or feet 550-800mm height adjustment Arms available ESD Version available **High Comfort** for continuous duties

> B3: £173.87 AS3: £201.32 Arms: £33.09



# **POLYURETHANE STOOL**

580-800mm height adjustment Fitted with adjustable foot ring

High lift with

castors or feet

T4: £174.87

**Fabric Colour Options** Charcoal, Red & Blue

**Vinvl Colour Options** Black, Red & Blue

Polyurethane Colour Option

**ESD Colour Fabric Options** Charcoal, Blue & Black

**INDUSTRIAL CHAIRS & STOOL** 

Optional Arms £37.88



Visit www.ibedford.co.uk for exclusive online products and colour options

# Premier Modular Pedestal Workbenches

Flat pack modular workbench system offering a variety of storage and workspace solutions. Leg frames are constructed from fabricated steel section to bolt to the worktop. 650mm high Premier units are mounted on 150mm high steel plinths. All cabinets are lockable and contain 1 adjustable shelf. All drawers are mounted on precision ball bearing telescopic slides offering a 40kg (UDL) capacity. Silver Grey (RAL 7001) Frames with Traffic Red (RAL 3020) Doors/Drawers.

MODEL 1:

MODEL 3:

MODEL 5:

PPC4 + PPC4 + W56B

PLU600 + PPC4 + W56B

PLU600 + PPC1 + W56B

#### Workbenches 1500mm Length x 600mm Wide Lino Top Combination PLU600+PPC1+W56B Model 1 518.04 PLU600+PPC2+W56B Model 2 571.12 PLU600+PPC4+W56B Model 3 662.80 PPC4+PPC1+W56B Model 4 820.40 PPC4+PPC4+W56B Model 5 919.68 PPC4+PPC2+W56B 830.57 Model 6 PPC2+PPC2+W56B 776.92 Model 7 PPC4+PPC4+PPC4+W56B Model 8 1,253.55 PPC2+PPC2+PPC4+W56B Model 9 1,066.46 3000mm Length x 600mm Wide Lino Top

Combination	Code	£
PPC1+PPC4+PPC2+W56B+W56B	Model 10	1,196.91
PPC1x2+PPC2x2+PPC4x2+W56Bx2	Model 11	1,903.94


Worktops			
H x W x D (mm)	Тор	Code	£
27 x 1500 x 600	Veneer	W56A	142.27
27 x 2000 x 600	Veneer	W26A	154.83
27 x 1500 x 600	Lino	W56B	204.87
27 x 2000 x 600	Lino	W26B	215.54

110000001100					
H x W x D (mm)	Description	Code	£		
800 x N/A x 500	Leg Unit	PLU600	87.43		
800 x 500 x 500	Cabinet	PPC1	245.39		
800 x 500 x 500	Cabinet/Drawer	PPC2	298.46		
800 x 500 x 500	4 Drawer Unit	PPC4	390.15		





PPC4 + PPC4 + PPC4 + W56B



MODEL 2:

MODEL 4:

MODEL 6:

PPC4 + PPC2 + W56B

PPC2 + PPC2 + PPC4 + W56B

PPC4 + PPC1 + W56B

PLU600 + PPC2 + W56B

# Create a Run

Choose your size, storage option, worktop and go. All benches are 830mm high.



Visit www.jbedford.co.uk for exclusive online products and colour options



# **Premier Trolleys**

Based on the popular Premier storage units mounted on 4 x 100mm diameter blue polyurethane swivel tyred castors (2 braked). Welded and riveted construction from 0.9mm thick sheet steel. All cabinets are lockable and contain 1 adjustable shelf. All drawers are mounted on precision ball bearing telescopic slides offering a 40kg (UDL) capacity. Overall size: 1050mm Length x 600mm Width x 835mm (approx.) High. Silver Grey (RAL 7001) carcase with Traffic Red (RAL 3020) door/drawer colour.



Trolleys			
L x W x H (mm)	Code	Тор	£
1050 x 600 x 835	PT1A	25mm Plywood	585.15
1050 x 600 x 835	PT1B	25mm Plain MDF	562.40
1050 x 600 x 835	PT2A	25mm Plywood	681.50
1050 x 600 x 835	PT2B	25mm Plain MDF	658.75
1050 x 600 x 835	PT3A	25mm Plywood	855.92
1050 x 600 x 835	PT3B	25mm Plain MDF	833.16
1050 x 600 x 835	PT4A	25mm Plywood	619.77
1050 x 600 x 835	PT4B	25mm Plain MDF	597.01
1050 x 600 x 835	PT5A	25mm Plywood	692.43
1050 x 600 x 835	PT5B	25mm Plain MDF	669.68
1050 x 600 x 835	PT6A	25mm Plywood	761.29
1050 x 600 x 835	PT6B	25mm Plain MDF	735.00


To see the full range of colour options availale for Premier Trolleys please visit www.jbedford.co.uk













# **General Purpose Trolleys**

This extensive range of general purpose trolleys is of fully welded construction, with tubular end frames. Overall 1060 mm long x 460 mm wide x 950 mm high including 100 mm diameter swivel castors. The work surface, base and intermediate shelves can be supplied with edges lipped down if required (to be specified at time of ordering). Sky Blue (RAL 5015).

Trolleys		
L x W x H (mm)	Code	£
1060 x 460 x 950	GP1	236.73
1060 x 460 x 950	GP2	373.84
1060 x 460 x 950	GP3	264.77
1060 x 460 x 950	GP4	459.74
1060 x 460 x 950	GP5	549.58

# As Standard

All trolleys are supplied with all swivel 100mm nylon castors offering a carrying capacity of 200kg (UDL). Rubber tyred castors offer a capacity of 150kg (UDL).

#### Shelves

Trolley shelves are supplied lipped up 30mm as standard to all 4 sides except GP5 which are lipped down.

# Colour Options

Supplied in Sky Blue (RAL 5015) with cabinet doors in Light Grey (RAL 7035), other options available.

# Options & Accessories (Factory Fitted)

Description	Code	£
Braked Castors (pair)	ВС	46.91
Rubber Mat	RM	26.03
Plastic Tray	PT	51.34
Rubber Tyred Castors	RTC	36.20













Visit **www.jbedford.co.uk** for exclusive online products and colour options



# **Medical Trolleys**

Welded construction with tubular end frames. All medical trolleys are supplied with all swivel 100mm rubber tyred castors offering a UDL capacity of 150kg. Trolley shelves are supplied with 30mm retaining lip to all 4 sides. Powder coated Signal White (RAL 9003) and supplied with appropriate warning label.



Trolleys			
L x W x H (mm)	Code	Description	£
460 x 460 x 950	HP1FA	Two Tier	226.70
460 x 460 x 950	HP3FA	Three Tier	245.47
1060 x 460 x 950	GP1FA	Two Tier	244.77
1060 x 460 x 950	GP3FA	Three Tier	269.93
1060 x 460 x 950	GP4FA	Full Area Cupboard	475.05

SEE FIRST AID STORAGE CABINETS ON PAGE 21











# STORAGE CABINETS

A full range of safe, secure and economical solutions created to meet the needs of a wide variety of workspace storage conditions.

All prices include full standard delivery costs to mainland UK (excluding Scottish Highlands, Islands and overseas). For express delivery quotes please contact the sales team.

For more information and on-line exclusives visit www.jbedford.co.uk





All standard products can be ordered in any colour configuration from our RAL chart on page 71. There is no extra charge for these standard colours. Where colour matching is required please call for details and costs.



**54** 

**STORAGE CABINETS STORAGE CABINETS** 

# **Medium Duty Workshop Cabinets**

Of welded construction in 0.9mm steel sheet with reinforced doors secured by 3 way locking chrome lever handle. The units are supplied with adjustable internal shelves with a 75kg UDL capacity finished Silver Grey (RAL 7001) with doors Sky Blue (RAL 5015).

Cabinets					
H x W x D (mm)	Code	Shelves	Door	£	
712 x 355 x 305	88W733	1	1	164.07	
610 x 459 x 459	88W644	1	1	185.96	
915 x 459 x 459	88W944	1	1	203.16	
1830 x 459 x 459	88W844	3	1	313.77	
610 x 610 x 305	88W663	1	2	186.88	
712 x 915 x 305	88W793	1	2	279.06	
712 x 915 x 459	88W794	1	2	289.75	
915 x 915 x 459	88W994	1	2	305.92	
1220 x 915 x 459	88W294	2	2	363.49	
1525 x 915 x 459	88W594	3	2	386.36	
1830 x 915 x 459	88W894	3	2	406.73	
1830 x 915 x 459	88W894F	R 3	2	435.29	
1830 x 915 x 459	88W894L	_ 2	2	428.13	
1830 x 915 x 459	88W8949	5 1	2	394.28	
1830 x 1220 x 459	88W824	3	2	478.16	

88W663 & 88W793 can be used as a wall mounted cabinet. £15.00 per cabinet for wall mounting option.

Extra Shelves				
	W x D (mm)	Code	£	
	355 x 305	88ES33W	42.69	
	459 x 459	88ES44W	43.84	
	610 x 305	88ES63W	43.87	
	915 x 305	88ES93W	45.11	
	915 x 459	88ES94W	47.80	
	1220 x 459	88ES24W	53.04	

# Floor Stands (450mm High)

H x W x D (mm)	Code	Suitable for	£
450 x 459 x 459	88WFS2	88W644, 944	90.50
450 x 915 x 459	88WFS3	88W794, 994, 294	104.50

#### Castor Set (Factory Fitted)

Set of 4x rubber tyred castors fitted. 2x fixed & 2x swivel braked. Not an option on 1830 cabinets.

Diameter (mm)	Code	£
125	C125	84.39




FIGSLIC DITTS (FET FGCK)					
Code	L (mm)	W (mm)	D (mm)	£	QTY
BB2	165	100	75	58.12	20
BB3	240	150	125	62.83	10
BB4	355	200	125	74.73	10

200

175

98.96



# 88 SERIES

# **Medium Duty Cabinets**



Visit www.jbedford.co.uk for exclusive online products and colour options



# Medium Duty BDU Desk Units 88 SERIES

Welded and riveted construction from 0.9mm thick sheet steel, with a 3 way locking chrome lever handle. Contains 1 x 75kg (UDL) adjustable shelf and drawers mounted on 40kg full capacity extension runners. Silver Grey (RAL 7001) carcase with choice of door/drawer colour.



Desk Units			
H x W x D (mm)	Code	Shelves	£
1205/1105 x 915 x 459	88BDU1	1	443.77
1205/1105 x 915 x 459	88BDU2	1	428.14
1205/1105 x 915 x 459	88BDU3	1	404.22
1205/1105 x 915 x 459	88BDU4	1	396.99

All items on this page are avaiable in any colour from the standard range at no extra cost. Please visit www.jbedford.co.uk to view the colour options

#### BASE CABINET

915mm High x 915mm Wide x 459mm Depth







#### **Beuro Modular Cabinets & Drawers** 88 SERIES

A versatile modular system that can be supplied as single items or as a full system. All cabinets have reinforced doors and adjustable shelves (capacity 75kg per shelf UDL). Drawers have a capacity of 25kg (UDL), have an internal height of 100mm and are 3/4 extension.

Standard finish is Silver Grey (RAL 7001) with doors or drawers in Sky Blue (RAL 5015).

#### Cabinet - No. 1 H900 x W500 x D500 (mm) Description 88955/ 210.54 1 door 2 shelves 1 door 1 deep drawer 1 shelf 88955B 249.48 297.77 1 door 2 drawers 1 shelf 372.69 Bank of 8 drawers non locking 88955D 393.27 Bank of 8 drawers central locking 88955E 500mm wide shelf\* 44.03

Cabinet - No.	. ᠘	
H900 x W1000 x D500 (r Description	nm) Code	£
2 doors 2 shelves	88915B	326.06
2 sliding doors 2 shelves	88915C	378.38
Bank of 8 drawers non locking	ng 88915D	530.20
Bank of 8 drawers central locki	ing88915E	537.11
1000mm wide shelf*	88ES1	48.51

# Cabinet - No.3 H1200 x W1000 x D500(mm)

Carbinat Na 2

Description Code	£
2 doors 2 shelves 88215A 354	4.91
2 sliding doors 2 shelves 88215C 42	.67
1000mm wide shelf* 88ES1 44	3.51

# Cabinet - No.4

H1800 x W1000 x D500 (m Description	m) Code	£			
2 doors 3 shelves	88815A	445.70			
2 door louvered panel	88815B	458.66			
2 sliding doors 3 shelves	88815C	523.11			
2 doors, 1/2 louvered, 2 drawers	88815D	530.93			
2 doors, 1/2 louvered, 6 drawers	88815E	744.94			
Perforated Doors*					
1000mm wide shelf*	88ES1	48.51			
Also available					
6 drawer unit 712 x 900 x 450	88794D	479.56			



Plastic Bin	s (Per Pack)
-------------	--------------

Code	L (mm)	W (mm)	D (mm)	£	QTY
BB2	165	100	75	58.12	20
BB3	240	150	125	62.83	10
BB4	355	200	125	74.73	10
BB5	355	200	175	98.96	10

Minimum order value £50 net.





No. 4 88815E

# **Key Features:**

- CONSTRUCTION Welded construction from 0.9mm thick sheet steel
- MODULAR SYSTEM A flexible solution to suit your workspace. Metric range of cabinets and drawer units.



Visit www.jbedford.co.uk for exclusive online products and colour options



Cabinets

H x W x D (mm)

Mesh Door Cabinets 88 SERIES

Code

Visibility of controlled stock without compromising security. Suitable for most working environments to store PPE, Tools, Manual & Computer peripherals etc. Standard finish is Silver Grey (RAL 7001) with Sky Blue (RAL 5015) doors.







Centre divider hanging rail & 3 shelves 1830 x 915 x 459 88MD894R 492.23 1830 x 1220 x 459 88MD824R 636.83 1 shelf and hanging rail 1830 x 915 x 459 88MD894S 458.61 1830 x 1220 x 459 88MD824S 519.84 1/2 louvered 2 shelves 1830 x 915 x 459 88MD894L 478.03 1830 x 1220 x 459 88MD824L 602.49 1830 x 1220 x 459 3 88MD824 580.49 1830 x 915 x 459 88MD894 454.88 1830 x 459 x 459 3 88MD844 352.96 1 shelf 915 x 915 x 459 88MD994 336.22 915 x 459 x 459 88MD944 222.62 715 x 915 x 459 88MD794 322.43 715 x 915 x 305 88MD793 300.02

# **Key Features:**

• SEEN. SAFE & SECURE Welded construction from 0.9mm thick steel with reinforced mesh panel door(s) for visibility and ventilation.



# 88MD994

#### Extra Shelves W x D (mm) Code 459 x 459 88ES44 43.84 915 x 459 88ES94 47.80

Accessories (rucio	TA LITTE	<i>a)</i>
Description	Code	£
915mm high mesh side panels	9MSP	36.45
1830mm high mesh side panels	8MSP	62.35
459mm wide sloping top	4WST	49.14
915mm wide sloping top	9WST	68.12
459mm wide raised leg supports	4RLS	57.15
915mm wide raised leg supports	9RLS	61.77

88MD944



# **Key Features:**

The 1830mm high models have a choice of internal accessories including: -

- 3 adjustable shelves
- 2 adjustable shelves & half louvered panel
- 3 half adjustable shelves, hanging rail & centre divider
- Silver Grey (RAL 7001) carcase with door colour Sky Blue (RAL 5015)



Visit www.ibedford.co.uk for exclusive online products and colour options

STORAGE CABINETS STORAGE CABINETS

# 84 SERIES Sliding Mesh Door Cabinets

62.10

68.73

50kg shelf

68.73

Visibility of controlled stock, for use in industrial and commercial applications. Keeps aisle space clear. Welded construction from 0.9mm thick steel. Maximum view mesh doors with 75kg capacity (UDL) adjustable shelves. Silver Grey (RAL 7001) carcase with Sky Blue (RAL 5015) doors as standard.

# Cabinets H x W x D (mm) Code Shelves £ 1830 x 915 x 460 84MD894 3 519.38 1830 x 1220 x 460 84MD824 3 554.28 1020 x 1220 x 460 84MD024 2 465.76 1020 x 1830 x 460 84MD084 2 591.06

# Extra Shelves (Factory Fitted) W x D(mm) Code £ 915 x 460 84ES94 55.37

1830 x 460 (factory fit only) 84ES84

84ES24

1220 x 460









capacity (UDL) THIS MODEL ONLY

# 84 SERIES Sliding Door Cabinets

The perfect storage solution when space is a valuable commodity and should be utilised to its maximum, keeping aisles clear. Ideal for commercial or industrial applications. Welded construction from 0.9mm thick steel. Reinforced doors with 75kg capacity (UDL) adjustable shelves. Silver Grey (RAL 7001) carcase with Sky Blue (RAL 5015) doors as standard.

Sliding Door Cabinets				
H x W x D (mm)	Code	Shelves	£	
1830 x 915 x 460	84894	3	509.11	
1830 x 1220 x 460	84824	3	575.28	
1020 x 1220 x 460	84024	2	456.79	
1020 x 1830 x 460	84084	2	593.44	

Extra Shel	Ves (Factory F	itted)
W x D (mm)	Code	£
915 x 460	84ES94	55.37
1220 v 460	8/ES2/	6210

# **Key Features:**

1830 x 460 (factory fit only) 84ES84

- Welded construction
- Space saving
- Industrial & commercial application



Visit **www.jbedford.co.uk** for exclusive online products and colour options



# Viewcab Visible Storage Cabinets 88 SERIES

A range of sheet steel cabinets suitable for most working environments e.g, Offices, Museums, Laboratories, Schools, Factories etc. Available with doors with maximum area viewing panels in laminated safety glass or polycarbonate. Cabinets available with steel adjustable shelves (capacity 75kg per shelf UDL). Full choice of colours available.



88V894	88S894
888/9	994
	88V944

Cabinets	5			
H x W x D (mm)	Code	£	Code	£
3 steel shelves	Glass		Polycarbo	nate
1830 x 1220 x 460	88V824G	693.33	88V824P	784.02
3 steel shelves	Glass		Polycarbo	nate
1830 x 915 x 460	88V894G	593.96	88V894P	668.56
2 steel shelves	Glass		Polycarbo	nate
915 x 915 x 460	88V994G	436.81	88V994P	497.99
2 steel shelves	Glass		Polycarbo	nate
915 x 460 x 460	88V944G	352.36	88V944P	384.02
Wall Cal	binet			
H x W x D (mm)	Code	£	Code	£

2 steel shelves	Glass		Polycarbo	nate
712 x 915 x 300	88V793G	408.42	88V793P	432.7
Split Viewcab				

	Glass		Polycarbo	nate
1830 x 915 x 460	88S894G	780.64	88S894P	841.83
Top half with glands steel doors		_		, base

f Code

HxWxD(mm) Code

Steel Extro	x Sneives	
W x D (mm)	Code	i
460 x 460	88ES44V	43.8
915 x 460	88ES94V	47.80
1220 x 460	88ES24V	53.0

#### Features & Options

Full area viewing panel available in 6mm laminated safety glass (BS6206) or tough polycarbonate to view your display without compromising security.

Two way locking handle with semi concealed internal mechanism.

## **Key Features:**

SEEN, SAFE & SECURE
 A range of sheet steel cabinets
 suitable for your working environment.

\*See page 71 for available colours



Visit **www.jbedford.co.uk** for exclusive online products and colour options

**STORAGE CABINETS** STORAGE CABINETS

#### **Heavy Duty Cabinets** 80 SERIES

Heavy duty welded construction from 1.2mm thick steel sheet with reinforced double doors mounted on full length hinges and secured by 3 way locking flush fitting non snag handle. All cabinets have adjustable shelves with 100kg UDL capacity. Cabinets Silver Grey (RAL 7001) with Sky Blue (RAL 5015) doors as standard.

Cabinets - 8	30 Series	;	
H x W x D (mm)	Code	Shelves	£
600 x 450 x 450	80644	1	265.95
900 x 450 x 450	80944	2	297.52
900 x 900 x 450	80994	2	394.12
900 x 900 x 600	80996	2	419.13
900 x 1200 x 450	80924	2	434.74
900 x 1200 x 600	80926	2	462.53
1200 x 900 x 450	80294	2	445.79
1200 x 900 x 600	80296	2	471.12
1200 x 900 x 900	80299	2	683.46
1200 x 1200 x 450	80224	2	489.18
1200 x 1200 x 600	80226	2	512.75
1200 x 1200 x 900	80229	2	784.52
1500 x 900 x 450	80594	3	513.47
1500 x 900 x 600	80596	3	545.09
1500 x 900 x 900	80599	3	742.60
1500 x 1200 x 450	80524	3	563.27
1500 x 1200 x 600	80526	3	603.09
1500 x 1200 x 900	80529	3	859.16
1800 x 450 x 450	80844	3	444.89
1800 x 900 x 450	80894	3	549.47
1800 x 900 x 600	80896	3	599.34
1800 x 900 x 900	80899	3	775.36
1800 x 1200 x 450	80824	3	678.13
1800 x 1200 x 600	80826	3	700.89
1800 x 1200 x 900	80829	3	896.88

# **Key Features:** Strong 3 Way Locking Flush Non Snag Handle • Full Length Continuous Hinges • 100kg UDL Capacity Shelves 80894 80994

# **Heavy Duty Security Cabinets:** 82 SERIES

To help meet insurance company requirements, items of value must be locked away in a secure cabinet.



Cabinets	- Me	etric Ranç	ge
H x W x D (mm)	Code	Shelves	£
1000 x 500 x 500	82155	1	481.81
800 x 1000 x 500	82815	1	511.19
1200 x 1000 x 500	82115	2	630.33
2000 x 1000 x 500	82215	3	896.16

Extra Shelves				
H x W x D (mm)	Code	Shelves	£	
500 x 500	82S5	1	52.56	
1000 x 500	82S10	1	65.19	

Small Wall Mounted			
H x W x D (mm)	Code	Shelves	£
450 x 380 x 250	82432	1	207.60
1100 x 700 x 250	82172	2	466.49
800 x 800 x 260	82882	2	455.04

Extra Shelves			
W x D (mm)	Code	Shelves	£
380 x 250	82S32	1	50.16
700 x 250	82S72	1	56.07
800 x 260	82\$82	1	60.03

#### Colour Options

A large range of colours is available to compliment your environment.

#### 81 SERIES **Heavy Duty Mobile Cabinets**

Mobile Cabinets	s - 81 Series	
H x W x D (mm)	Code	£
900 x 900 x 450	81994	441.70
900 x 900 x 600	81996	466.00
900 x 1200 x 450	81924	489.63
900 x 1200 x 600	81926	515.76
1200 x 900 x 600	81296	515.71
1200 x 1200 x 600	81226	533.32
1500 x 900 x 600	81596	568.56
1500 x 1200 x 600	81526	634.97

### Extra Shelves - applicable to both Static & Mobile Cabinets

H x W x D (mm)	Code	£
900 x 450	80S94	57.26
900 x 600	80S96	64.73
1200 x 450	80S24	69.53
1200 x 600	80S26	69.46

N.B. Cabinet heights do not include castors. For overall height including castors please add approx. 180mm.

62

These cabinets offer a versatile heavy duty storage solution. Fully welded construction from 1.2mm thick steel sheet fitted with reinforced double doors mounted on heavy duty continuous hinges and secured by flush fitting non snag 3 way locking handle. Cabinet assemblies are mounted on 2 fixed and 2 swivel braked castors. All cabinets have bolt in adjustable shelves (100kg UDL). 900 and 1200mm high cabinets have  $2\,$ shelves, 1500mm have 3 shelves. Complete with end pull handle.



Visit www.jbedford.co.uk for exclusive online products and colour options



#### **METRIC SECURITY CABINETS - 82 SERIES**

Fully welded construction from 1.5mm (carcase) and 2mm (doors) thick steel. Reinforced double doors mounted on fully recessed hinges and secured by 3 way locking chrome lever handle and 2 five lever mortise locks. Additional security is provided by 2 tower bolts. 100kg capacity shelves. Cabinets Silver Grey (RAL 7001) with doors Sky Blue (RAL 5015).







STORAGE CABINETS
STORAGE CABINETS

# 90 SERIES Heavy Duty Roller Shutter Cabinets

Every workplace has to have a secure storage facility for high value items. The Heavy Duty Roller Shutter Cabinet is the answer. Colour Silver Grey (RAL 7001) as standard.

H x W x D (mm) Code <b>3 adjustable shelves</b> 2000 x 1000 x 500 90215A	£ 1,109.39
2000 x 1000 x 500 90215A	1,109.39
2000 X 1000 X 000	1,109.39
0 duament 0 1/0 language d 1 alcolfs	
2 drawers, & 1/2 louvered, 1 shelf*	
2000 x 1000 x 500 90215C	1,256.57
6 drawers, & 1/2 louvered, 1 shelf*	
2000 x 1000 x 500 90215D	1,502.98
Full louvered	
2000 x 1000 x 500 90215E	1,103.27
3 adjustable shelves	
2000 x 1200 x 500 90225A	1,228.43
2 drawers, & 1/2 louvered, 2 shelves*	
2000 x 1200 x 500 90225C	1,387.47
6 drawers, & 1/2 louvered, 1 shelf*	
2000 x 1200 x 500 90225D	1,614.53
Full louvered	
2000 x 1200 x 500 90225E	1,132.75

Code 90S15

90S25

62.79

Optional Extras

Description

Extra shelf\*

Extra shelf





### **Key Features:**

- 150mm High 40kg Capacity Drawers
- 100kg UDL Capacity Shelves CURRENT USES INCLUDE:
- Tool Storage
- High Value Retail Storage
- Computer Storage
- Educational Applications



Heavy Duty Pin Locks









Visit **www.jbedford.co.uk** for exclusive online products and colour options



# Morstor Heavy Duty Cabinets 79 SERIES

A high density storage cabinet. Welded construction from 1.5mm (carcase) and 1.5mm (doors) thick steel with double storage doors secured by flush fitting handle. Doors mounted on heavy duty pin hinges and secured by 3 way locking handle designed to provide extra storage in various configurations with bolt in integral door shelving and 3 adjustable shelves. Supplied with adjustable feet as standard.

Sky Blue (RAL 5015) as standard.



Cabinet			
H x W x D (mm) 2000 x 1000 x 600	Code 79216MS	Shelves 3	£ 1,028.73
Extra She	elves		
Extra She	elves Code		£

# Heavy Duty Tough Cubes 18 SERIES

Welded construction from 1.2mm thick steel. Each cube is fitted with a fixed shelf and can be sited side-by-side or back-to-back to form a partition. Card holder, hasp & staple, perforated doors also available. Silver Grey (RAL 7001) carcase with Sky Blue (RAL 5015) doors as standard.







Visit **www.jbedford.co.uk** for exclusive online products and colour options

64



# STAINLESS STEEL

A range of premium manufactured workbench, cabinet and locker options developed to deliver security and reliability.

All prices include full standard delivery costs to mainland UK (excluding Scottish Highlands, Islands and overseas). For express delivery quotes please contact the sales team.





STAINLESS STEEL EQUIPMENT STAINLESS STEEL EQUIPMENT

# Heavy Duty Stainless Steel Workbenches & Trolleys

Benches		
L x W(mm)	Code	£
800 x 750 x 840	478075	492.06
1200 x 750 x 840	471275	560.81
1500 x 750 x 840	471575	617.62
1800 x 750 x 840	471875	678.38
2400 x 750 x 840	472475†	878.31

†This model has additional leg supports. 600mm and 900mm wide options are also available, POA.

# Cabinets (Factory Fitted)

Description	Code	£
Cabinet Unit	SC1	331.33
800mm Full Cabinet	SC08	648.53
1200mm Full Cabinet	SC12	849.71
1500mm Full Cabinet	SC15	1,013.64
1800mm Full Cabinet	SC18	1,024.01
2400mm Full Cabinet	SC24	1,629.34

# Drawers (Factory Fitted)

Description	Code	£
Single Drawer Unit	SD1	228.44
Double Drawer Unit	SD2	359.08
Triple Drawer Unit	SD3	371.11

# Accessories (Factory Fitted)

Description	Code	£
800mm Base Shelf	SBS8	111.46
1200mm Base Shelf	SBS12	143.12
1500mm Base Shelf	SBS15	166.87
1800mm Base Shelf	SBS18	200.96
2400mm Base Shelf	SBS24	248.46
Louvered Back Panel	SLP	208.54
Electrical Service Duct	SSD	161.89
Upper Shelf	SUS	255.05
Overhead Light Unit	SLU	283.67
Rear Upright Supports	SAP	173.09

# Trolleys (SMT)

L900 x W460 x H840 (mm) + Castors			
Description	Code	£	
2 Tier	SMT1	645.00	
3 Tier	SMT2	761.94	
2 Tier c/w Cabinet	SMT3	866.80	

# Trolleys (SMTL)

L1200 x W550 x H840 (mm) + Castors		
Code	£	
SMTL1	998.79	
SMTL2	1,290.00	
SMTL3	1,220.59	
SMTL4	1,364.51	
	Code SMTL1 SMTL2	

#### Options Description Code Braked Castors (pair) ВС 29.23

# 47 SERIES Heavy Duty Stainless Steel Workbenches

Heavy duty all stainless steel workbench units, of welded construction with 1.5mm thick 304 quality reinforced worktop with a brushed polish finish, mounted on 40mm square stainless steel tubular leg supports with plastic adjustable feet.



# **Heavy Duty Stainless Steel Trolleys**

A range of heavy duty welded trolleys constructed throughout in 304 quality stainless steel with a brushed polish finish. The units have a 1.5mm thick worktop mounted on 40mm square tube framework complete with 100mm diameter stainless steel castors with grey non-marking tyres. Total trolley capacity of 150kg.



Visit www.jbedford.co.uk for exclusive online products and colour options



# Stainless Steel Cabinets & Desk Units 87 SERIES

Welded and riveted construction from 304 quality stainless steel sheet with a brushed polish finish. Manufactured with reinforced doors mounted on pin hinges and secured by flush mounted three way locking handle. The cabinets fitted internally with adjustable shelves (capacity 75kg per shelf UDL).





Extra Shelves		
W x D (mm)	Code	£
450 x 450	874S	59.27
880 x 450	879S	72.46

Desk Units			
H x W x D (mm)	Code	Shelves	£
Sloping Top On Base Cabinet			
1175 x 880 x 450	87SDC	2 + Drawer	952.27
Sloping Top On 4 Legs			
1175 x 880 x 450	87SDL	1 + Drawer	658.87

# Options & Accessories (Factory Fitted)

W x D (mm)	Code	£
Stainless Steel Castor Set	SC90	183.17
Zinc Plated Castor Set	ZC80	55.31
Sloping Top 450mm Wide	ST44	102.81
Sloping Top 880mm Wide	ST84	133.18
Leg Units	LU100	135.86

Choice of louvered panels also available

# **Key Features:**

- Brushed Polish Finish
- Welded And Riveted Construction
- 'Non Snag' 3 Way Locking Handle



STAINLESS STEEL EQUIPMENT **COLOUR RANGE** 

#### Stainless Steel Lockers SL SERIES

Welded and riveted construction from 304 quality stainless steel sheet with a brushed polish finish. Doors fitted with semi concealed pin or butt hinges and secured by camlock with two keys. The single compartment locker is fitted with a hat shelf and two coat hooks. Two compartments each fitted with 2 coat hooks. Supplied individually and pre-drilled ready for nesting into banks if required.

Single Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/1	497.77
1778 x 305 x 381	SL38/1	538.48
1778 x 305 x 457	SL34/1	565.62
1778 x 457 x 457	SL44/1	599.23
Two Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/2	584.57
1778 x 305 x 381	SL38/2	584.57
1778 x 305 x 457	SL34/2	594.06
1778 x 457 x 457	SL44/2	747.41
Three Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/3	619.15
1778 x 305 x 381	SL38/3	619.15
1778 x 305 x 457	SL34/3	632.72

Four Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/4	687.08
1778 x 305 x 381	SL38/4	681.65
1778 x 305 x 457	SL34/4	697.94
1778 x 457 x 457	SL44/4	733.23

SL44/3

722.29

1778 x 457 x 457

Six Door		
H x W x D (mm)	Code	£
1778 x 305 x 305	SL33/6	721.75
1778 x 305 x 381	SL38/6	721.75
1778 x 305 x 457	SL34/6	744.81
1778 x 457 x 457	SL44/6	879.17

Cube Lockers		
H x W x D (mm)	Code	£
305 x 305 x 305	SLC30	177.35
381 x 381 x 381	SLC35	193.19
457 x 457 x 457	SLC44	259.92
610 x 457 x 457	SLC64	288.20

Garment C	ollector	
H x W x D (mm)	Code	£
1778 x 381 x 457	SL34CL	537.27
Includes sloping top and feet.		

Garment Dispensing		
H x W x D (mm)	Code	£
1778 x 381 x 457	SL34D10	913.92
1778 x 381 x 457	SL34D15	1,007.38
Includes sloping top and feet.		



Clean & Dir	ty	
H x W x D (mm)	Code	£
1778 x 457 x 457	SL44CD	628.22
Twin Locke:	r	
H x W x D (mm)	Code	£
1778 x 457 x 457	SL44TW	693.40
Accessories	(Factory Fi	tted)
Description	Code	£
Sloping Tops For All Standard Sizes 65.86		
Leg Units For All Single Lockers 46.63		




Visit www.jbedford.co.uk for exclusive online products and colour options

\*Image shows doors fitted with pin hinges



# COLOUR RANGE STANDARD

Below is our Standard range of RAL colours.



<sup>\*</sup> Textured finish available on request but not with Premier Shield. Textured finish supplied as standard on Jet Black and Pantone 2B2U.

Different monitors may display shades on screen which are slightly different to the finished product. Should you require a sample patch of the exact colour to be sent prior to ordering please contact our sales team.

# **COLOUR RANGE**

TERMS & CONDITIONS

**CUSTOM** 

Other colours are available upon request.

# PREMIER SHIELD



#### **Key Features:**

In addition to our standard powder coating we have developed an anti-bacterial coating with active silver ions that penetrate bacterial cell walls and prevent growth. PremierShield is available in a range of colours and is effective against both gram negative and gram positive bacteria. It is recommended as an aid to hygiene best practice in laboratories, schools, public buildings and hospitals.

#### **RESULTS OF INDEPENDENT TESTS**

Bacteria Tested	% CFU reduction
Staphylococcus Aureus (MRSA)	99.99
Escherichia (e-coli)	99.99
Pseudomonas Aeruginosa	99.99
Bactillus Subtilis	99.98
Salmonella Enteritidis	99.98
Listeria MonocytogeneS	99.98

Prices quoted are exclusive of VAT. Images are for illustrative purposes only and

we reserve the right to make any changes to dimensions or specifications without prior

Please note our normal delivery service is applied to this priced product guide and does not include a day or time specific option.

Unless otherwise stated prices include delivery to mainland UK Prices for delivery to Sottish Highlands, Islands, AB postcodes and overseas can be provided on request

Normal deliveries will take place between 8:00am and 5:00pm Monday to Friday. A special delivery service can be arranged for an additional charge

Unless otherwise stated prices include delivery to mainland UK. Prices for delivery to Sottish Highlands, Islands, AB postcodes and overseas can be provided on request.

Other than collection, goods will be delivered to the nearest point of entry, off-loading being the responsibility of the customer, e.g. a ground floor reception/goods inward area not positioning on site.

All goods must be checked for damages and/or shortages before signing the delivery note(s). Please contact us for authorisation in the

unlikely event of returning goods. There is a handling charge of 15% of the invoice value plus delivery charges will apply.

Bespoke items cannot be returned unless deemed defective/faulty.

Lockers are non returnable unless deemed faulty or damaged.

Minimum order value on lockers £150.00 net or carriage is applicable.

We can accept orders on a call off basis if the delivery dates are agreed and quoted on the purchase order. Call off dates may not be changed without prior agreement.

First orders are on a pro-forma basis. Subsequent orders are payable on nett monthly account subject to status.

of the manufacturer until paid for in full. Please see our website for full Terms &

Retention of Title - Goods remain the property

Conditions Of Sale. (Company Brochure issue 12a 01-01-19).

Please note: Prices are correct at time of publication (January 2019) however due to fluctuations in raw material cost, prices are for reference only. To confirm the current prices please contact the Sales Team.

James Bedford is a trading name of James Bedford & Co. (Yorkshire) Ltd.

Perforated Doors







James Bedford & Co. (Yorkshire) Ltd.,

Pennine View, Gelderd Road Industrial Estate, Birstall, Batley, West Yorkshire, WF17 9NF, United Kingdom.

T: +44 (0)1924 442048

F: +44 (0)1924 472117

E: sales@jbedford.co.uk W: www.jbedford.co.uk

Company registration number: 8905458 VAT number: 184426648

