# **SPECIALS**

**NEWS AND PROMOTIONS** 

FEBRUARY - MARCH 2018



**Combination Hammer** 

KHA 18 LTX BL 24 Quick Set ISA with integrated dust extraction

# COMPACT, LIGHT, DUST-FREE.

#### For dust-free working

With integrated dust extraction for

- Dust-free drilling in concrete, stone and masonry
- Healthier working with HEPA filter for smallest dust particles
- Working overhead or in areas susceptible to dust





#### Compact, light, powerful

- Compact and weight-optimised desian
- 2.2 Joule
- Brushless technology for highest efficiency and long service life
- Per battery pack charge: LiHD 3.5 Ah: 120 boreholes in concrete (Ø 6 mm / depth 4 cm) LiHD 7.0 Ah: 240 boreholes in concrete (Ø 6 mm / depth 4 cm)

KHA 18 LTX BL 24 Quick Set ISA

**Brushless** 

**18 Volt Cordless Combination Hammer** KHA 18 LTX BL 24 Quick Set ISA with integrated dust extraction



1 LiHD battery pack (18 V/3.5 Ah) 1 LiHD battery pack (18 V/5.5 Ah) Charger ASC 30-36 V, in plastic carry case

incl. VAT

Without battery pack, without charger, in plastic carry case

**18 Volt Cordless Combination** Hammer KHA 18 LTX BL 24 Quick



1 LiHD battery pack (18 V/3.5 Ah) 1 LiHD battery pack (18 V/5.5 Ah) Charger ASC 30-36 V, in plastic carry case

Without battery pack, without

Order no. 600211840

charger in MetaLoc

#### Std. scope of delivery

Hammer chuck for SDS plus bits, Keyless chuck for straight shank bits, rubber-coated side handle, drilling depth guide, replacement extraction head (only in set variant)

incl. VAT

incl. VAT

Technical data	
Max. single-impact energy (EPTA)	2,2 J
Maximum impact rate	4.500 /min
Drill Ø in	
Concrete	24 mm
Masonry with core bits	68 mm
Weight (including battery pack)	
KHA 18 LTX BL 24 Quick Set ISA (LiHD 3.5 Ah)	4,5 kg
KHA 18 LTX BL 24 Quick (Li-Power 4.0 Ah)	3,6 kg











Dear Readers.

This edition of Specials is about freedom on a large scale. Why? Because the system solutions and machines described on the following pages enable you to work without trailing cables or dust - and thanks to Pick + Mix, you'll also have the option of buying only what you want and need.

So the thinking behind our system is also cost effective for you. Anyone working with our cordless machines can use every ampere size of battery pack within a single voltage class on any same voltage class machine and recharge it on one charger. For 18V devices this effectively means more than 80 tools, one battery, one charger. You save money because you do not have to buy batteries and a charger with every new machine.

And if the roughly 1,200 Watts that our LiHD packs deliver at 18 Volts is not enough for you, just take two and vou'll have double that power. All 36V devices, such as the large angle grinder, the SDS Plus combination hammer or the cordless table saw. are always available in one version using two 18V battery packs. Here, too, you have the option of choosing between 36V or two lots of 18V.

With so much freedom on offer, working with cordless is much more fun. Try it.

I wish you an enjoyable experience working with our tools,



Horst W. Garbrecht **CEO Metabo** 



#### **Table of Contents**

Battery pack	Page 2–21
Dust-free working	Page 22–23
Sanding / cutting & grinding	Page 24–27

## 1 BATTERY PACK FOR ALL MACHINES.

3-year battery pack warranty on all Li-lon and LiHD battery packs.





# PICK-MIX

SIMPLY A CLEVER COMBINATION.



Set advantage: up to

£194.00\*

with VAT £232.80

FROMOTIONAL PRICE **£429**.00 \*

with VAT £514.80

# PICK-MIX

## **SIMPLY A CLEVER** COMBINATION.

BS 18 LTX BL Q I

£209.00\* Order no

120 Nm / 0-500 / 1.850 /min

KHA 18 LTX BL 24 Quick

Cordless Drywall Screwdrivers

SF 18 LTX 2500

9 Nm / 0-2.500 /min

£179.00\*

- 1. Create your desired combination
- 2. And pay only for what you really need



3 year warranty on all battery packs

Basic sets		Price with- out VAT*	Price incl. VAT
	Basic set Li-Power 2x 5.2 Ah 1x charger ASC 30-36 V Order no. 685065000	£219.00	£262.80
THD	Basic set LiHD 1x 3.5 Ah, 1x 5.5 Ah 1x charger ASC 30-36 V Order no. 685103000	£219.00	£262.80
TECHNOLOGY	Basic set LiHD 2x 7.0 Ah 1x charger ASC Ultra Order no. 685109000	£329.00	£394.80
	Basic set LiHD 4 x 7.0 Ah 2x charger ASC Ultra Order no. 685111000	£679.00	£814.80

Battery Pac	ks	Price with- out VAT*	Price incl. VAT
	18 V/Li-Power 5.2 Ah Order no. 625592000	£99.99	£119.99
	18 V/LiHD 3.5 Ah Order no. 625346000	£74.99	£89.99
	18 V/LiHD 5.5 Ah Order no. 625342000	£124.99	£149.99
(TIUD	18 V/LiHD 7.0 Ah Order no. 625345000	£159.00	£190.80
LiHD			

Chargers		Price with- out VAT*	
	Quick Charger ASC Ultra Order no. 627265000	£59.99	£71.99
	Quick charger ASC 30-36V 14.4V – 36V Order no. 627045000	£44.99	£53.99

Transport a	nd storage	Price with- out VAT*	Price incl. VAT
	MetaLoc II with foam insert Order no. 626449000	£39.00	£46.80
	Roller board for MetaLoc and AS 18 L PC Order no. 630174000	£74.99	£89.99
	Tool bag (small) Order no. 657006000	£24.99	£29.99
1	Tool bag (large) Order no. 657007000	£34.99	£41.99



**Driving screws & bolts** 

**Cutting / grinding** 

Special applications



Cordless Sabre Saw

SSE 18 LTX Compact

WF 18 LTX 125 Quick

Ø 125 mm / 8.000 /mir

HO 18 LTX 20-82







Cordless Sabre Saw

Cordless Angle Grinders

Ø 125 mm / 9.000 /mi

KFM 18 LTX 3 RF

Order no

613077840

WB 18 LTX BL 125 Quick

ASE 18 LTX

£149.00\*

£179.00\*

£159.00\*



£149.00\*





SB 18 LTX-3 BL Q I

KHA 18 LTX

Order no.

2.2 J / SDS-plus

120 Nm / 0-500 / 2.050 / 3.800 /min

Cordless Combination Hammer

Cordless Impact Wrench SSW 18 LTX 600

Cordless Angle Grinders

W 18 LTX 150 Quick

Cordless Band Saw

63,5 mm / 174 m/min

613022850

Ø 150 mm / 8,000 /min

600 Nm / 0-1.600 /min









Cordless Stirrer 40 I / 0-760 /min





Cordless Angle Grinders

WPB 36-18 LTX BL 230

BS 18 LTX-3 BL Q I

2,2 J / SDS-plus

SF 18 LTX 4000

7 Nm / 0-4.000 /min

Cordless Mitre Saw

Ø 216 mm / 4,200 /min

KGS 18 LTX 216

Order no

120 Nm / 0-500/2.050/3.800 /min

KHA 18 LTX BL 24 Quick Set ISA

Cordless Drywall Screwdrivers

£209.00\*

£129.00\*

£379.00\*

KPA 18 LTX 400 1-10 mm/s / 7.259 N £259.00\*



GB 18 LTX BL Q I

KHA 36-18 LTX 32

SF 18 LTX 6000

620049840

5 Nm / 0-6.000 /min

Ø 254 mm / 5.000 /min

Cordless Die Grinders

GA 18 LTX G

£799.00\*

Cordless Drywall Screwdrivers

600796840

Order no

120 Nm / 0-600 / 2.050 /min

£219.00\*









£59 00\*







£219.00\*







AS 18 L PC £149.00\*



Order no.



£249.00\*



**Our Top Sellers** 











# Lihd: The Most Powerful Battery Pack Technology Worldwide.

#### The new high performance standard.

The combination of new high-performance battery cells and completely re-developed components within the LiHD battery pack ensures maximum power availability over an extremely long run time.










100 % MORE SERVICE LIFE


The values refer to a Metabo 4.0 Ah battery pack at 800 Watt withdrawal rate





## When it really matters, power counts!

If you want greatest flexibility, reliability and performance: **Metabo is the only manufacturer** in the world to cover the entire performance range–from 400 to 2,400 Watt.





# **MAXIMUM MOBILITY POWERFUL** MAX 87 mm.



Per battery pack charge (2x 18 V/7.0 Ah): up to 150 linear metres in 22 mm OSB up to 60 metres in 40 mm soft wood up to 25 metres in 80 mm soft wood



**Accessory Tip** 

628025000

f35 48\*

**BRUSHLESS** 

**MOTOR** 

rake angle 20°

628059000

£41.19\*

chargers ASC Ultra, fixing belt for MetaLoc, MetaLoc of teeth 24 Order no.

Without battery pack, without charger

Order no. 613025850

36 Volt **TS 36 LTX BL 254** 



2 LiHD battery packs (36 V/6.2 Ah), 2 quick chargers ASC Ultra, fixing belt for MetaLoc. MetaLoc

without charger

Std. scope of delivery
Carbide saw blade with alternately bevel-ground tips (40 teeth), stand, rubber tyres, parallel guide/rip fence, mitre fence, table length extension, table width extension, push stick, dust cyclone, textile dust bag

Technical data	
Saw blade	254 x 30 mm
Max. cutting height 90/45°	87 / 50 mm
No-load speed	5.000 /min
Max. cutting speed	66 m/s
Weight (incl. battery pack)	34,5 kg





Integrated folding stand, with trolly function Rubber tyres for comfortable

**Maximum Mobility** 


For dust-free working Integrated extraction with dust cyclone for low dust working without

vacuum cleaner



Drilling / Screwdriving 18 V


## BRUSHLESS TECHNOLOGY: ULTIMATE PERFORMANCE AND ROBUSTNESS.





# DRILLING, SCREWDRIVING, FASTENING AND GRINDING





Drilling / Screwdriving 18 V

### MOBILE POWER PACK FOR GREAT SAVINGS.





## HARDEST APPLICATIONS, EASILY SOLVED.





**Cordless Heated Jacket 18V Cordless Processing of Wood 18V** 

### FOR WARMTH AND LIGHT.







### WITH POWER AND PRECISION.





Cordless Complementary Products 18V

Drilling / Screwdriving 10.8V

## **BOW HANDLE OR BODY GRIP – THE CHOISE IS YOURS.**





### FOR MOBILE USE.





Cordless Multi-Tool 18 V

### A MUST HAVE FOR INTERIOR DEVELOPMENT

#### **PROMOTION** Also available **MT 18 LTX Compact** ■For cutting, sanding, scraping and grating of different materials ■ Fast and powerful thanks to the combination of a large oscillation LiHD angle of 3.2° and VTC-Electronics to maintain constant speed even under load £60.00 der number 613021820 Technical data MT 18 LTX Compact 7.000-18.000 /min bital frequency scillation angle left/right Flunge saw blade 32 mm HCS (wood), segment saw blade 85 mm BiM (wood + metal), scraper blade rigid 52 mm HCS, hook and loop triangular sanding plate 93 mm, 5 hook and loop riangular sanding plate leasurement from corner to sanding sheets 93 mm P 80, 5 hook and loop sanding sheets 93 mm P 120, suction adapte ight (including battery pack) multi-adapter, 2 LiHD battery packs (18V/3.5Ah), charger ASC 30-36 V, plastic carry case

#### Accessories for multi-tool



### Plunge saw blades wood Clean plunge cuts in wood



#### Plunge saw blades wood / metal

For soft wood, hard wood, wood with nails, coated boards, plastic



#### Plunge-cut saw blades metal

- BIM blades for copper profiles, aluminium profiles, NF metals coated materials, nails
- Carbide blade for metal, stainless steel, hardened screws and nails



#### Base plates and scrapers

To remove mortar or tile adhesive, to remove tile grooves







Length in mm	Width in mm	Material	VPE	Order no.	Price without VAT*	Price incl. VAT
45	32	HCS	1	626950000	£11.99	£14.39
45	32	HCS	5	626951000	£46.99	£56.39
45	32	BIM	1	626956000	£14.99	£17.99

Length in mm	Width in mm	Material	VPE	Order no.	Price without VAT*	Price incl. VAT
30	20	BIM	1	626952000	£8.99	£10.79
45	32	BIM	1	626953000	£14.99	£17.99
45	32	BIM	5	626954000	£62.50	£75.00
40	65	BIM	1	626955000	£18.99	£22.79
85 Ø		BIM	1	626960000	£20.00	£24.00

Length in mm	Width in mm	Material	VPE	Order no.	Price without VAT*	Price incl. VAT
45	32	BIM	1	626957000	£13.99	£16.79
45	32	BIM	5	626958000	£56.59	£67.91
35	32	HM	1	626959000	£26.99	£32.39

Length	Width in mm	Material	VPE	Order no.	Price without VAT*	Price incl. VAT
25	52	HCS	1	626961000	£9.59	£11.51
85 Ø		HM	1	626962000	£28.99	£34.79
78	78	HM	1	626963000	£24.99	£29.99

### **IMPROVE SITE SAFETY WITH NO CABLES**







## **QUICK, CLEAN CHANNELLING IN A** SINGLE OPERATION.





With the new high-performance MFE 40 wall chaser, and the use of the new diamond cutting disc, you can cut wall channels in just one working step. No need for elaborate mortising or chiselling out between cuts. And in combination with our all-purpose vacuums, dust-free working is guaranteed.

#### **Benefit: You save time!**



#### Other benefits:

- Maximum work progress thanks to powerful 1900W motor
- Cutting depth: up to 40mm
- Optimal view of marking line thanks to sliding cut
- Extremely robust due to die-cast aluminium hood
- Optimum control thanks to front and rear handles

#### **Accessory Tip** "Professional" 2-row diamond "Professional" 3-row diamond cutting disc, UP cutting disc, UP ■ Ø 125 x 18 x 22.23 mm ■ Ø 125 x 28.5 x 22.23 mm ■ Max cutting width: 20 mm ■ Max. cutting width: 30 mm Order no. Order no. £89.99\* £125.00\*

#### 1900 Watt Electronic Wall Chaser **MFE 40**













plastic carry case	
Technical data	MFE 40
Rated input power	1,900 W (110V: 1.700W)
Cutting disc Ø	125 mm
Adjustable cutting depth	10-40 mm
Possible groove widths	9 / 15.5 / 22 / 28,5 / 35 mm
Weight (without mains cable)	4.6 kg



+ 2 Diamond Cutting Discs







+ ASR 35 M ACP

## **DUST-FREE WORKING -**WE FOCUS ON YOUR HEALTH.







#### **ASR 35 M ACP**

with pressure differential electromagnetic auto vibration cleaning and automatic power-on

AutoCleanPlus: Saving in both cost and time thanks to automatic MPulse-filter cleaning

- If the optimum suction performance drops, the filters are shaken immediately
- Direct dust extraction from the power tool in continuous mode on construction sites and in



Technical data	ASR 35 M ACP (fig.)
Input power max.	1,400 W
Air output max.	3.660 l/min
Vacuum	248 mbar
Container volume	35 I
Weight	16 kg



Handle adapter, 2 plastic suction pines. PE filter bags, crevice nozzle, floor nozzle. Antistatic suction hose (Ø 35 mm, 4 m), coupling bush Ø





Surface processing Stainless steel processing

#### **SANDERS:**

## LIGHTWEIGHT, COMPACT, VERSATILE.

### THE STAINLESS STEEL SPECIALISTS.






Technical data	SXE 3125	
Rated input power	310 W	
Sanding plate Ø	125 mm	
Orbital frequency at no-load	4.000-12.000 /min	Scope of delivery
Oscillating Circuit	3 mm	_ Textile dust bag and cardboard
Weight	1.5 kg	box
		-

#### 150mm Random Orbit Disc Sander

#### **SXE 3150**

V-Electronic with adjustment wheel to preselect the oscillating circuit

- Backing pad with multi-hole for effective suction, longer lifetime of the abrasives & improve result
- Dust extraction port with ribbed connection for secure fitting of dust bag
- Textile dust bag, easy to empty
- Lock on button: fatigue free working for long periods
- 4m rubber cable
- Rubberised grip surface
- Robust aluminium flange




Technical data	SXE 3150
Rated input power	310 W
Sanding plate Ø	150 mm
Orbital frequency at no-load	4.000-12.000 /min
Oscillating Circuit	3 mm
Weight	1.6 kg




Random Orbital Sander

#### WITH EFFECTIVE **EXTRACTION** SXE 450 TurboTec with dual orbit diameter settings and Turbo Boost switch for even more material removal ■ Easy to empty textile dust bag for working without extraction facilities SXE 425 TurboTec with turbo Boost switch for even more material removal ■ Easy to empty textile dust bag for working without extraction facilities £132.00\* Multi-hole sanding pad for effective extraction and a longer service life of Technical data SXE 425 Turbo SXE 450 TurboTec (fig.) the sanding medium Ø of the backing pad 125 mm 4.200-11.000 /min 4.200-11.000 /min No-load speed Std. scope of delivery Orbit diameter 2.8 / 6.2 mm Hook and loop sanding pad "multi-hole", hexagonal wrench, Weight (without mains cable) 2,3 kg removable side handle, dust collector cartridge, 1 pleated filter






## **NEW CARBON BRUSH SYSTEM: DOUBLE SERVICE LIFE**




### Maximum user protection: **Metabo S-automatic Torque Limiting Clutch**
















£112.00\*

rinding wheel Ø

Rated input power

**Output Power** No-Load Speed

## **FREE KSU 100 WORK STAND**



KGS 18 LTX 216

4,200 /min 305 / 205 mm

65 / 36 mm

13.6 kg

Ø 216 x 30 mm

BUY KGS 18 LTX 216 + BASIC SET LIHD 7.0Ah AND GET KSU 100 WORK STAND FREE!



KGS 18 LTX 216 + LiHD basic Set 7.0Ah must be purchased at the same time using promo code

Order number UK619001812

£499.00\*

incl. VAT £598.80 Metabo reserves the right to change details or product specification without notice. Photographs are for illustration purposes only. No liability is accepted for printing errors

Set advantage: £298.00

incl. VAT £357.60

Your Metabo dealer:

Technical data

Saw blade

No-load speed Max. cutting width 90°/45°

Max. cutting depth 90°/45°

Weight (incl. battery pack)



#### 3 year XXL warranty

We give you an extra XXL warranty on all our products. Simply register your product online within 4 weeks of purchase and your standard guarantee is extended to three years.

Register at www.metabo.com/xxl









