The Trader

Valid from 1st April until 30th June 2019

SEALEY

Vacuum Cleaner Wet & Dry 20 Litre 1200W Stainless Drum

- High powered, lightweight unit with blower facility.

 Constructed from stainless steel, the drum unit is mounted on four castor wheels.

 Tool storage points on head and base.

 Supplied with 4m cable, three-pin plug and accessory tool kit, including three rigid extension tubes, wet-use foam filter and cloth filter.

Part No. PC195SD

Frader Price





NATIONAL BUYING POWER - LOCAL INDEPENDENT SUPPLY

ionesanddark

INDUSTRIAL SUPPLIES AND SOURCING SPECIALISTS

LET US SOURCE IT FOR YOU!

Infinity House, Paget Street, Burton-on-Trent. Staffordshire DE14 3TQ

Telephone: 01283 541771

Facsimile: 01283 542466 Email: sales@jonesandclark.co.uk

Web: www.jonesandclark.co.uk

4.4m Xtend+Climb ProSeries **Telescopic Ladder**

- Fully extends to 4.4m (14.5ft) and compacts down to 92cm

 New Lightning Latch for easier lowering into the storage position

 New built-in wide stabilising bar locks in place before climbing

 Features patented True Telescoping Technology

 Aerospace Engineered using aircraft grade aluminium alloy for maximum strength

 Double sided feet for durability and traction

- Integrated padded carrying handle for easy carrying
 Superior matt-black clean-touch Anodised finish keeps your hands oil free
- 5-year warranty
- Max Load 150kg
 Fully complies to the new EN131-6 standard



Industrial Professional Swingback Step Ladders

- Classic Builders Step Heavy-duty aluminium construction
 Comfortable, deep serrated treads

- Integrated tool trayRobust hinged metal locking stays
- Large feet angled to maximise ground contact and reduce slip
 Larger footprint provides additional user stability

- 5-year warranty
 Max load 150kg
 EN131 Professional

Part No.	Tread	Trader Price
1200-026	6	£69.95
1200-028	8	£84.95







TB Davies

- Little Giant HyperLite SumoStance Ladder

 Little Giant's patent-pending Hi-Viz Green

 Side mounted double-pully reduces force required to raise the ladder and remove potential tripping hazard

 Lighter than comparable extension ladders

 Pole Bow Included

 Max Load 150kg

 EN131 Professional

Part No.	Size	Trader Price
1303-852	2.6m	£329.95
1303-856	3.2m	£399.95
1303-860	3.8m	£429.95
1303-864	4.4m	£459.95









- Little Giant Safety Cage

 Self-enclosing platform is a versatile, safe alternative to ordinary step ladders

 Fully enclosed platform 5° kick plate and midspan

 Ground Cue™ indicator alerts user to last step

 Slim storage profile

 Tip & glide wheels for easy transport

 Max Load 150kg

 EN131

TB DAVIES



A D

R

10.5Kn Plate Compactor 5.4HP - 4 Stroke

NMA

The forward running vibration plate is especially suitable for pave works and repairs at path, garden and landscape building sites. Foldable handle, compact size for easy transportation and storage Equipped with all-side protected V-belt, carrying handle include transparent

rubber mat for pave works and moving device. • Engine Fuel Type: Unleaded Petrol

Fuel Capacity: 3,6 Litres
Engine Power: 4,0 Kw Plate Length: 520 Mm
 Plate Width: 370 Mm

• Centrifugal Force: 10,5 Kn Max. Feed: 20-25 M/Min.

Vibration Strokes: 5600 Vpm Compression Depth: 15 Cm
 Max. Oblique Position: 20° (Engine) Vibration Level: 20 M/S²

• Sound Power Level Lwa: 107 Db(A)

Part No. Z1-RPE 60



350mm Stone Cutting Saw 230V

Suitable for wet and dry cuts (concrete). Removeable and foldable feet, easy transport and storage. Water pump, longitudinal fence, 350 mm diamond disc segm. Include in delivery ZI-STM350: mini pump, water cooling system,

• Voltage: 230V / 50Hz • Engine Power: 2,0 Kw

· Idle Speed: 2950 Min-1

Protection Mode: Ip 54

 Table Size: 530X430 mm • Blade: 350 X 30 mm

Max. Cutting Length: 800 mm
Saw Body Tilting Range: 0, 45°

Volume Water Tray: 37,8 L

Sound Power Level Lwa: 85 Db(A)

Weight (Net/Gross): 70/78 Kg
 Dimensions: 1240X630x440 mm

Part No. Z1-BTS 350

Trader Price



NMA

NMA

300kg Dumper, 6.4HP - 4 Stroke OHV Engine

The all-rounder for the transport of bulk material over difficult terrain goes easy through tight ways and doors due to narrow construction

- Solid steel design
- Manual tilt function · Gear drive

Trader Price · Easy operation



350mm Concrete Saw 3.6HP - 2 Stroke

NMA.

Wet and dry cutting
 Includes 350 mm diamond disc

Watering system with quick coupling
Engine Type: 1-cylinder 2-stroke

Fuel Type: 1-cymruer 2-stoke
Fuel Type: Mixture 40:1
Fuel Capacity: 1,5 Litres
Engine Power: 2,7 kW at 9700 min-1
Diamond Disc: 300/350 mm, bore 25,4 mm

 Cutting Depth: 92/115 mm • Disc Speed: 4700 min-1

· Starter: control wire

Sound Power Level LWA: 109 dB(A)
Product Size: 750x420x320 mm / 13 kg





1100W Invertor Generator

Inverter technology – for sensitive devices (computers, etc.)

Very convenient for garden, leisure and camping activities

· Includes handle and rubber feet

Closed bodyVery small sound level

· Convenient transportation because of light weight

Easy handlingEngine Type: 1-Cylinder 4-Stroke Engine

Fuel Capacity: 4,2 Litres
 Engine Power: 1,1 Kw / 54 cm³ / 4000-5200 Min-1

• Fuel Consumption: Ø 0,74 L/H • Work Duration: 5,7 Stunden

• Ignition / Starter: Cdi / Control Wire

 Generator Performance: 1000 W Max. Performance: 1100 W S2 (5 Min)

Oil: 260 Ml. Sf 15W40

Fuel: Unleaded Petrol

• Socket: 1X 230V / 50 Hz • Noise Level: Lpa 74 Db(A)

• Lwa95 Db(A)

• Weight: 12,8 kg

Package: 355X324x306 mm

• Protection: Ip23m, Protection Class I

Part No. Z1-STE 1200IV

All Prices are EX VAT

NMA

Trader Price

· Silent shredder with roller cutting unit · Reduction gear unit

Metal gear head

Recoil-free self feedLarge funnel opening

· Moving device for easy transport

Integrated plug with coupling protectionMotor protection switch

· Rotation switch

Simple storage and transport

Appealing designVoltage: 230V / 50Hz

Motor power: 2800 W (S6/40%)
Motor power: 2400 W (S1)

Max. wood diameter: 44 mm

Idle speed: 60 min-1

Part No. Z1-GHAS 2800

Sound level LPA/LWA: 71,7 / 94 dB(A)

• Protection mode: IP24

Bag volume: 60 l

Trader Price 189^{.95}



N

E

W

F

N

A D E

0

TC2 Containers Pack of 60

Blue Part No. 010021/60 Red Part No. 010022/60





TC3 Containers Pack of 20

Blue Part No. 010031/20 Red Part No. 010032/20





TC4 Containers Pack of 10

Blue Part No. 010041 Red Part No. 010042

Trader Price



· A simple and effective Small Parts Storage System for a wide range of materials.

- Space saving and can be stacked or for increased flexibility, used with our Topstore Louvred Panels and Shelving.
 Manufactured from polypropylene, making it strong and heavy duty with a reinforced base, sides and stacking rim.
- Durable and resistant to most industrial solvents
- Material is capable of withstanding a temperature range from -15°c to +50°c, however this may not apply when under load or stress dependent on use or application.
- · Available in 4 other sizes and 2 other colours (yellow and green) on enquiry.

TP1 Louvred Panel W457 X H438mm E.P.C Grey Pack Of 2

BARTON

TP2 Louvred Panel W457 X H946mm E.P.C Grey Pack Of 2

BARTON


· Featuring the unique double indented louvre for extra strength, this system offers the ideal solution for wall mounting and is designed to be used in conjuction with our TC Semi-Open Fronted Containers.

Precision formed and finished epoxy powder coated in grey.



Part No. 010102/2

Trader Price



Multi-Drawer Basic

- Plastic small parts storage cabinets with dividable drawers.
- Ideal for the storage of small components or fixings
- Designed to be stackable, wall mountable or bench top mounted.
- Have recessed tops for keeping parts readily available when required.

Trader Price **49**.95

Part No.	No. of Drawers	Dimensions H x W x D mm	Pack Size	Trader Price
947-458100	47	435 x 305 x 135	2	£49.95
947-458120	54	435 x 305 x 135	2	£52.50
947-458140	21	435 x 305 x 170	2	£49.95
947-458160	34	435 x 305 x 170	2	£54.50

Euro Container - Full Sided Grey

- Robust grey plastic containers that can interstack modularly with various sizes.
- Ideal for protective storage during transportation of goods.
- Manufactured from high-density food grade polypropylene which has a temperature resistance from -5°C to +70°C.

Part No.	Size	Pack Size	Trader Price
E3212-11/10	5 Ltr 300 x 200 x 120mm	10	£47.50
E4312-11/5	10 Ltr 400 x 300 x 120mm	5	£39.95
E4322-11/5	20 Ltr 400 x 300 x 220mm	5	£49.95
E6415-11/2	27 Ltr 600 x 400 x 150mm	2	£29.95
E6420-11/2	40 Ltr 600 x 400 x 200mm	2	£32.50



Galvanised/EPC Blue & Chipboard Shelves

BARTON

- · A robust boltless heavy-duty hand loaded shelving system.

 Its design allows for quick assembly
- without the need for any special tools as the components are precision manufactured, so are simply knocked into place with a soft-faced mallet.
- Suitable for a wide range of applications in the office, workshop warehouse and home
- Heavy duty shelves have a capacity of 265Kg

Part No.	Size	Trader Price
440945	1800 x 900 x 450mm	£52.50
440960	1800 x 900 x 600mm	£69.95
441245	1800 x 1200 x 450mm	£67.50
441260	1800 x 1200 x 600mm	£92.50



All Prices are EX VAT



Combo Set 4.0 : SB 18 LT BL + SSD 18 LTX 200 BL 2 x 18V Li 4.0Ah, ASC30-36V + MetaLoc

Utilising our new 200Nm Brushless impact driver with automatic power shift and 12 speed settings together with our 120Nm Brushless Combi Drill. This combo kit will be supplied with 2 x 4.0 Ah Li-ion batteries, 1 x charger, & carry case, making it a very attractive offer with increased performance potential.

Part No. UK685352894

BRUSHLESS

CAS E

Trader Price 265^{.00}



SSD 18 LTX 200 BL 18v Brushless Impact Driver (Body Only)

200 Nm maximum torque. Twelve speed/torque levels for a wide range of applications. Automatic Power Shift (APS) supports working with self-tapping screws; automatic torque reduction after drilling to prevent overtightening. (Supplied without battery or charger) Part No. 602396840

CAS E

metabo

W 18 LTX 115 4.5" Angle Grinder **Body Only + MetaLoc**

Slim design for prolonged comfort. Tool free disc change. Overload protection, Electronic soft start, Restart protection. Battery pack can be swivelled for better access. Grinding wheel diameter 115 mm. Supplied in a Metabo "Metaloc" case

Part No. 602170840



SSW 18 LTX 300 BL 1/2" **Impact Wrench**

Compact cordless impact driver with 1/2" male square and 300 Nm. Automatic Power Shift (APS) supports working with self-tapping screws; automatic torque reduction after drilling to prevent overtightening. High torque machine with low kick-back torque. Twelve speed/torque levels for a wide range of applications.

Integrated work light for illumination of the work area Robust die cast aluminium gear housing for optimum heat dissipation and durability

Part No. 602395840

CAS P

Trader Price 9



metabo

melabo

Basic Set 2 x 5.5 LIHD Ah

1 x ASC 30-36 V Charger. Metabo "Metaloc II" carry case







metabo

GPA 18 LTX 18v Cordless Die Grinder (Body Only)

Part No. 600621890





CAS]

NEW FOR TRADER 30

Light Weight Folding Truck Capacity 60kg

H1010 x W400 x D390mm Folded: H645 x W385 x D65mm Toeplate: W387 x D279mm Part No. LWFT/60 Trader Price





Light Weight Folding Truck Capacity 100kg

Open H1080 x W500 x D520mm Folded: H800 x W500 x D60mm Toeplate: W485 x D385mm Part No. LWFT/100 Trader Price 5.50 BARTON

Light Weight Folding Truck Capacity 125kg

H1110 x W520 x D510mm Folded: H770 x W500 x D65mm Toeplate W485 x D350MM Part No. LWFT/125 **Trader Price**

BARTON



Pneumatic Tyre Standard Sack Truck

Capacity:150Kg H1155 x W550 x D450mm Toeplate W350 x D200mm) Part No. PTST Trader Price 44.50 BARTON

metabo

KS 18 LTX 57 Circular Saw + MetaLoc

Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers. Fast brake stops the saw blade quickly and improves safety. Accurately angled bevel cuts down to 50°, with handy snap-in point at 45°.

0° position re-adjustable for highest cutting precision

Clearly visible cutting indicator for precise sawing after initial cut.

Part No. 601857840









HO 18 LTX 20-82 Planer, Body Only + MetaLoc

Light, compact cordless planer for planing, rebating and chamfering. Adjustable planer depth and notch depth. Aluminium die cast and milled cut planer base with V-groove for easy chamfering Parallel guide / rip fence for precise guiding of the planer

Grip area with non-slip soft-grip surface. Extraction possibility by means of connecting an all-purpose vacuum cleaner Angled chip ejection adapter for controlled ejection of the wood shavings.

Part No. 602082840

CAS I



W 750-115 4.5" Angle Grinder 750W

Robust, universal and economical: ergonomic angle grinder for any application

Powerful motor with good overload capacity.

- Twist-proof guard
- · Restart protection after power interruption
- · Auto-stop carbon brushes to protect the motor

240V Part No. UK601230383 110V Part No. UK601230393





KHE 2660 Quick 850W

Combination hammer with 3 functions: hammer drilling, drilling and chiselling Metabo Quick: quick change between SDS Plus hammer chuck and keyless chuck for drilling in wood and metal. Perfect ergonomics thanks to the centre of gravity being near the hand and optimised handle contour. Bottom switch protected against damage and dust Vario (V)-Electronics for working

- at customised speeds to suit various application materials. 3 Function SDS + Hammer
- Quick change 3 Jaw Chuck
- · Carry case

metabo

240V Part No. 600663590 110V Part No. 600663610





MT 18 LTX Multitool Body Only + MetaLoc

Tool holder for maximum compatibility to OIS, Starlock and other accessories. Fast and powerful thanks to the combination of a large oscillation angle of 3.2° and VTC-Electronics to maintain constant speed even under load. Extra bright double LED lights for good visibility of the working area.

Part No. 613021840

CAS E



BARTON





NEW FOR TRADER 30

NEW FOR TRADER 30

NEW FOR TRADER 30

NEW FOR TRADER 30

BARTON

Flatbed Trolley

- A sturdy range of highly manoeuvrable steel trolleys suitable for transporting various goods both indoors and outdoors.
- Fold flat for compact storage.
- Fitted with non-slip rubber platforms and scruff resistant corners.
 Fitted with non-marking wheels (two fixed, two swivel).
- · Powder coated steel handles.

Part No.	Size	Capacity	Trader Price
PFBT150	810 x 470 x 730	150kg	£44.50
PFBT300	870 x 608 x 907	300kg	£79.95





3 Position Truck

A truck designed to convert from a basic sack truck into either a four wheeled angled sack truck or platform truck

Fitted with 100mm diameter double rear castors that provide extra stability.

Frame constructed from steel square tube.
Capacity of 300Kg.

H1290 x W470 x D450mm Toeplate W470 x D190mm



Rotabroach **Element 50 Pivot Magnet**

Rotabroach

Trader Price

1420-00

The Element 50 PM- drill, countersink and thread pipe and uneven surfaces as thin as 3mm easily and safely. A permanent magnet which pivots to the surface you are working on, no need for special jigs and extra plate, just apply and drill, tap and countersink.

· Maintains strong grip on curved steel and pipework down to 3mm material thickness.

- Can be also used for standard flat surface drilling.
 Twist drill, threading and countersinking capability.

- Permanent magnet technology magnet does not require electrical power.

 Double pivoting magnet base two separate magnets allowing machine movement in-between drilling for inspection & debris removal without losing position.

- Safe and hidden away internal cabling.
 Mounted coolant bottle, steel sliding guard and switchable handle.
 Centered control panel with Cutsmart™ for increased tool and machine life.

Part No. Element50/1PMPROMO









Workzone 90cm x 150cm

Multi-purpose bevel edged tough rubber duckboard type mat with safety anti-slip surface to reduce the risk of slipping.

- Lightweight for easy handling when cleaning.
- Can also be used as an external entrance mat

Part No. WZ3660BL













Ergotred 90cm x 120cm

A versatile anti-fatigue mat providing superb worker comfort

- 15mm thick heavy duty flexible rubber with yellow safety bevel edges
- Domed surface texture designed to improve circulation and provide comfort

Part No. ER3648











Saftey Scrape

- External entrance mat offering heavy dirt and swarf removal.
- Overall thickness of 5mm with anti-slip gripper backing





bluediamond

Trader Price



Lustre

- · Highly effective washable entrance mat, constructed of nylon twist fibres and a nitrile rubber backing
- Machine launderable at 50 degrees, can also be vacuumed or extraction cleaned.
- Low profile at 9mm, available in a range of colours

Part No.	Size	List Price	Trader Price
LM2436	60cm x 85cm	£29.70	£24.95
LM3648	85cm x 120cm	£59.45	£47.95
LM3660	85cm x 150cm	£74.30	£59.95
LM310	85cm x 300cm	£148.55	£119.95
LM4872	115cm x 180cm	£121.30	£97.50
LM4896	115cm x 240cm	£160.85	£127.50



bluediamond









- **blue**diamond • Premium vinyl sponge, 14.3mm thick anti-fatigue matting for dry areas in heavy duty industrial environments
- · Slip resistant deckplate top surface bonded to dense sponge base for optimum worker comfort Yellow edge for safety awareness with bevels on all four sides







Part No.	Size	List Price	Trader Price
KU2436BY	60cm x 90cm	£62.80	£49.95
KU3660BY	90cm x 150cm	£151.80	£119.95
KU310BY	90cm x 300cm	£306.60	£239.95





CERAMIQ® Flap Discs

Garryson

Aggressive metal finishing on difficult to grind and finish materials Ideal for steels, stainless steel, carbon steel, high nickel alloys and titanium

· Lasts longer



Part No.	Trader Price
GFBCIQ100040	£1.30
GFBCIQ100060	£1.40
GFBCIQ100080	£1.40
GFBCIQ115040	£1.60
GFBCIQ115060	£1.60
GFBCIQ115080	£1.60
GFBCIQ125040	£1.70
GFBCIQ125060	£1.70
GFBCIQ180040	£2.85
GFBCIQ180060	£2.85
GFBCIQ180080	£2.85

SENCO

SENCO

SENCO

Garryflex® Blocks - Trial Kit

Ideal for removing bluing of welds, light scratches and corrosion.

Abrasive blocks offers consistent finish throughout the life of the block compared to other abrasive cloths and papers

Part No. GBATK



Set GGBKIT36

Double Cut - 5 Piece Set

· 9.6mm cutting ø

6mm shanks

Tungsten Carbide Bur



Tungsten Carbide Bur Set GGBKIT28


- Double Cut 5 Piece Set
- 10mm & 12mm cutting ø 6mm shanks

Part No. GGBKIT28



SENCO

SENCO







SENCO"

SENCO Headless Nailer

- 23-gauge Headless Pinner
- Drives 12mm 25mm pins
- · Easy fastener length adjustment: Quickly adjusts to desired fastener length
- Great on hard timber Weighs only 1kg
- Ideal for beading, moldings
 & fine woodworking
 Free box of 10,000 18mm pins

Free nail code: CZ11ECA Part No. 2C2001N





SENCO Mini Compressor 230v

- Oil Free
- Weighs only 9.7kg 3.8 litres
- 0.5HP
- Ultra Quiet, 68dBA
- Ideal for upholstery finish & trim work

Part No. PC1010N

Trader Price



SENCO Air Screwdriver

- Direct torque control and push-in start motor
- running at 1800RPM
- Low vibration <2.5m/s2 • Direct torque control, 5.7Nm
- Operating pressure 6.2-8 bar
 Ultra Quiet, 68dBA



SENCO Wall Mounted Air Hose

- · Keep hoses safely away from floors & work surfaces Auto-rewind
- 12 metres long with 10mm outer hose diameter
- Made of tough polyurethane · 6.5mm interior hose diameter
- Part No. 4000720





SENCO Air Impact Driver

- 8900RPM
- · Twin-hammer mechanism provides more power
- Feather trigger for precise speed control
- · Quick reverse level at trigger for left or right hand user
- Weighs only 0.98kg
- · Operating pressure 4.8-6.2 bar

Part No. SEN700C



SENCO Air Drill

- · Direct drive and reversible motor running at 800RPM
- Low vibration <2.5m/s2
- Operating pressure 6.2-8 bar
- Torque 10.8Nm

Part No. SEN510C



SENCO Fusion 2nd Fix Nailer 16-gauge Li-Ion 18v

Drives 16-gauge nails of 32mm-64mm in length without gas, compressor or air-lines! Perfect for all 2nd-fix joinery jobs. c/w 2 x 18v batteries, charger & tool case.

Part No. 6U7001N





Trader Price



SENCO Fusion 2nd Fix Nailer 18-gauge Li-Ion 18v

Drives 18-gauge nails of 15mm-55mm in length without gas, compressor or air-lines! Perfect for all 2nd-fix joinery jobs. c/w 2 x 18v batteries, charger & tool case

Part No. 6E7001N







SENCO Dursapin DS5550-AC 110v Collated Screwdriver

Drives 25-55mm collated screws & features a reversible motor. Easy bit change & corner-fit technology Perfect for drylining & joinery applications. 6,000 35mm screws supplied FREE!





15-gauge Li-Ion 18v Drives 18-gauge nails of 15mm-55mm in length without gas, compressor or

air-lines! Perfect for all 2nd-fix joinery jobs. c/w 2 x 18v batteries, charger & tool case

Part No. 5N7001N











1/4" Square Drive 30 Piece **Socket Set**

1/2" Square Drive 41 Piece Socket Set Contents

- 22 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
- 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm 10 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 5/16, 1" AF
- 3 spark plug sockets size 10, 12, 14mm
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 3 wobble extension bars size 75, 125, 250mm
- · Sliding 'T' bar
- Universal jointManufactured and tested generally in accordance with DIN3122 and ISO3315 specifications

Part No. 16453

Trader Price 69.95



Contents:

- 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9,
- 10, 11, 12, 13 and 14mm
 10 deep sockets: 5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 3 wobble extension bars sizes: 50, 100 and 150mm
- Sliding 'T' barUniversal joint
- Spinner Handle

Part No. 16444

Trader Price



7 Piece Metric Reversible Ratcheting Spanner Set

Contents:

• 8, 10, 12, 13, 14, 17 and 19mm

Part No. 51179





7 Piece Flex Head **Ratcheting Spanner Set**

• 8, 10, 12, 13, 14, 17 and 19mm

Part No. 25396



12V Cordless Air Compressor

Supplied with 150mm air hose and 2 inflation nozzles Supplied with a digital display, which provides PSI, KPA and BAR settings. Supplied with a removable Li-ion battery, a charger and a 12v DC plug in power pack. Supplied complete with integral 18 LED torch for use in emergency situations and a cloth storage

bag for safe storage. Part No. 20582





Wire Brush Set

Suitable for a variety of uses including internal/external thread cleaning, cleaning drilled holes and cleaning small bore holes etc. Set comprises six nylon brushes, six stainless steel brushes, six brass brushes, soft grip magnetic handle and a 150mm magnetic extension. Contents:

• 6 x nylon, brass and steel brushes: 9, 11, 13, 15, 17, 19mm dia. 150mm extension

Part No. 22232





12 Piece Metric Combination Spanner Set

Polished Draper HI-TORQ® ring end offset at 15° . Jaw offset at 15° Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm

Part No. 47044





2 Tonne Light Duty Trolley Jack

2 tonne light duty trolley jack fitted with rear swiveling castors for easy maneuverability and a carrying handle. Easily operated by use of a one-piece pumping handle. Capacity 2 tonne, lifting ranger 130-330mm, overall size 440x200x140mm

Blue Part No. 54635 Green Part No. 54636





101 Piece Drill Bit Set

Perfect for both power tools and hand tools, and supplied in a robust plastic carry case.

Part No. 80991







Cement Mixer 230V Part Built

Built to exceptionally high standards and its tough well engineered construction combined with a highly reliable IP45 motor provides exceptional performance, delivering a mixing machine ideally suited for builders, tradesmen and DIY

Supplied part assembled for convenience and speed. simply attach the stand or wheels then power up and the mixer is ready to use.

160L Part No. 01099 130L Part No. 01102

> Trader Price $259^{.95}$

Trader Price 24<u>9</u>.95

StormForce 68 Piece Air Tool Kit




41 Piece Drill Bit Set

Perfect for both power tools and hand tools, and supplied in a



robust plastic carry case.





Contents

- 1/2" Impact wrench
- 3/8" Air ratchet Air chisel
- Air die grinder
- Air blow gun
- Air duster
 Retainer spring
- 4mm hex key
- Swivel connector
- Tyre chuck
- PTFE tape4 x 125mm round shank chisels
- 5 x 1" sanding drum 5 x 3/4" sanding drum
- 8 x impact sockets: 12, 13, 17, 19mm, 1/2", 9/16", 5/8", 11/16'
- 10 x mounted grinding stones
- Part No. 83431

• 1/4" quick coupler

- 7 x quick line female plug
- 1/2", 3" long drive extension bar
- · Oil pot
- 2 x hand wrench
- · Mini oiler
- Female & male hose connector
- Both ends male hose connector
 3/8"(F) 1/2"(M) socket adaptor
- 1/8" collet 1/4" collet
- Male connector
- 3/8" rubber nozzle Tapered nozzle
- Inflating nozzle
- High pressure nozzle
- · Safety nozzle









Trader Price



Contents:

 1 Insulated torque screwdriver • 1 Insulated Holder Driver

• 1 Precision Insulated Holder Driver

• 4 plain slot size: 3 x 60, 4.0 x 80, 5.5 x 80 and 6.5 x 100mm • 3 cross slot sizes: No.0 x 60, No.1 x 80

and No.2 x 100mm

• 3 PZ TYPE sizes: No.0 x 60mm, No.1 x 80

• 4 TX Star: T10, T15, T20, T25 x 100mm • 2 PZ/SL: No.1 x 80 and No.2 x 100mm

Manufactured and individually certified to EN 60900

Part No. 81762



10 Piece VDE Plier/ Screwdriver Set

Contents Pliers:

• 200mm Combination Pliers

200mm Long Nose Pliers

160mm Diagonal Side Cutters

Screwdrivers:
• 3 plain slot, sizes: 2.5 x 75, 4.0 x 100 and 5.5 x 125

• 2 cross slot, sizes: No.1 and No.2

2 PZ TYPE: No.1 and No.2

Manufactured and individually certified to EN 60900

Part No. 71155







2.25 Tonne Trolley Jack

The heavy-duty chassis, steel castors, large saddle makes the jack hardy and robust. The chassis of the jack is fitted with an inbuilt magnetic parts tray so losing small parts is no longer a problem, especially useful for keeping wheel nuts safe when changing wheels.

Blue Part No. 66864

Green Part No. 69671

Orange Part No. 70942

White Part No. 69402



Multi-Position Folding Ladder

A versatile and popular choice with a variety of users and comlying with the EN131 regulations. Use as a standard 3.56m ladder (it also has a stand -off function), step ladders or as a platform. It is supplied with an aluminium platform and 2 stabiliser bars.

Part No. BAT7062912



2.62M Soft Close Telescopic Ladder

Complying to the very latest regulations and EN131-6 certified, this premium ladder features the patented 'Giraffe-Air' soft close mechanism.

This is backed up by critical spacing between rungs preventing crushed fingers. Only 74cm high when closed. Store it anywhere!



Sparky 18V Brushless SDS + Rotary Hammer

Supplied with 2 x 4.0Ah Li-Ion batteries and a high performance brushless motor, this 3 Mode SDS hammer drill really packs a punch. Drill, Hammer Drill or Chisel where and when you need. It has variable speed and an anti-vibration front handle for extra control and comfort during use.

Part No. SPKBPR18LI

Trader Price



SPARKY

evolution

Sparky 18V Heavy-Duty 1/2IN Impact Wrench

A huge 180Nm of Torque is available from this premium impact wrench. Supplied with 2 x 4.0Ah Li-ion batteries and a carry case, you'll be sure to have power as and when you need it. 2 variable speeds with up to 4,400bpm provide flexibility for a variety of tasks

Part No. SPKGUR18SLI

Trader Price



185mm Circular Track Saw Kit

The new Evolution track saw gives you all the versatility of a circular saw with the added benefits of a track saw. Tool-free adjustment for bevel and depth cutting, this fantastic machine is also supplied with 3 x 340mm lengths of track for precise, straight cutting. It is also compatible with Makita and Festool

240v Part No. HTCR185CCSX 110v Part No. HTCR185CCSXL





evolution

Compatible Tracks



3.25M Soft Close Telescopic Ladder

With a handy stabiliser and complying to the very latest regulations and EN131-6 certified, this premium ladder features the patented 'Giraffe-Air' soft close mechanism. This is backed up by critical spacing between rungs preventing crushed fingers. Ideal for a wide variety of



255mm 'Plus' Double Bevel Mitre Saw

Outstanding performance and an impressive depth of cut are all here with this 255mm diameter double bevel mitre saw.The multi-material blade enables you to cut non-ferrous metals, wood, plastics and composits with easy and accuracy. The 'Plus' machine includes a better blade, material supports and dust bag.



Sparky 18V Heavy-Duty Impact Driver

This powerhouse of an impact driver will cope with the most demanding fixing challenges for a wide variety of trades. With 170Nm of Torque available and 2 variable speed settings, you have the ultimate in power and flexibility. Supplied with 2 x 4.0Ah Li-ion batteries in a smart case with a fast charger.

Part No. SPKGUR18LIHD







42MM Magnetic Drill

This industrial magnetic drill is has an impressive cutting capacity of 12 - 42mm diameter with a depth of up to 50mm. The powerful 1,200w Hi-Torque motor has an optimised rotation speed of 450rpm for fast, efficient drilling.

240v Part No. HTC42

110v Part No. HTC42L

evolution





Scangrip I View Head Torch Promotion Kit

- · Pack of Three Coloured I View Head Torches
- High Output Head Torch 125-250 Lumens
- Runtime up to 5 hours
- IP67 Weatherproof
- · Touchless on/off Sensor

Part No. 49.0219









Can be used via the mains 240V or with

internal rechargeable Li-ion Battery
• 3000 Lumens total output dimmable in 5 steps

• Runtime up to 14 hours on one charge

Charge Time 2 hours • IP67 Weatherproof

Part No. 03.5441

Trader Price





(SCANGRIP'

Laserliner DampMaster **Compact Moisture Meter**

- Moisture Measuring Instrument for wood and buildings
- Will measure moisture content of wood, plaster, screed and concrete
 Wet and Dry LED indicator
- · Replaceable Measuring Pins
- Automatic/Manual temperature compensation





Laserliner SoundTest-Master

- Measuring noise levels with frequency filter to IEC 61672 (type2)
- Selectable time weighing factors from.
- · 125 ms-1s for optimum noise dynamics
- Record function or real time logging on PC
- Calibrated and adjusted with standard
- 94 dB/1kHz noise level calibrator
- · PC Software included





Laserliner CondenseSpot Plus Infrared Thermometer

- Measures Surface and Dew Point Temperature
- Easy to use and can measure in difficult to reach areas with 8 point laser circle
- Temperature range from -40° to + 365° C
- · Colour alarm function
- · Thermal bridge warning with colour display compensation

Part No. 082.046A





Trader Price

Laserliner VideoScope One with Hard Case

- 1.5M Flexible Snake with 9mm camera head
- · Images sent directly to LC monitor
- 4 High Powered LEDs to light the inspection area
- 2 x Digital Zoom
- · Connect to external monitors via TV Out

Part No. 082 252A







Laserliner MasterLevel Compact Plus

Compact, handy digital electronic spirit level in compact format with Bluetooth interface for data transfer. Horizontal, vertical & 45° position displayed plus trigger an acoustic signal. Reference function for transferring angles.

- Flip Display · Hold function
- Calibration function
- 360° Angle display · Illuminated display
 - Strong magnets & V-groove

Part No. 081.265A






Leica Disto X310 Laser Distance Measurer

- Indoor range 120M
- Accuracy ± 1mm
 IP65 Waterproof
- 360° Tilt sensor

- · Indirect height measurement
- Smart area, volume, min / max
- · 4-line illuminated display
- 20 measurement memory Part No. X310









SIP 1230 Wet & Dry Vacuum Cleaner

Ideal for small offices, workshops, home, garages, stores and warehouses.

- 230v (13amp) supply
- · Powerful 1200w motor (2 stage with bypass cooling)
- 2200mm water lift height
- 198m3/hr air fl ow 30 litre tank capacity
- · Shockproof high-density polyethylene tank
- Net weight 9.2kg
- Non-marking rubber wheels
- · Supplied with: Flexible hose.
- 2 x extension tubes, combination brush, crevice tool, round brush, upholstery tool, squeegee floor tool polyester filter with support ring and super fine filter bag

Part No. 07937



Trader Price 49



SIP 1245 Wet & Dry Vacuum Cleaner

Ideal for small offices, workshops, home, garages,

- stores and warehouses.
 230v (13amp) supply
- Powerful 1200w motor (2 stage with bypass cooling)
 2200mm water lift height
- 198m3/hr air flow
- · 45 litre tank capacity
- Shockproof high-density polyethylene tank
- Net weight 10.7kgNon-marking rubber wheels
- · Supplied with: Flexible hose, 2 x extension tubes, combination brush, crevice tool, round brush, upholstery tool, squeegee floor tool, polyester filter with support ring and super fine filter bag

Part No. 07938



Trader Price



=;sip

SIP CW2000 Electric **Pressure Washer**

- 230v (13amp) input supply
- 2000w brushless induction motor
- 2030psi variable pressure range
- 360 litres/hour maximum
- water flow rate

 Lance with interchangeable nozzle heads
- Twist-on high pressure and Turbo heads
- Total stop
- Built with a reliable heavy-duty Axial pump
- Clip-on foam and detergent assembly

Part No. 08970



SIP 1200/40 Valeting Machine

- 230v (13amp) supply Powerful 1200w motor (2 stage with bypass cooling)
- 65w pump 2200mm water lift height
- 198m3/hr air flow40 litre stainless steel tank
- 3 litre clean water tank
- Wheel-mounted
- Net weight 12.8kg
- Supplied with: Upholstery hand tool and flexible hose, polyester filter with support ring and sponge filter

Part No. 07928





Trader Price



SIP CW2800 Electric **Pressure Washer**

- 230v (13amp) input supply
- 2800w brushless induction motor
- 2610psi variable pressure range
- · 510 litres/hour maximum water flow rate
- Steel adjustable lance and
- steel Turbo lance

 Built with a reliable heavy-duty Axial pump
- Total stop stops power when not
- 8 metre hose with integrated hose reel
- Wheel-mounted for easy movement
- 1.8 litre detergent tank included

Part No. 08974

2()9.95



SIP CW4000 Pro Plus **Electric Pressure Washer**

- 230v (13amp) input supply2800w 4-pole 1450rpm induction motor2175psi variable pressure range

- 540 litres/hour maximum water flow rate
 Durable steel lance with adjustable nozzle
- · Fitted with an adjustable pressure regulator
- · Reliable brass-headed Triplex
- crankshaft pump · Total stop - stops power when not in use
- Wheel-mounted for easy movement
- Detergent suction and 1.8 litre tankStainless steel valves

Part No. 08978





SIP SUB 2020-SS Submersible **Dirty Water Pump**

- 230v (13amp) supply
- 750w copper-wound motor
- · 8 metre max. pump head
- 233 ltr/min flow rate
- 35mm particle diameter
- 25 to 32mm outlet diameter
- · Stainless steel casing
- · Dirty water pump





SIP 2" Surface-Mounted **Water Pump** Trader Price

- Heavy-duty 7.0hp petrol
- engine Surface-mounted
- petrol-driven pump
- 600 litres/min maximum water flow rate
 - · Low oil shutdown helps prevent damage
 - Heavy-duty volute housing for strength28 metre maximum pumping head

 - 8 metre maximum suction head2" suction outlet diameter size

Part No. 03933



SIP SC Booster 9000 **Capacitor Booster 12v**

- 500F professional ultra-capacitors
- · 1800amp cranking rate
- 9000amp boost peak rate
- Heavy-duty brass clampsON/OFF switch
- · Built-in safety fuse
- Digital display and charge rate indication
- · Reverse polarity alarm · Supplied with fully automatic charger
- Extremely powerful
- Requires no maintenanceOver 1 million cycles
- · ABS shockproof casing



Capacitor Booster 12/24v

Rugged build with batteryless design
18000A (12v) / 9000A (24v) boost peak

SIP SC Booster 18000

- 4400A (12v) / 3400A (24v) cranking rate
- Uses heavy-duty 360F Ultra capacitors
 ON/OFF switch and built-in safety fuse
- · Supplied with fully automatic charger · Premium Swiss construction

Part No. 07107



SIP 8" x 6" Wet/Dry

- **Bench Grinder**
- 230v (13amp) input supply
- · Powerful 375w induction motor
- Precision-sealed lubricated spindle bearings Adjustable tool rests, spark arrestors, eye shields, and wheel guards are all included



SIP 8" Professional

- **Bench Grinder**
- 230v (13amp) input supply Powerful 550w induction motor
- 2850rpm working wheel speed
- · Adjustable tool rests, spark arrestors, eye shields, and wheel guards are all included





SIP T1400 ARC Inverter

- Welder 230v (13amp) input supply
- 20amp 140amp peak current range
- 1.6mm 3.2mm maximum electrode size • 1.5mm - 7.0mm weld thickness (mild steel)
- Generator friendly and super lightweightOn-demand fan cooling for performance
- · Reliable scratch-TIG torch start function · Anti-stick circuitry and easier controls
- Added thermal overload protection Electrode holder and Earth cable

· EMC filter included as standard Part No. 05705TT30 Trader Price




Special Edition Electronic Headshield


- 1/10,000sec light-to-dark response, 4 sensors
- Solar panel and 2x CR2450 3v Lithium batteries
- Adjustable padded headband for more comfort · Integrated low shield power warning light







SIP 50th Anniversary



9 - 13 SHADE for ARC/MIG/TIG5 - 9 SHADE for plasma cutting

· Test button checks electronic shielding functions



DRAPER TOOLS YEAR ANNIVERSARY 1919-2019

Trader Price

D20 Fix 'N' Go Kit

Consists of:

- Brushless combi drill bare
 Brushless impact driver bare

- 2.0ah batt
 Impact s/driver bit set
 1.65a batt charger
 Twin port usb adpt
 Tool bag hard bottom

Part No. 90471

Trader Price £199^{.95}



D20 Jumbo Kit

Consists of:

- Consists or:

 Brushless combi drill bare

 Brushless 115mm a grinder bare

 Brushless impact driver bare

 Tri base sander bare

- Nailer
 Stapler bare
 Brushless circ.saw bare
- Brushless recip saw bare
 3.0ah batt
 5.0ah batt
 Toolbag on wheels
 4a fast batt charger

Part No. 90473

Trader Price ist Price £863.23 £595.00



RoadStart Emergency Jump Starter 12/24V 3000/1500 Peak Amps

- Audible warning system for polarity protection.
- Positive cable fitted with protection against reverse charging from the vehicle.
- Test cycle button gives true battery indication.
 230V Charger with automatic power cut-off prevents damage to battery whilst charging from the mains.
- · Supplied with mains charger.

Trader Price



Compressor 100ltr V-Twin Direct Drive 3hp

- Supply: 230V
- Minimum Rated Supply: 13A
 Air Displacement cfm(ltr/min): 12.6(357)
- Maximum Free Air
 Delivery cfm(ltr/min): 8.8(249) Maximum Pressure: 116psi(8bar)
- · Outlet: Quick Release Coupling

Part No. SAC10030VF

Trader Price



Cordless Riveter STATEY 18V 1.5Ah Lithium-ion 1hr Charger

- Nozzle Sizes: 2.4, 3.2, 4, 4.8mm
- Maximum Pulling Force: 6000N Stroke: 21mm
- Part No. CP313



STATE

SEALEY

Rollcab 8 Drawer with Ball Bearing Slide

- Overall Size: 765 x 465 x 960mm
- Medium Drawer (x6): 535 x 400 x 60mm Large Drawer (x2): 535 x 400 x 130mm



Plasma Cutter Inverter 40Amp 230V

- Duty Cycle: 60% @ 40A, 100% @ 30A
- Maximum Cutting Thickness: 11mm
- Air Requirements: 250ltr/min
- Working Pressure: 43.5-58psi
- · Absorbed Power: 6.2kW
- · Insulation: F

Part No. PP40E SEALEY Trader Price 264^{.95}



SEALEY

MIG Welder 140Amp 230V

- Wire Capacity: 0.7-5kg
- Duty Cycle: 100% @ 36A, 75% @ 41A, 50% @ 55A, 20% @ 80A
- Cooling System: Forced Air
- Spot Welding Timer: No
 Gas Type: CO2, Argon, CO2/Argon Mix
- · Torch: 2mtr Non-Live · Absorbed Power: 2.8kW
- Part No. SUPERMIG140





Hydraulic Press 10tonne Floor Type

Economy model suitable for the serious enthusiast or occasional professional use. Made from high quality steel with a powder coated paint finish to help corrosion resistance.

SEALEY

Detachable pump and ram allowing hydraulics to be used for other purposes when press is not in

- Ram Stroke: 180mm
- Ram Diameter: 40mm
 Maximum Height Ram to Table: 955mm
 Minimum Height Ram to Table: 35mm

 Table: 35mm
- · Table Aperture: 85mm Working Table Depth: 180mm
- Working Table Width: 454mm
 Overall Height: 1670mm
- · Gauge Included: Yes

Part No. YK10F

Trader Price

Rollcab 7 Drawer with Ball Bearing Slides

- Overall Size: 685 x 465 x 1005mm
- Medium Drawer (x5): 560 x 385 x 70mm
 Large Drawer (x2): 560 x 385 x 150mm

Part No. AP33479B



Torque Wrench Micrometer Style 3/4"Sq Drive 150-800Nm

 Length – 1230mm Part No. STW706



Metal Cutting Bandsaw 3-Speed 150mm 230V

- Capacity 90° Round: Ø115mm
 Capacity 90°
- Square/Rectangular (H x W): 100 x 150mm
 Capacity 45° Round: Ø60mm
- Capacity 45°
- Square/Rectangular (H x W): 100 x 60mm
- Blade Size:1638 x 13 x 0.63mm
- Blade Speeds: 18, 30, 48mtr/minMotor Power: 375W

Part No. SM5



Compressor 150ltr Belt Drive 3hp with Cast Cylinders

- Motor Output: 3hp
- Supply: 230V
- Phase: 1ph
- Minimum Rated Supply: 13A
- Speed: 1630rpm
 Air Displacement cfm(ltr/min): 13.4(380)
- Maximum Free Air Delivery cfm(ltr/min)
 Maximum Pressure: 145psi(10bar)
- Outlet: 1/2"BSP Female Tap

Part No. SAC1153B





Industrial High Velocity Drum 230V

Carefully balanced and fully guarded blades provide quiet and safe operation.


• Fitted with BS approved plug.

· Suitable for use in industrial, commercial, agricultural, automotive workshop and showroom applications.

30" Part No. HVD30 36" Part No. HVD36











Oxyacetylene Welding & Cutting Set

- Single stage gas regulators with two gauges to show bottle pressure and working pressure.
- 4.5mtr Twin gas hose set with hose check valves (to torch) and EN 730-compliant pressure activated flash arrestors
- Welding torch with three lightweight nozzles. Cutting torch attachment with three
- ANMS cutting nozzles.
- Spark lighter.

Part No. SGA1





SEALEY

STALEY

Industrial Cabinet 4 Shelf 1800mm

- Industrial quality, double door, freestanding cabinet with five shelves.
- Overall Size 900 x 450 x 1800mm
 Durable, scuff resistant, adjustable shelves, each holding up to 150kg.

Part No. APICCOMBOE4





4 In 1 Petrol Multi-Tool

- Features: Choke for easy starting
- On/off switch with operator safety trigger · Split shaft for ease of transport
- Adjustable D type soft grip handle
- · 'Tap and Go' line feed
- Single strap shoulder harness
- with quick-release mechanism
 Four attachments for different tasks around the garden
- 2 stroke petrol engine Easy start recoil system
- Electronic ignition

Part No. 84706

Trader Price

BENTLEY"

BENTLEY"

Heavy Duty Dustpan & Brush

Suitable for gathering large amounts of waste and rubbish, very hard wearing, ideal for indoor and outdoor use

Part No.P0014G/SET Trader Price

14 Litre Builders Bucket

Part No. BUCKET.01



80 Litre **Workplace Dustbin**

Part No. BIN.80/BLK



Standard First Aid Grab Bag

Portable, complete with shoulder strap and carrying handle. Internal compartments, aiding ease of use. Please ask for full details of

Part No. 85013





225

205

205



Professional Paint Brush

Part No.	Size	Trader Price
PRO1.0	1"	£2.95
PRO1.5	1 1/2"	£5.50
PRO2.0	2"	£4.75
PRO2.5	2 1/2"	£6.50
PRO3.0	3"	£8.75
PRO4.0	4"	£11.50

Pure black bristle, extra thick, stainless steel ferrule, beavertail wood handle, walleted.



Decorator Paint Brush

Part No.	Size	Trader Price		
DEC10.5	1/2"	£0.95		
DEC10.75	3/4"	£0.95		
DEC11.0	1"	£1.20		
DEC11.5	1 1/2"	£1.20		
DEC12.0	2"	£1.95		
DEC12.5	2 1/2"	£2.95		
DEC13.0	3"	£3.95		

Pure black bristle, nickel plated ferrule, maroon



Craftsman Paint Brush

Part No.	Size	Trader Price
C20.5	1/2"	£1.50
C20.75	3/4"	£1.80
C21.0	1"	£1.90
C21.5	1 1/2"	£2.90
C22.0	2"	£3.80
C22.5	2 1/2"	£4.95
C23.0	3"	£5.95
C24.0	4"	£8.95

Pure black bristle, nickel plated ferrule, maroon plastic handle, walleted.



60KG Pull Magnetic Stand with Fine Screw Adjust

- · Base: 63mm x 55mmH x 50mmW
- Stems: 175mm
- · Fine Screw Adjust
- Simple on/off switch
- 60KG Pull

Part No. LN031A



60KG Pull Magnetic Stand

- Base: 63mm x 55mmH x 50mmW
- · Stems: 180mm
- · Simple on/off switch • 60KG Pull

Part No. LN031B



80KG Pull Magnetic Base

- Base: 60mm x 55mmH x 50mmW
- · Central M8 Threaded Hole
- · Simple on/off switch
- 80KG Pull

Part No. LN032A







Hand Held Magnetic Sweeper

The perfect solution to the problem of clearing small ferrous metal objects, such as nails, tacks, nuts, bolts, paperclips and metal shavings from a workshop, car park or garage

floor to leave the floor area clean and tidy. 400mm wide 5kg pull

Part No. MAGSWEEP400



Trader Price



Combi Forklift Magnetic Sweeper with Wheels and Handle

- 1300mmW x 120mm x 120 mm
- Forklift MountingComes with handle for manual use
- · Sweeping height: 100mm

Part No. MAGSWEEP48CU3



£750.00

Trader Price



Magnetic Workshop Handheld Sweeper

A 325mm long stainless steel encased magnetic sweeper ideal for picking up swarf in the workshop environment.

Part No. MAGSWEEP325WORKSHOP







Wheel 150 X 13 X 31.75 **GC60 K8V with Storage Box**

- Straight, type 1 Grinding Wheel
- · 60 grit, K-hardness
- Green Silicon Carbide grain, vitrified bond
- Comes in with plastic bush to reduce bore to 12.7mm (1/2") Part No. 01044275





Wheel 180 X 13 X 31.75 **PA60 K8V with Storage Box**

- Straight, type 1 Grinding Wheel
- · 60 grit, K-hardness
- Pink Aluminium Oxide grain, vitrified bond
- Comes in with plastic bush to reduce bore to 12.7mm (1/2")

Part No. 01044267





Wheel 180 X 13 X 31.75 **WA60 K8V with Storage Box**

- Straight, type 1 Grinding wheel 60 grit, K-hardness
- White Aluminium Oxide grain, vitrified bond
- Comes in with plastic bush to reduce bore to 12.7mm (1/2")

Part No. 01044264





Wheel 150 X 13 X 31.75 3CG60 K8V with Storage Box

- Straight, type 1 Grinding Wheel 60 grit, K-hardness

- Ceramic grain, vitrified bond
 Comes in with plastic bush to reduce bore to 12.7mm (1/2")

Part No. 01044269





1/4", 3/8" and 1/2" Drive **Socket Set - 172 Pieces**

1/4, 3/8 & 1/2" Sockets ranging from 4-32mm, 1/4, 3/8 and 1/2". Reversible Ratchets, Torx Sockets, Screwdriver Bits and accessories

Part No. R45603172

GEDOREF*





1/4" & 1/2" Drive Combination ToolSet - 100 Pieces

1/4" & 1/2" Sockets ranging from 4-32mm, Reversible Ratchets, Screwdriver Bits, Combination Spanners 8-19mm, Allen Keys, Pliers, Screwdrivers & Hammer

Part No. R46003100

GEDORE!





Cill Screw Bugle/Torx Hd Twin

COLUMN TO STREET, STRE



Part No.	Size	Trader Price
WSBTSD4250	Per 500 S/Drill Tip 4.2x50mm	£9.95
WSBTSD4255	Per 500 S/Drill Tip 4.2x55mm	£10.95
WSBTSD4265	Per 200 S/Drill Tip 4.2x65mm	£5.95

Window Screw Csk/Torx Hd S/Tap



Kais ware to a ke with



Part No.	Size	Trader Price
WSCTSD3913	Per 1000 S/Drill Tip 3.9x13mm	£7.95
WSCTSD3916	Per 1000 S/Drill Tip 3.9x16mm	£8.95
WSCTSD3919	Per 1000 S/Drill Tip 3.9x19mm	£9.95
WSCTSD3925	Per 1000 S/Drill Tip 3.9x25mm	£10.95
WSCTSD3932	Per 1000 S/Drill Tip 3.9x32mm	£13.95
WSCTSD3938	Per 1000 S/Drill Tip 3.9x38mm	£14.95
WSCTSD3945	Per 1000 S/Drill Tip 3.9x45mm	£15.95
WSCTSD4825	Per 1000 S/Drill Tip 4.8x25mm	£15.95
WSCTSD4838	Per 500 S/Drill Tip 4.8x38mm	£11.95
WSCTSD4845	Per 500 S/Drill Tip 4.8x45mm	£12.95

Window Screw Pan/Torx Hd Single





Part No.	Size	Trader Price
WSPTSP4316	Per 1000 Sharp Point 4.3x16mm	£9.95
WSPTSP4320	Per 1000 Sharp Point 4.3x20mm	£11.95
WSPTSP4325	Per 1000 Sharp Point 4.3x25mm	£13.95

Cill Screw Bugle/Torx Hd Twin





From £8.95

Part No.	Size	Trader Price
WSCTSP4316	Per 1000 Sharp Point 4.3x16mm	£8.95
WSCTSP4320	Per 1000 Sharp Point 4.3x20mm	£10.95
WSCTSP4325	Per 1000 Sharp Point 4.3x25mm	£12.95
WSCTSP4330	Per 1000 Sharp Point 4.3x30mm	£14.95
WSCTSP4335	Per 1000 Sharp Point 4.3x35mm	£15.95
WSCTSP4340	Per 1000 Sharp Point 4.3x40mm	£16.95
WSCTSP4345	Per 500 Sharp Point 4.3x45mm	£9.95
WSCTSP4355	Per 500 Sharp Point 4.3x55mm	£12.95
WSCTSP4825	Per 1000 Sharp Point 4.8x25mm	£15.95
WSCTSP4838	Per 1000 Sharp Point 4.8x38mm	£19.95
WSPTSP4316	Per 1000 Sharp Point 4.3x16mm	£9.95
WSPTSP4320	Per 1000 Sharp Point 4.3x20mm	£11.95
WSPTSP4325	Per 1000 Sharp Point 4.3x25mm	£13.95


Baypole Screw Wafer/Torx Hd





From £3.95

Part No.	Size	Trader Price
WSWTSD48100	Per 100 S/Drill Tip 4.8x100mm	£7.95
WSWTSD4850	Per 100 S/Drill Tip 4.8x50mm	£3.95
WSWTSD4860	Per 100 S/Drill Tip 4.8x60mm	£4.95
WSWTSD4870	Per 100 S/Drill Tip 4.8x70mm	£4.95
WSWTSD4880	Per 100 S/Drill Tip 4.8x80mm	£5.95



uvex

Pheos Clear

Standards: EN166 1F KN CE. EN170

Part No. 9192-225

Only 28.95



V⊕X Sportstyle Clear

Standards: EN166 1F KN CE

Part No. 9193-265

Only \$5.75



CX2 CBR

Standards: EN166 1FT KN CE, EN172

Shades: CBR 65 Part No. 9198-064

Only **£6.50**



🗶 i-Works

Standards: EN166 1FT KN CE

Part No. 9194-171

Only

24.95



Ultrasonic

Standards: EN166 1B 349 KN CE

Part No. 9302-245

Only

Calculate Price

Only

Calculate Price



Overspec

Standards: EN166 1F KN CE

Part No. 9169-260 Trader Price

£7.25



Phynomic All-Round

Polyamide, Elastane liner. Aqua-polymer foam coating. Dry use EN388 (3131) Sizes 8 to 10 *Please quote size when ordering

uvex

Only £2.50



Phynomic X-Foam HV

Polyamide, Elastane liner. Aqua-polymer coating. Perforated seams along the base of each finger. Dry use EN388 (31X1). Slzes 8 to 10 *Please quote size when ordering

uvex

Only

24.25



Unipur PU

Polyamide liner. PU coating. Dry use. EN388 (4131).

Size 8 to 10

*Please quote size when ordering

uvex

Only £1.50



uvex

Quatro Pro S3SRC Extra Wide Fit

Extra wide fit, leather water resistant boot. Scuff cap - protects leather. Steel midsole. Self cleaning sole increases slip resistance. Outsole is resistant to temperatures up to +120°C EN ISO 20345:2011 S3 SRC

Part No Size
8401-2/08 8
8401-2/09 9
8401-2/10 10
8401-2/11 11





Multi-purpose Safety Trainer **UVEX**

Multi-purpose safety trainer with increased anti-twist protection. Metal free penetration resistant midsole. 100% metal free. Made with synthetic materials. Elastic laces for quick, individual adjustement. Outsole is resistant to temperatures up to +120°C. EN ISO 20345:2011 S3 SRC. ESD rated

Part No	Size	
8516-2/08	8	
8516-2/09	9	4
8516-2/10	10	Alles
8516-2/11	11	100
Trader Pric		141
Hauel File	E	

Trader Price
Only
£72.95

Classic Office Style Shoe

Supple full grain leather upper with breathable lining. Heat resistant sole for brief exposure up to 300°C EN ISO 20345:2011 S1 SRA

11

Part No	Size
9541-9/08	8
9541-9/09	9
0544.0440	40

Only £55.95

9541-9/11

