INES INSING

The Trader

Valid from 1st July until 30th September 2019



ISSUE 31

BEHA AMPROBE



6 Piece Flare Nut Spanner Set



Manufactured from chrome vanadium steel hardened, tempered and chrome plated for

6 x 8, 9 x 11, 10 x 12, 13 x 14, 14 x 17, 19 x 22mm



Multi Process Welder 200A

Supplied complete with MIG torch, TIG torch, MMA electrode holder, earth clamp, welding

mask and chipping hammer/brush.



12 Piece Metric **Combination Spanner Set**

Polished Draper HI-TORQ® ring end offset at 15°.

15, 16, 17, 18 and 19mm

Jaw offset at 15°. Display packed. 8, 9, 10, 11, 12, 13, 14,



Gauge T/C

Its highly accurate industrial quality fabrication make it suitable for use on garage forecourts and tyre fitting bays. Fitted with a large LCD backlit screen with multi-pressure unit and twin connectors. Supplied with calibration certificate and two AAA batteries.

Part No. 74839



Part No. 47044





101 Piece Drill Bit Set

Perfect for both power tools and hand tools. and supplied in a robust plastic carry case

Part No. 80991

Part No. 0588







230V 40A Plasma Cutter

- Microprocessor controlled inverter technology
- Suitable for cutting any electrically conductive material/ Input current 32A
- Thermal overload protection
- Supplied with plasma torch, earth lead and clamp, air regulator air hose, chipping hammer with brush and face mask
- · Requires an air compressor delivering a minimum of 8.8 cfm

Part No.85569





8 Piece HD Screwdriver Set in PVC Box

SVCM+ blades, hardened and satin chrome plated sand blasted tips. Soft grip, oil and solvent resistant colour



7 Piece Ergo plus VDE SD Boxed Set

4 plain slot size: 2.5 x 100, 4.0 x 100, 5.5 x 125 and 6.50 x 150mm

3 PZ Type: No.0 x 60, No.1 x 80 and No.2 x 100m





7 Piece Nut Spinner Set (5 -13MM)

SVCM+ blades, hardened and satin chrome plated sand blasted tips. Soft grip, oil and solvent resistant colour coded handle.



26 Piece Imperial Screwdriver & Driver Set

1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish.

Part No. 05732





Torque Screwdriver 1-5nm Extremely accurate +/- 6 % measurements are in accordance with the EN ISO 6789 standard.

Part No. 75170





305mm Double Bevel Sliding **Compound Mitre Saw** Depth stop, integral dust extraction, extension wings, stop bar, vice clamp and laser cutting guide. The table base and side extension wings are constructed from diecast aluminium. Fitted with a cable and approved p Part No. 79901


BEHA Amprobe ProInstall 75-UK Installation Testing Kit with Free 2100 Beta Voltage Tester

- Simple operation for fast and easy testing.
- · Fast accurate non-trip loop test
 - Variable RCD current mode for customised settings EN61557 Compliant
 - Tests fixed installations to BS7671



BEHA AMPROBE

BEHA Amprobe IRC-120-EUR Infrared/UV Camera



Part No. 4989024





FLUKE

FLUKE.

BEHA Amprobe Electricians Kit in Carry Case BEHA AMPROBE

2100-Alpha Voltage and continuity tester with phase sequence indication
 CAT III 690/ CAT IV 600 GS approved IEC 61243-3:2014,

- EN61243-3:2014, DIN VDE 0682-401:2015 V
- AM-500-EUR Compact digital multimeter Voltage, current and resistance, Diode and accoustic test, 1.5V and 9V battery test
- NCV-1020-EUR VOLT fix non-contact voltage detection from 50V to 1000V AC

Part No. 4997079





BEHA Amprobe Light-Check Adapter Kit BEHA AMPROBE **Complete with Carry Case**

Complete set of 5 adapters

• E27,B22,E14,B15,GU10

Part No. 4854835



Fluke 117/323 Digital Meter and RMS Clamp Meter 600V Kit complete with Soft Carry Case

• 117 True-rms Digital Multimeter with non-contact voltage detection

- AC/DC Voltage 600V, AC/DC current 10A, Resistance 40M Ω , Frequency 5Hz to 99.99kHz, Safety rating CAT III 600V
- 323 True-rms Clamp Meter Designed to verify the
- presence of load current
- AC voltage and continuity of circuits, switches, fuses and contacts. Part No. 4296034



FLUKE.

FLUKE

Fluke Voltage Pen 200-1000V 5 Pack

• The Fluke VoltAlert AC voltage detector is easy to use, just touch the tip to

- a terminal strip or cable, if it glows read and the pen bleeps you know there is voltage present.

 It continually tests its battery and circuit integrity with a periodic double flash indication.
- Safety rating CAT IV 1000V

Part No. 2433056





Fluke T6-1000 Electrical Tester with FieldSense Technology

Measure voltage without test leads.

- Measure up to 1000V ac through the open fork, without making contact to the
- live cables simultaneous voltage and current display, shows all power supply measurements at a glance for efficient trouble shooting. • 0 to 1000V ac or dc, 0.1 to 200 A ac, Resistance 1 Ω to 100kΩ,

frequency 45Hz to 66Hz, Easy to read display with backlight





Fluke 64 MAX Infrared Thermometer

- Precise laser technology accurate up to ± 1°C or ± 1% of reading Capture measurements unattended by time and desired interval
- between readings
- 99 data point logging Backlit display and torch for ease of viewing
- IP54 and drop tested to 3 metres

Part No. 4856105













3

All Prices are EX VAT

F 0 R

1/2" Drive Mini Air **Impact Wrench**

1/2" drive compact and lightweight mini impact wrench for easier use in confined spaces. The wrench features a "Jumbo" clutch mechanism, extra high torque capacity compared to the size and weight and high torque action with three forward steps

Part No. ARWM12M

· 5 Step rust protection

Part No. TC806SV

plus reverse.

Trader Price E160^{.0}

Tool Box Top Box 6 Drawer SV Series

key lock/front which covers the top of the drawer and the extending drawers.

Trader Price

Excludes drawer mats and removable tote tray found in the NF range of storage.

6 drawer 8 series SV top box with ball bearing slides, metal side handles and lockable



TENGLOOLS

MA

TENGTOOLS

Tool Set 1/4", 3/8" and 1/2" Drive 127 Pieces

127 piece 1/4", 3/8" and 1/2" drive socket set containing regular and deep 1/4" drive sockets, 3/8" and 1/2" drive regular sockets, FRP ratchets, extension bars, universal joints, spark plug sockets, adaptors and screwdriver bits.

The set also includes combination spanners, an adjustable wrench and a ratcheting bit driver.

TENGTOOLS

Part No. TM127-P







Tool Set 3/8" Drive Metric 48 Pieces

. 6 point regular metric and AF sockets

- 2 spark plug sockets
- 14 combination spanners6 screwdrivers
- 5 pliers
 Adjustable wrench
- Ratchet
- 3" and 6" extension bars
- 1/2"-3/8" adaptor

Part No. T3848-P







Tool Box Middle Box SV Series 3 Drawer

3 drawer 8 series SV middle box with ball bearing slides equipped with 3 extending, lockable drawers, a lock with 2 keys, heavy-duty carrying handles at the sides and rubber feet under the chest.



Socket Set 1/4" and 1/2" Drive **Metric 72 Pieces**

Regular sockets and accessories together with a comprehensive range of socket accessories. Rubber feet to prevent the set from sliding and also to protect it from



MA

TENGTOOLS



Ulti-Mat

MIN

TENGTOOLS

TENGTOOLS

A cost effective anti-slip mat designed to make the working environment safer. The open top design allows for drainage of water and accumulated debris. This heavy duty mat lifts the user off any slippery surfaces and gives comfort

and relief to the body. The key benefits are: -Open top design allows for drainage of water and accumulated debris. Raised grip points increase traction in oily and wet conditions

Increases worker awareness and productivity

Ramped edges reduces any trip hazard 3 year warranty - 10 year life expectancy Trader Price

		WWW UK WORK WELL MATS*
Part No.	Dimensions	Trader Price
10140-09115513-BKBK	910x1550x13mm	£33.00
10140-09130013-BKBK	910x3000x13mm	£70.00
10140-09144513-BKBK	910x4450x13mm	£105.00
10140-15517213-BKBK	1550x1720x13mm	£70.00
10140-15525313-BKBK	1550x2530x13mm	£105.00

Ulti-Mat Greaseproof

A cost effective anti-slip oil resistant nitrile mat designed to make the working environment safer. The open top design allows for drainage of water and accumulated debris. This heavy duty mat lifts the user off any slippery surfaces and gives comfort and relief to the body. The key benefits are: -

Open top design allows for drainage of water and accumulated debris

Raised grip points increase traction in oily and wet conditions. 75% nitrile compound makes it resistant to oil and grease

Increases worker awareness and productivity Ramped edges reduces any trip hazard 3 year warranty - 10 year life expectai

Trader Price

		WORK WELL HATS
Part No.	Dimensions	Trader Price
10141-09115513-BKBK	910x1550x13mm	£55.00
10141-09130013-BKBK	910x3000x13mm	£110.00
10141-09144513-BKBK	910x4450x13mm	£160.00
10141-15517213-BKBK	1550x1720x13mm	£110.00
10141-15525313-BKBK	1550x2530x13mm	£160.00

WORK WELL MATE

WWW UK WORK WELL MATS

WWUK

£60.00

WWM

Ergo-Tred

An exceptionally versatile anti-fatigue mat giving the ultimate in worker comfort. Heavy duty all rubber construction suitable for all dry standing areas. The key benefits are:
Air cushioned domes designed to encourage the user to keep moving,

encouraging blood flow around the body, reducing strain and stress on the body. Solid top surface for dry applications

3 year warranty - 10 year life expectancy

WWW.uk WORK WELL MATS



Part No.	Dimensions	Trader Price
10100-06009014-BKYL	600x900x14mm	£35.00
10100-09012014-BKYL	900x1200x14mm	£50.00
10100-09023014-BKYL	900x2300x14mm	£125.00
10100-09034014-BKYL	900x3400x14mm	£180.00
10100-09045014-BKYL	900x4500x14mm	£230.00
10100-12017014-BKYL	1200x1700x14mm	£125.00
10100-12025014-BKYL	1200x2500x14mm	£180.00
10100-12033014-BKYL	1200x3300x14mm	£240.00

Soft-Step

The most economical anti-fatigue matting solution for those with dry working environments.

The key benefits are: Light/medium duty anti-fatigue matting for use in dry areas

Cushioned foam PVC construction giving excellent anti-fatigue properties.

Ribbed surface for anti-slip protection Insulates your feet against cold concrete floors

Bevelled edges with colour options Cleans easily with mop, broom or hose

> Trader Price £50.00

Part No.	Description	Dimensions	Trader Price
12110-09115009-BKBK	Black border	910x1500x9mm	£50.00
12110-09115009-BKYL	Yellow border	910x1500x9mm	£55.00
12310-091183009-BKBK	Black border	910x18300x9mm	£425.00
12310-091183009-BKYL	Yellow border	910x18300x9mm	£460.00

Elec-Safe Electrical Matting

Electrical ribbed rubber matting conforming to BS EN _ IEC 61111. Colour coded with appropriate markings on the underside matting.

• 1000V AC maximum working voltage

Class 0 – 5kV proof test and a 10KV withstand test. Colour coding – Red
• 7500V AC maximum working voltage

Class 1 - 10kV proof test and a 20KV withstand test Colour coding - White

17000V AC maximum working voltage

 Class 2 – 20kV proof test and a 30KV withstand test. Colour coding - Yellow 10 year life expectancy

			WORK WELL MATS
Part No.	Description	Dimensions	Trader Price
0300-100100004-BKRD	Class 0 – 1000v	1000x10000x4mm	£225.00
0300-10010004-BKRD	Class 1 – 7500v	1000x10000x4mm	£30.00
0301-100100006-BKWT	Class 1 – 7500v	1000x10000x6mm	£350.00
0301-10010006-BKWT	Class 2 – 17,000v	1000x1000x6mm	£45.00
0302-100100006-BKYL	Class 2 – 17,000v	1000x10000x6mm	£450.00

1000x1000x6mm

Class 2 - 17,000v

Boot-Scrape

The most cost effective entrance mat. Solid rubber compound with large drainage holes gives the perfect solution to heavy soiled and wet footwear The key benefits are:

30302-10010006-BKYL

Hollow for mat ideal for cleaning boots and shoes Large drainage holes for water and debris

Heavy duty, solid rubber compound. Suitable for external use. Dimensions: 1000x1500x23mm

Part No. 40151-10015023-BKNA







All Prices are EX VAT

SENCO

SENCO"

Trader Price

SENCO

Fixed Multi Angle @MAGNETS **Weld Clamp**

- 100mm x 65mm x 12mn
- 30,45,60,75,90,180 degrees • 10kg Pull













 150mmW x 70mmW x 45mmD x 60mmG · 45 and 135 degrees • 32ka Pull Part No. E923N

Trapezium

Weld Clamp



Adjustable Angle Magnetic Weld Clamp

 140mm x 140mm x 37mn 60kg Pull







90 Degree Magnetic Weld Clamps



lmage No.	Part No.	Dimensions H x W x T mm	Pull	Trader Price
1	LN034A	140mm x 140mm x 37mm	60kg	£29.00
2	LN034B	150mm x 150mm x 50mm	100kg	£33.00
3	LN034C	220mm x 220mm x 20mm	25kg	£33.00

Power Magnets

- Powerful and durable magnets that give a high performance
- through a range of air gaps and high temperatures

 I deal for retrieving parts from hot and corrosive liquids

Dimensions

H x W x T mm

Clamping Trader

Force

70kg

70kg

230kg

230kg

20mm x 30mm x 20mm

25mm x 40mm x 25mm

30mm x 45mm x 30mm

Maximum Operating temperature: 500°C



£26.00

8kg

11kg

Price

£9.50

£10.00

£21.00

£24.00



Trader Price

Trader	Trader Price
Price	From
£12.00	£12.00
£19.00	

Irwin Record Heavy Duty G-Clamp

- Swivel shoe which helps clamping on uneven surfaces.
- Drop-forged steel frame for strength and durability Twin-start ACME cold rolled thread for faster operation





Part No.	Size	List Price	Trader Price
REC1203	3"	£20.76	£16.00
REC1204	4"	£21.33	£17.00
REC1206	5"	£30.53	£24.00
REC1208	8"	£47.54	£30.00
REC12010	10"	£73.50	£47.00
REC12012	12"	£103.24	£66.00

Faithfull Spring Clamp Pack of 4

Part No.

MAG811

MAG812

MAG813

Size

300mm

450mm

600mm

Faithfull Bar Clamp and Spreader

Made from high strength engineering plastic with a durable long life spring.

12in

18in

24in

Capacity Spreader

480mm

710mm

860mm

Part No.	Capacity	Clamping Force	List Price	Trader Price
FAISPCL3	75mm 3in	15kg	£18.97	£13.00
FAISPCL2	50mm 2in	12kg	£6.70	£5.00



Faithfull F Clamp

Part No.

FAIBCS670

FAIBCS1270

FAIBCS18200

FAIBCS24200

- A traditional style 'F' clamp ideal for use in wood gluing applications.

 Clamping Force: 270kg

Part No.	Size	List Price	Trader Price
FAIFC200270	80 x 200mm	£11.76	£8.50
FAIFC250270	80 x 250mm	£12.31	£9.00
FAIFC300270	80 x 300mm	£14.85	£10.00





FAITHFULL

FAITHFULL

Faithfull Clamping Square Set 200mm (8in) Pack of 4

Faithfull Plastic Angle Clamp

Part No. FAICLSQ8

· Capacity: 95x 95mm

Part No. FAIPAC9595

Overall size: 175 x 175mn

Trader Price





Faithfull Lever Clamp

 Throat Depth: 80mm Clamping Force: 120kg

Part No.	Size	Capacity	List Price	Trader Price
FAILC160120	80 x 160mm	6.1/3in	£22.95	£16.00
FAILC200120	80 x 200mm	8in	£23.69	£17.00
FAILC250120	80 x 250mm	10in	£24.80	£18.00



Irwin I-125 Hacksaw


Higher Blade Tension For Straight Cuts Soft Grip Handle.

Part No. IRW10504407



IRWIN

Irwin Junior HSF







IRWIN

Irwin Junior Wood Blade 14TPI 150mm 10 Pieces

Part No. IRW10504530

Trader Price

Part No. IRW10504409



Irwin Junior Metal Blade 32 TPI 150mm 10 Pieces

Part No. IRW10504531

IRWIN

Spectre Bi-Metal Holesaw

- · Hardened steel teeth for fast, smooth, clean cuts.
- Advanced heat and wear resistance for prolonged life
- Ideal for cutting wood, plastics, plasterboard, stainless and





You're never in a fix with

Part No.	Dimensions	Trader Price
SPEHOLE14	14mm	£2.00
SPEHOLE16	16mm	£2.00
SPEHOLE19	19mm	£2.25
SPEHOLE20	20mm	£2.25
SPEHOLE21	21mm	£2.25
SPEHOLE22	22mm	£2.25
SPEHOLE24	24mm	£2.25
SPEHOLE25	25mm	£2.25
SPEHOLE27	27mm	£2.80
SPEHOLE29	29mm	£2.80
SPEHOLE30	30mm	£2.92
SPEHOLE32	32mm	£3.20
SPEHOLE33	33mm	£3.20
SPEHOLE35	35mm	£3.20
SPEHOLE38	38mm	£3.60
SPEHOLE40	40mm	£3.70
SPEHOLE41	41mm	£3.80
SPEHOLE44	44mm	£4.25
SPEHOLE46	46mm	£4.25
SPEHOLE48	48mm	£4.50
SPEHOLE51	51mm	£4.50
SPEHOLE52	52mm	£4.75
SPEHOLE54	54mm	£4.90
SPEHOLE56	56mm	£5.00
SPEHOLE57	57mm	£5.00
SPEHOLE60	60mm	£5.50
SPEHOLE64	64mm	£5.50
SPEHOLE65	65mm	£6.00
SPEHOLE67	67mm	£6.00
SPEHOLE70	70mm	£6.00
SPEHOLE73	73mm	£6.50
SPEHOLE76	76mm	£7.00
SPEHOLE79	79mm	£7.00
SPEHOLE83	83mm	£7.00
SPEHOLE86	86mm	£7.50
SPEHOLE89	89mm	£7.75
SPEHOLE92	92mm	£8.00
SPEHOLE95	95mm	£8.50
SPEHOLE98	98mm	£8.50
SPEHOLE102	102mm	£8.75
SPEHOLE105	105mm	£9.00
SPEHOLE108	108mm	£9.50
SPEHOLE111	111mm	£9.50
SPEHOLE114	114mm	£10.00
SPEHOLE121	121mm	£11.00
SPEHOLE127	12 111111 127mm	£11.00
SPEHOLE133	133mm	£11.50
SPEHOLE133	140mm	£12.50
SPEHOLE152	152mm	£13.00
SPEHOLE152 SPEHOLE160	152mm 160mm	£13.00
SPEHOLE160 SPEHOLE168		
	168mm	£14.50
SPEHOLE177	177mm	£15.00
SPEHOLE210	210mm	£18.00

SENCO SGP40S Concrete Nailer

- Drives 15-38mm concrete nails
- High Voltage Ignition
 Adjustable depth of drive
- Comfort grip Includes case
- Free nails are 2 x 25mm inc fuel cell

Part No. 5H9711N



SENCO 10m Air Hose

- Inner diameter 8mm, outer diameter 12mm
- Swivel fittings prevent hose twisting Excellent cold weather flexibility

Part No. 4000660



SENCO GT65RHS 2nd-Fix Gas Nailer

- Drives 19-63mm 16-gauge brad nails
- For fixing architrave, skirting, dado & all 2nd-fix joinery
- High Voltage Ignition



SENCO SFW09 SENCO **Upholstery Stapler**

- Drives 6-16mm upholstery staples
- Drives 71-series 22-gauge staples with 9.5mm crown
- Weighs only 0.9kg
- Ideal for all upholstery applications



SENCO DS7525-18v Auto-Feed **Screwdriver**

- 2500RPM reversible motor
- Drives 25-75mm auto-feed screws
- Drives decking, wood, drywall & chipboard auto-feed screws
- · Supplied with 3 x 18v Li-Ion batteries, carry case,
- charger & spare driver bits
- Decking screws provided: 4.5x65mm Weatherex Exterior screws



SENCO 30m Air Hose Reel 5ENCO

Interior diameter 8mm

SENCO

- Easy mount bracket
- 360° swivel base
- · Eliminates tangles and kinks
- Steel frame construction
- Part No. 4000730



SENCO Air Screwdriver 800RPM

- Air screwdriver with 800RPM motor
- Composite housing so weighs only 1.2kg
- Reversible motor giving torque of 10Nm
 Operating pressure 4.8-8.3 bar
- 1/4" tailpiece required (not supplied) 1 Year Warranty



SENCO Systainer Compressor 230v

• 3.8 litre tank, 0.5HP motor

· Conveniently housed in a Senco systainer box

· Ideal for van or workshop storage







All Prices are EX VAT

armorgard

armorgard

Foldable for easier storage.

- Tread: W380mm x D260mr
- Safe Working load: 150kg.
- Distance between treads: 230mm. · Fitted with a rubber comfort handle
- Powder coated silver/grey

Step Ladders





Part No.	Dimensions	Trader Price
SL/2	Open Size: H775mm x W485mm x D510mm Folding Size: H890mm x W135mm x D485mm Platform Height: 490mm	£40.00
SL/3	Open Size: H1065mm x W490mm x D665mm Folding Size: H1220mm x W140mm x D490mm Platform Height: 710mm	£50.00
SL/4	Open Size: H1290mm x W490mm x D830mm Folding Size: H1475mm x W145mm x D490mm Platform Height: 930mm	£60.00

Steel Kick Steps

- A premium GS approved quality mobile step which provides easy step up access preventing excessive stretching. • The perfect accessory for any storeroom, office or workplace, where safe access is required
- for items stored at height. Can easily be moved into position without bending or lifting.
 Constructed from sturdy steel with anti-slip rubber treads and base.
- Safe Working Load: 150kg
 Dimensions: H 400mm x Top Ø 260mm x Bottom Ø 430mm
- Black Part No. T1BLK Light Grey Part No. T1L/GREY

Red Part No. T1RED Pink Part No. T1PINK

Blue Part No. T1BLUE Yellow Part No. T1YELLOW



BARTON



Topdrawer Cabinets

- A premium range of free-standing cabinets which provides medium to high volume storage for small parts. Ideal for both office and factory use. Cabinets can be bench or worktop mounted.

- All cabinets are manufactured from pre-galvanised steel and powder coated in grey.
 The drawers are manufactured from high impact ABS/Styrene, include ID labels and 1 divider per drawer. They are fitted with clear front windows for easier visibility of stored items. Drawers are also oil corrosion resistant and have high impact strength. They can also be completely removed.
- · A unique slide design ensures the drawers run smoothly. With an anti-drop structure the drawers are safely secured when in use.
- Additional dividers and index labels can be ordered separately.

12 Drawer

H350mm x W586mm x D290mm Drawer Size: H69mm x W163 x D289mm Draw Capacity: 6kg

Part No. 052002

BARTON





Drawer Size: H69mm x W120mm x D218mm

Drawer Capacity: 5Kg Part No. 052004

BARTON



48 Drawer with doors

Dimensions: H937mm x W586mm x D222mm

BARTON



Includes 2 keys

Dimensions: H970mm x W586mm x D270mm Drawer Size: H69mm x W120mm x D218mr Drawer Capacity: 5Kg Trader Price Part No. 052005

£300.00




75 Drawer

H970mm x W586mm x D270mm

Drawer Size: H55m x W90mm x D216mm Drawer Capacity: 3.3Kg

BARTON



Part No. FB2 **440**.00



armorgard

armorgard

Trader Price

£250.00

£325.00

· Strong hazardous vault for storing hazardous goods safely and securely

Dimensions

External: 490x1105x300

Internal: 440x1041x250 External: 980x1105x200

Internal: 930x1041x150

External: 490x1105x490

Internal: 440x1041x440

- Keved alike 5-lever deadlocks
- Unique external and internal anti-jemmy system

Part No.

TKD1

TKD2

TKD3

- Robust construction using 2mm and 3mm steel Hydraulic gas arms to assist with the lid opening

Trekdror In Vehicle Tool Storage

Vehicle friendly design fits between most wheel arches
 Fitted with Armorgard's signature 5-lever deadlocks

to be stacked or bolted down easily

Image No.

2

Flambank

· Lightweight, stackable design is perfect for storage in vehicles

Unique bearings system ensures the drawer operates smoothly

Drawer extends out almost 80% of its depth and is easily removable

Strong, corrugated design makes the TrekDror very rigid and sturdy

· Optional dividers offer a simple way to compartmentalize the drawer

• Fixing points are built in to the casing as standard to allow the TrekDror

- Autolatch lid stay to secure the lid in the open position
 High and low level ventilation to prevent build-up of fumes
- me arrester gauze fitted
- The FlamBank is built to the specification of 30 minute fire resistance
- Suitable for storing flammable equipment or chemicals
- Fully welded sump to comply with COSHH regulations and prevent any leakages
 Fork lift skids with fixing holes to add castors and make it a mobile unit
- Facilities to fix the unit in position
- · Complete with relevant signage

Dimensions: External: 1275x665x660 Internal: 1185x600x575



Flamstor Cabinet

Trader Price

£250^{.00}

• Built to specification for 1/2 hour fire resistant

• Finished in bright red with relevant hazard warning signs fitted as standard

· Keyed alike 5-lever deadlocks both sides, with heavy-duty chubb-style keys

- and welded security ID numbers (except FSC5) · Suitable for chemicals or flammables
- Fully adjustable shelves with all sizes of cabinet
- High & low level ventilation to prevent build-up of fumes
 Fork skids with fixing slots for easily adding castors
- Powder coated for maximum durability
 Flame arrester gauze fitted on all ventilation
- Fully welded and tested sump base to prevent leakage Optional facility to add castors using the pre-drilled holes

Part No. FSC2



Hazardous Substance Cabinets

- · Our range of Hazardous Substance Storage Cabinets are designed to provide safe storage of flammable liquids, chemicals, paints, pesticide and other hazardous substances. · Constructed in 1.2mm thick mild steel with welded seams
- · Door is reinforced to prevent distortion.
- · Chrome plated 'L' style lever handle and two point steel locking mechanism (supplied with two keys) on double door cabinets and thumb turn steel handle on single door cabinets.
- · Supplied with fully adjustable shelf trays (adjustable on 25mm pitches) to retain minor spills. Shelf capacity 35kg (U.D.L) to a maximum of 250kg per cabinet.
- Integral, non-removable spillage sump in the base of the cabinet.
 Epoxy powder coated in yellow and supplied with the relevant warning labels

1 Shelf

H915mm x W457mm x D457mm Part No. 016430

£160^{.00}

All Prices are EX VAT













BARTON





- The most popular range of secure tool vaults,
- excellent value for-money.

 Sold Secure and Secured by Design accreditation: TuffBanks adhere to rigorous test standards required by the police
- Robust, 5-lever deadlocks with extra reinforced protection.

 • Unique internal anti-jemmy system prevents the lid
- being forced open.

 Multiple external anti-jemmy plates.
- Robust construction using 2 and 3mm steel. · Hydraulic gas arms assist with the lid opening.
- Unique SlamStop system prevents the lid closing unexpectedly. Cable pass-through for secure
- tool charging. · Forklift skids for easy
- transportation.
- Robust castors and crane lifting eves are available as optional extras to simplify transportation

Dimensions: External: 1150x615x640 Internal: 1120x590x540

Part No. TB2







R

NMA

Little Giant Classic - Velocity Ladder

- New, lighter aerospace grade aluminium construction
- Redesigned Double-Lock Hinge
 Spring assisted Rapid-Locks® for easy adjustment
- Splayed base for unmatched stability
- 24 ladders in one
- Tip & Glide wheels for easy transport · Lifetime Warranty
- Max Load 150kg • EN131-4

1303-108

Rung Part No. **Trader Price** 1303-106 4 £220.00 1303-107 £250.00

6





TB DAVIES

Little

Giant

Ladder Systems



£300.00

Light Duty Combination Ladder

- · Use as an extension, extended A-frame and stairwell ladder
- Rigid box section stiles
- Wide horizontal stabiliser bar
- Max load 150kg

Part No.	Length	Trader Price
1300-310	2m	£95.00
1300-312	2.6m	£115.00
1300-314	3.1m	£145.00



TB DAVIES



Professional Extension Ladders

Part No.	Extension	Length	Trader Price
1102-030	Double	2.5m	£110.00
1102-031	Double	3.0m	£120.00
1102-032	Double	3.5m	£130.00
1102-033	Double	4.0m	£140.00
1102-034	Double	4.5m	£170.00
1102-035	Double	5.0m	£180.00
1102-036	Double	5.5m	£200.00
1102-037	Triple	2.5m	£150.00
1102-038	Triple	3.0m	£165.00
1102-039	Triple	3.5m	£190.00
1102-040	Triple	4.0m	£215.00

- · Commercial strength box-section construction
- Reduce fatigue with deep, comfortable 'D' rungs
- · Stabiliser bar included with ladder
- Max Load 150kg EN131 Profession











Speedy Scaffold Tower

- Folding base for speedy erection
- Anti-slip 1.78m x 0.78m platform Stabilisers included above 3.5m platform heights
- · 150kg work load capacity














- Quick and easy erection no tools required
 Manufactured from 40mm 'duraclimb' tube for regular use
- · Flexible modular design to reach different heights
- Four lockable castors



TB DAVIES







5 Ton Log Splitter

- 2200W Motor Splitting Force 5T
- Ram Travel 37cm
- Loa Size 50 250mm
- Log Length 200 520mm Part No. Z1-HS5TN





10" x 5" Portable Planer Thicknesser 230V

115mm Portable Tile Saw 230V

- 1500W Motor, Speed 8500 rpm
- Table Size 920 x 254mm

• 500W Motor

Speed 4500 rpm
 Blade 115x22.3mm

Part No. Z1-FS115

Max Cuttting Depth 25mm

Trader Price

£58.00

- Max Planing Width 254mm
 Max Thicknessing Depth 120mm
- Includes FREE Blade Set.

Part No. Z1-HB254



100mm Petrol Wood Chipper

- Engine power : 4.1 kw (5.5 HP)
- Power 4.1kw
- Speed 3600 rpm 2 x Reversible Blades
- Max Branch Diameter 100mm
- Part No. Z1-HAEK4100





600mm Tile Saw 230V

Newton Shed 757, 759 & 7511

Internal

Dimensions

WxDxH

201 x 201 x 236cm

201 x 326 x 236cm

KET17208504 201 x 261 x 236cm

800W Motor

Part No.

KET17208503

KET17208505

£900^{.00}

- Speed 2950 rpm
- Blade 200 x 25.4mm Max
- · Cutting Depth @ 90dgrs = 30mm
- @ 45dgrs = 22mm Max Cutting Length 600mm





Made from wood plastic composit for a natural feel and look of wood grain but with the strength of

External

Dimensions

WxDxH

229 x 223.5 x 252cn

228 x 287 x 252cm

228 x 350 x 252cm

£1399.99

250mm Table Saw 230V

• 2200W Motor

NMA

- Speed 4700 rpm Blade 250 x 30mm 36th TCT
- Max Cutting Depth @ 90dgrs = 74mm
- @ 45dgrs = 63mm





Artisan Shed 7 x 7 & 9 x 7

DUOTECH Walls highly durable and weather resistant.

			1					
	List Price	Trader Price	000000000000000000000000000000000000000	Part No.	Internal Dimensions W x D x H	External Dimensions W x D x H	List Price	Trader Price
	£949.99	£900.00	*	KET17203426	201 x 201 x 219.8cm	214 x 218 x 226cm	£899.99	£850.00
	£1149.99	£1080.00	***************************************	KET17204256	264 x 201 x 219.8cm	277 x 218 x 226cm	£1249.99	£1200.00





Image shows 757

£1300.00

13

Roughneck Gorilla Mini Sledge • Weight: 1.4kg (3lb) • Length: 345mm Part No. ROU65803





Roughneck Gorilla **Roughneck Gorilla 5 Pieces Bar Set**




Roughneck 2 Piece **Gorilla Bar Set**



Roughneck Big Mutt Multi Scraper

- Blade: 228 x 178mm (9 x 7in)
- Part No. ROU64396









Roughneck Floor Scraper

- Blade 300mm (12 in) Part No. ROU64391

Stanley Aluminium Square

Part No. STA145013



Stanley Fatmax 5M Tape Rule











300MM Met Diecast Combination Square

Part No. STA246028





100'/30M Open Reel Fibreglass Tape

4 Piece Flooring

A selection of blades for sawing, cutting,

Tool Bade Set

and scraping application

Part No. FAIMFKIT4



200'/60M Open Reel Fibreglass Tape

Part No. STA234794



Fatmax 18" Tool Bag

The FatMax tool bag is made with heavy-duty 600 denier fabric with leather reinforcements for long las durability. Dimensions: 460 x 260 x 100mm

Part No. STA193950



Multi-Fuction Tool Blade

Arc-Cut Wood

Part No. FAIMFW65P

Arc-Cut Hardwood

- Cutting length: 40mm Teeth per inch: 14
 - Cutting length: 50mm Width of teeth: 32mm







Multi-Fuction Tool Blade

Arc-Cut Hardwood

Arc-Cut Wood

Teeth per inch: 14

Cutting length: 50mm
 Width of teeth: 32mm

Part No. FAIMFW32P

- **Multi-Function Tool Blade** • Teeth per inch: 14
- Cutting length: 40mm Width of teeth: 65mm Part No. FAIMFHW65I





Arc-Cut Wood & Metal **Multi-Function Tool Blade**

Multi-Fuction Tool Blade

- Teeth per inch: 14 Cutting length: 50mm
 Width of teeth: 32mm
- Part No. FAIMFWM32P

- - Part No. FAIMFWM65P

Arc-Cut Wood & Metal Multi-Function Tool Blade

- Teeth per inch: 14 Cutting length: 50mm Width of teeth: 65mm

Diamond Grout & Mortar Multi-Function Tool Blade

- Wavv Edge: Diamond grit size 40-50 Width of teeth: 65mm Part No. FAIMFDG65P



Dayton

- Economically priced all purpose ma
- ideal for medium duty applications
 Polypropylene fibres bonded to a
- vinyl backing.
- · Easy to clean with vacuum or

Kumfi Pebble

extraction clean.

• Available in Anthracite, Blue, Rust

Part No.		Dimensions	List Price	Trader Price
	DT2436	60cm x 90cm	£13.95	£12.00
	DT3648	90cm x 120cm	£27.90	£23.00
	DT3660	90cm x 150cm	£34.80	£30.00
	DT4872	120cm x 180cm	£55.65	£47.00
	DT4872	120cm x 180cm	£55.65	£47.00

Trader Price

bluediamon

Light duty 9.4mm thick anti-fatigue mat for use in dry areas, embossed texture top surface enhances mat's slip resistance Suitable for packing areas and light industrial use. Yellow edge with bevels for safety awareness. **Trader Price**

bluediamond

Part No.	Dimensions	List Price	Trader Price
KP2436BY	60cm x 90cm	£25.10	£21.00
KP3660BY	90cm x 150cm	£53.85	£46.00
KP310BY	90cm x 300cm	£107.70	£92.00
KP4872BY	120cm x 180cm	£104.05	£88.00

Rubber Rib

Low cost surface covering, suitable for industrial flooring, aisles, work benches and vehicle interiors · 100% rubber with fine ribbed surface

100701000011	Total responsibility of the second se						
Part No.	Dimensions	Description	List Price	Trader Price			
RR391	3mm x 915mm x 10m	Roll	£111.20	£95.00			
RR3122	3mm x 1220mm x 10m	Roll	£148.40	£125.00			
RR691	6mm x 915mm x 10m	Roll	£273.25	£230.00			
RR6122	6mm x 1220mm x 10m	Roll	£364.70	£310.00			
RR391C	3mm x 915mm	Per M	£15.05	£12.00			
RR3122C	3mm x 1220m	Per M	£20.05	£17.00			
RR691C	6mm x 915mm	Per M	£36.90	£32.00			
RR6122C	6mm x 1220mm	Per M	£49.25	£45.00			

bluediamond **Trader Price**

Greenskeeper 100cm x 150cm - 22mm Thick

Heavy duty natural rubber matting, with an anti-slip cellular structure providing excellent

Part No. GK1015





Sticky Step Plastic 48cm x 110cm Pack of 4 Mats

Contamination control, tacky mats formed of 30 sheets per mat. Traps dirt and dust, suitable for manufacturing environments

Part No. SP1845



bluediamond

Scan Fold Flat Disposable Mask FFP2 - Pack of 3

- Fold flat for easy pocket storage.
 The masks conform to EN149:2001 and A1:2009.

Part No. SCAPPEP2FF



Coated Cut 3 Glove

Size 10 Part No. SCAGLOCUT3XL

Size 9 Part No. SCAGLOCUT3L

Scan Grey PU





Mask FFP1 - Pack of 3

Water based spray, Paint mist(water based)

For protection against: General dust,

Scan Anti-Impact

Latex Cut 5 Glove

Size 9 Part No. SCAGLOAL

Size 10 Part No. SCAGLOAIXL

Part No. SCAPPEP1FF

£3.00

Scan Fold Flat Disposable Scan Premier Fold Flat Valved Disposable Mask FFP1 Pack of 3 For protection against: General dust, Water based

spray, Paint mist (water based) Part No. SCAPPEP1FFV



Scan Vibration

Resistant Gloves

Size 9 Part No. SCAGLOVRL

Size 10 Part No. SCAGLOVRXL

Odour Valved Mask FFP2 Pack of 3 They are ideal for use with:


Solvent paint vapour (Brush applied) Welding fumes, Metal dust, Resistance to clogging
Part No. SCAPPEP2OFFV

Scan Premier Fold Flat









Size 10 Part No. SCAGLODEXTXL



SCAN





Mechanic's Tool Kit 136 Piece

• Includes 1/4", 3/8" and 1/2"Sq drive sockets, hex keys, spanners, screwdrivers, pliers, bits and accessories



Professional HDPE Tool Case Heavy-Duty

- Interior features a double sided tool storage surface, along with
- adjustable/removable dividers in the main compartment
- The case also benefits from ABS + TPR corner caps for added

Part No. AP616

durability.



Easy Peel Shadow Foam SEALEY

 Layered foam allows for depths to be set to suit the tool. Can be cut to fit any tool tray or drawer.

Made from 100% Polvethylene.

	, ,		
Part No.	Size	List Price	Trader Pric

	e List Pric	e Trader Price
SF30R 1200 x 550 x	30mm £21.95	£16.00
SF50R 1200 x 550 x	£27.95	£20.00



CP1200 Series 6 x 12V Cordless **Power Tool Combo Kit** SEALEY

- 12V Hammer Drill/Driver 10mm Body Only 2V 3/8"Sq Drive Ratchet Wrench Body Only
- 12V 1/4"Hex Drive Impact Driver Body Only
- 12V 3/8"Sq Drive Impact Wrench 80Nm Body Only
- 12V Ø71mm Polisher Body Only
- 49 Piece 12V Rotary Tool & Engraver Kit Body Only
 12V 1.5Ah Lithium-ion Power Tool Battery for CP1200 Series
- 12V 1.5Ah Lithium-ion Power Tool Battery for CP1200 Series
- 12V 1 Hour Lithium-ion Battery Charger for CP1200BP
- · Canvas Bag for CP1200 Series

Part No. CP1200COMBO2



Rollcab 7 Drawer Push-To-Open Hi-Vis Green

- Heavy-duty 45mm ball bearing drawer slides
- Fitted with Ø125mm castors with black chrome hubcaps, two
- swivel locking castors and two fixed. Rust and solvent resistant powder coat paint finish
- All drawers supplied with 2mm EVA drawer liner.
- Top and corners coated with plastic
- Plastic top fitted with stainless steel insert.
- Fitted with cylinder locks and supplied with two keys

Part No. APPD7G



Heavy-Duty Mobile Tool & Parts Trolley **Lockable Top Hi-Vis Green**

- Garage or workshop trolley with two shelves and a lockable gas sprung supported lid, which allows for items to be kept safe when not in use.

 • Two 40kg capacity drawers
- · Features an additional screwdriver holder
- · Two lower storage shelves with a 50kg capacity each



Cordless Grease Gun 18V

- High power, developing 8000psi
- Suitable for screw type and standard 400g cartridges, manual or bulk filling.
- Features LCD battery condition indicator, air bleed and
- heavy-duty aluminium pressure head. Supplied with 18V 2Ah Lithium-ion battery
- and mains charger

Part No. CPG18V



Vacuum Oil & Fluid **Extractor Manual 6.5 Litre**

- Ideal for other liquids such as water and soluble oil.

- you do something else.



SEALEY

Supplied with Ø5.8 and Ø6.7mm sprung steel lined suction probes and a Ø9.8 x 1m extension tube. Sets up a permanent fluid transfer while Internal float valve for automatic cut off Unit can be tipped 90° for easier emptying. Part No. TP69

Rechargeable 360° Floodlight 36W SMD LED Portable Green Lithium-ion

- Work light houses 72 super bright SMD
- LEDs providing up to 3000 lumens.
 Features high quality 4.4Ah Lithium-ion
- battery with battery level indicator.
- 2.1A USB output for use as a power bank

Part No. LED360FG





Cut-Off Machine Ø355mm

- 230V with Blade • Cuts slow and cold without the need for
- coolant fluid. Will handle steel, wood, brass, aluminium and most plastics, without the need to
- change blades. • Even hidden nails and screws in
- timber are no longer a problem.
- Powered by a 2480W motor.
- · Fitted with a dead man's trigger

Part No. SM355B



Saw Blade Sharpener Bench Mounting 110W

- Suitable for sharpening TCT saw blades in range from Ø90-400mm
- Supplied with optional ceramic disc for non TCT blades.
- Precision 0-25° angle adjustment allowing each tip to be sharpened exactly the same



SEALEY

- Fitted with a Ø100mm diamond coated grinding disc for optimising TCT saw blade performance.
 - up to 700 lumens of light.



Rechargeable Pocket Floodlight with Magnet 360° 7W COB LED

- Virtually indestructable Strong magnet, making it simple and easy to direct
- Three light output settings: 100/350/700 lumens. Fitted with a high quality 3.7V 2.6Ah Li-ion battery.



FIRSTAID





Quick Check Eye Pod Panel



Highly visible, hard wearing versatile Eye Pod Station. Comes complete with 10 x 20ml & 2 x no16 eye pads + mirror.

Part No. 81103





Eye Wash 500ml

Sterile, single use emergency eye wash solution for ocular, topical irrigation and wound cleansing

Part No. 2143



Crest Medical

Eye Wash 20ml Pods

Sterile, single use emergency eye wash solution for ocular, topical irrigation and wound cleansing ready to use, twist off top for ease of use.

Can be used as eye or wound wash.

Part No. 4002

Crest Medical









Crest Medical

Crest Medical

CrestMedical

Quick Check Eye Care Point

Robust wall mounted Eye Station. Suitable for most environments. Comes complete with 2 x 500ml eye wash, 2 x eye pads and mirror

Part No. 85681

SEALEY





Eclipse First Aid Refill Packs for Compliant/Catering Kits

Kit Size	Trader Price
Small	£13.00
Medium	£17.00
Large	£24.00
	Small Medium







HSE 1 Person First Aid Crest Medical

Crest Medical

Contains 20 assorted plasters, 2 triangular bandages, 6 safety pins, 1 HSE large dressing 18x18cm, 2 saline cleansing wipes, 1 pair of



Trader Price £2.00

Kit in Zipped Pouch

Contains 20 assorted plasters, 2 triangular bandages, 6 safety pins, 1 HSE large dressing 18x18cm, 2 saline cleansing wipes, 1 pair of disposable gloves.



Revive Aid Pouch

Revive aid resuscitator with key ring pouch



Eclipse Burns Kit

HSE 1 Person First Aid

Kit in Vinyl Pouch

disposable gloves.

Part No. 30ACOPT

Crest Medical Burns are one of the most serious types of injury that can occur in the workplace

Ensure that you are always prepared with a high quality Burn Care Kit.





General Travel First Aid Kit

Ideal for cars, vans and lorries. It also surpasses the recommendations for a travel first aid kit for one person. Comes complete with a bulkhead bracket.

Part No. 30RH2







Washproof Plasters

Low allergy latex free adhesive sterile & conforming, stretches with movement Washproof - ideal for working in wet or moist environments breathable - allows in air, for natural healing & prevents skin maceration.

Part No. Type Assorted box 100 86922 86930 7.5cm x 2.5cm box 100









All Prices are EX VAT

Designed to cushion & protect.

£ 1 .50

Trader Price







Powermaxx BS12 12V Drill Driver

- Maximum Torque 40 Nm. Max Drill Ø Steel
- Softwood 10mm / 18mm
- Supplied with 2 x 2.0 Ah Li-lon Batteries charger & carry Case

Part No. 601036500







Powermaxx SSD12 **12V Impact Driver**

Maximum Torque 115 Nm. 1/4" Hex Bit F BODY ONLY





Belt Sander

- · Ideally suited to medium
- sanding applications
 Multiple arms available to
- suit a range of abrasive belts
- Quick and easy belt change Part No. BL16L

Low Vibration Die Grinder

• Unique vibration dampening system

· Throttle valve for smoother start up action

Trader Price

E460^{.00}

25,000 RPM

Abrasive File Belt - Pack of 10

• Comprehensive dimensions and grits available to suit grinding and polishing applications







Combo Set 2.7.2 12V Twin Pack

- BSB 12 Combi Drill SSD 12 Impact Driver
- 2 x 2.0ah Li-lon Batteries Charger 7 carry case
- Part No. 685167000







MKS 18 LTX 57 18V Metal Cutting Circular Saw **Body Only**

- Adjustable Cutting Depth 0 58 mm
- Max Cutting Depth @ 90° 58mm
 Saw Blade Ø 165 x 20mm
- Max Cutting Speed: 31 m/s
- Part No. 600771840







Low Vibration Die Grinder 30,000 RPM

- Unique vibration dampening system
- · Throttle valve for smoother start up action
- Moulded sleeve for improved ergonomics, operator comfort

Part No. SMD30LR

Ergonomically designed for operator comfort



Extended Straight Die Grinder

- Spider coupling for improved transmission strength Throttle valve for smoother start up action
- Ergonomically designed lever construction
- 25,000 16,000 & 10,000 RPM models available

£660-°

Part No.	List Price	Trader Price
SMX25LR	£824.03	£660.00
SMX16LR	£907.14	£730.00
SMX10LR	£873.90	£710.00

Powermaxx 12V Adapter

 Compatible with Powermaxx 10.8v Tools Part No. 625225000 metabo



Part No. 685064000











metabo

E340.º

Small Right Angle **Pencil Grinder**

- Slim body right angled sander designed
- for precision deburring and sanding
- · Suitable for 20mm, 25mm and 38mm
- abrasive discs
- · CD collet accommodates 3mm shank burs

and mounted points





Part No. RAM20LR

Small Right

Angle Grinder

Excellent power to weight ratio

· Collet & direct attachment facilities

use with burs & quickchange discs

ata

ata





10 Piece Bur Set **Double Cut**

- · Double cut selection of most common shaped burs
- 10mm and 12mm cutting diameter

Part No. GGBKIT30

Trader Price Garryson^e



Bur Set Double Cut · Double cut selection of most

10 Piece Miniature

- common shaped burs 3mm cutting diameters

Part No. GGBKIT34 Garryson

BP 10: Compressed Air Blow Gun



DFP 400: Compressed Air

KPA 12 600 12V Caulking Gun

- Discharge Pressure: 4400 N. Holde
- Size: 600ml. Feed Rate in Idle: 1.5 10 mm/s.
- Suitable for: Cartridges
 Foil Bags. Supplied with 2 x 4.0Ah LIHD Batteries ASC 55 charger & Carry case

Part No. 601218800

Part No. 602234000

Trader Price

metabo



RF 60 G: Compressed

Air Calibrated Tyre Inflator

Power 160-5 18 LTX BL OF NEW **18V Compressor Body Only** Part No. 601521850 metabo metabo CAS **BRUSHLESS**

Cup Brush Angle Grinder

- · Anti vibration side handle
- Interchangeable side handle
- Durable gear design
- Fitted with an M14 thread, supplied with 5/8"-11UNC and M10 adapters







Zirconium Quickchange Disc

Ideal for use on titanium, hastalloy, inconel and other

exotic materials including composites



Right Angle Collet Grinder

- Durable gear design Moulded body design
- Anti vibration side handle
- · Spring loaded exhaust silencer
- Optional direct quickchange disc attachment Designed for use with 75mm quickchange discs



Right Angle Grinder

- 3 sizes available to suit
 - 100m, 115mm and 125mm discs Front of side exhaust options available

· Auto-balancer & anti-vibration side

handle to reduce vibration Part No. RA14-100PA4

Part No. RA14-115PA4



Oil Free Pencil Grinder · Air propulsion motor - no lubrication

- required Slim turbine design for operator
- comfort Ceramic bearings offering extended life and smooth operation

Part No. SPT80R Part No. SPT100R

> Trader Price F440.0



DSSW 500-1/2"C Compressed Air 1/2" Impact Wrench Part No. 601590000



Grease Gun

Part No. 601572000

£45.00

metabo

Staple Gun and Nailer Part No. 601562500











 ASC 55 + MetaLoc Part No. UK601521851

RRI ISHI ESS





Part No. Pack Qty | Trader Price GQZ50-R (36 - 120 GRITS) £35.00 100 GQZ75-R (36 - 120 GRITS) £20.00

Ceramic Quickchange Disc Garryson Zirconium Flap Discs Garryson^e · Use on stainless steel, high nickel alloys and other heat sensitive materials



		Part No.	Pack Qty	Trader Price	
		GQC50-R (36-60 GRITS)	100	£39.00	
1	İ	GQC75-R (36-60 GRITS)	50	£29.00	
-	Ŧ				



Garryson^a

Part No.	List Price	Trader Price
GFBZ100 (36-120 GRITS)	£33.10	£12.00
GFBZ115(36-120 GRITS)	£35.20	£13.00
GFBZ127(36-120GRITS)	£38.10	£15.00
	A !! D :	E\(\ \ \ \ \ \ T

All Prices are EX VAT



metabo







All Prices are EX VAT

- 230v (13amp) input supply
- · Powerful 111w (0.14hp) motor • 20" diameter free-standing fan
- 3-speed: 850 / 1100 / 1350rpm
- Ventilation of odours and fumes · Air circulation keeps the air fresh
- · Ideal for most drving application • Lightweight - weighs just 6.5kg!
- Part No. 05613

Trader Price £60^{.00}



SIP Drum Fans
• 230v (13amp) input supply • 2-speed: 1375rpm and 1425rpm
Ventilation of odours and fumes
· Air circulation keeps the air fresh

Part No.	Size	Power	Weight	List Price	Trader Price
05616	24"	250w	16kg	£251.40	£125.00
05617	30"	378w	21kg	£308.60	£155.00
05622	36"	378w	26kg	£367.80	£190.00



SIP	3	0 " l	Dr	un	ı F	an
110)v	Ne	w	Mo	od	el
_						

- Powerful 340w (0.45hp) motor 30" diameter standing drum fan
- 2-speed: 1057rpm and 1228rpm
- Ventilation of odours and fumes
- · Air circulation keeps the air fresh Ideal for most drying application Lightweight - weighs just 23.8kg!
- Part No. 05625 Trader Price





SIP Ventilators

- · 230v (13amp) input supply
- 2-speed: 2650rpm and 2775rpm Air circulation keeps the air fresh
- · Ideal for most drying applications
- Ventilation of odours and fumes

Trader Price	1
From	
£90.00	
	_

Trader Price

Part No.	Size	Power	Weight	List Price	Trader Price	
05618	10"	240w	7.8kg	£178.00	£90.00	
05619	12"	350w	9.4kg	£219.40	£110.00	



SIP 1400/35 Wet & Dry **Vacuum Cleaner**

- 230v (13amp) input supply
- Highly powerful 1400w motor3 metre vacuum hose length
- 35 litres maximum tank capacity
- Lightweight and compact design
- · Drain plug for easy liquid removal
- · Upright protectors for stability
- 4 castors for easy movemen
- · Multiple accessories include
- o 2 x light metal tubes
- o 1 x crevice tool



SIP 20 Litre 1400w Industrial Valeting Machine

- 230v (13amp) input supply
- Highly powerful 1400w motor
- 20 litre maximum tank capacity

- Quick drain plug for easy removal
- Built-in vacuum/detergent settings Switch between different modes
- Easy-to-use ready for operation
- Solid and durable construction
- Includes several accessories:
- Detergent attachments



SIP Ventilator Ducting

- 5 metre ducting length
- Several lengths can be joined together Strong concertina design for storage
- Helps provide a fresher environmer
- Manufactured from heavy-duty PVC
- Suitable for the SIP Ventilators

10" Part No. 05620

2" Part No. 05621





Tough and durable all metal gearbox

1700W 18.5kg Hex Breaker

- Fan-cooled motor. Demolition chise
- · Anti vibration rear handle
- Supplied with auxiliary side handle,
- pointed chisel, flat chisel and 3.2m cable with BS Plug.

Part No. 56411





Fibreglass Shaft Sledge Hammer



Part No.	Size	List Price	Trader Price
81433	3.2kg	£39.14	£22.00
81434	4.5kg	£48.27	£28.00
81435	6.4kg	£58.63	£35.00

Oscillating Industrial Fan

Three-speed motor and two rubber feet for added stability. 120° tilt cradle mechanism. Chrome plated metal cage provides safety when in use.

16" Part No. 09139



18" Part No. 09160



20" Industrial Floor

Standing Fan

oscillating head.

· 3-speed floor standing fan

• 90° tilting 5-blade composite

• Fitted with an 1300-1650mm

adjustable height stand.



16" Desk Fan

400mm three speed desk fan. The 90 degree oscillating tilting 3-blade head, circulates the air providing effective cooling for the area required Fitted with front and rear finger

guards and an extra wide base

18" Part No. 09111

Trader Price

16mm drilling capacity

- Fitted with a No-Volt safety
- Manufactured with an
- Supplied with a BS approved non-rewireable moulded plug and 1.8m (approx.) cable



SIP Tempest PH540/150 Hot Wash **Pressure Washer**

- 230v (13amp) input supply
- Powerful 2700w (3.6hp) motor · Electric-powered pressure washer
- 2175psi (150 bar) maximum pressure
- 540 litres/hour maximum water flow rate

230v (13amp) input supply

500



SIP Tempest PH600/140 T4 Hot Wash **Pressure Washer** 230v (13amp) input supply

- 2.2kW (3.0hp) 1400rpm 4-pole motor · 2030psi (140 bar) maximum pressure
- 600 litres/hour maximum water flow rate
- 110°C boiler-fired hot water temperature
- 15 litre diesel fuel tank capacity for heater
- 10 metre heavy-duty hose w/ rugged lance
 Brass-headed in-line Triplex crankshaft pump One-piece body cover and folding handle
- Mounted on rear wheels and front castor Low pressure detergent suction
 Reliable boiler safety features
- Premium Italian construction
- Part No. 08956TT31



- 230v (13amp) input supply
 Powerful 3hp (2.2kW) motor
- 14CFM maximum piston displacement 9.5CFM maximum free air delivery (FAD)
- Cast iron barrel ensures long service life
 Smooth V-Twin aluminium pump system
- Wheel-mounted on extra-large wheels Efficient and durable cooling system
- Part No. 06242





31CC 4 Stroke **Brush Cutter**

- · Shoulder stap for user comfort · Split shaft for ease of transport
- Adjustable D type handle
- · Highly efficient motor Lower vibration





1300WW Mower

· 320mm cutting width

- Three cutting heights
- · Foldaway handle for easy storage
- Supplied with 10M (approx.) cable and approved plug

Part No. 56102





375W 12 Speed **Bench Drill**

- 16mm drilling capacity.
- The square table is fitted with a smoothly operated rack and pinion for
- easy adjustment.
- Fitted with a No-Volt safety release switch depth stop and chuck quard.
- Manufactured with an aluminium
- motor casing and lockable pulley cover. Supplied with a BS approved
- non-rewireable moulded plug and 1.8m (approx.) cable.

Part No. 95301







- release switch, depth stop and chuck guard.
- aluminium motor casing and lockable pulley cover.

Part No. 94803





30M Bore Garden Hose & Spray Gun Kit

Thickness of 2mm. Spray gun kit comprises of a five spray pattern gun, two hose connectors and an accessory connector. Shrink wrapped with descriptive label.





Part No.	Size	Trader Price
56311	15M	£10.00
56312	30M	£18.00
56313	50M	£28.00

All Prices are EX VAT



SIP Airmate TN3.0/50-D Compressor

- Oil-lubricated, direct-drive model Heavy-duty 50 litre air receiver size
- 130psi (9 bar) maximum working pressure
- Easy-to-read gauges / ergonomic dials
- Premium Italian construction



















1200W Plunge Saw & Rail


- 0-45 degree bevel cutting base
- Max cutting depth 55mm at 90° and 42mm at 45°
- 2 x 700mm guide rails with anti-slip grips
- Dust extraction fitting
- Electronic brake
- Spindle lock
- Supplied with 24T blade and 2M cable with BS plug

Part No. 57341





24" High Velocity Drum Fan



- Two speed motor with two rubber wheels and 350° tilt
- cradle mechanism to direct airflow
 Safety grille and rubber inserts on base to prevent vibration while in use
- Overall size: 740mm. Fitted with 2M (approx.) cable and approved plug

Part No. 13519



72" Combined 15 Drawer Roller Cabinet & Tool Chest



Fitted with spring loaded suspension fixed to braked and swiveling castors and soft grip handles for easy manoeuvrability.

The reinforced lid is fitted with supportive gas struts and two soft grip

handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners and a secure locking system supplied with two keys. Each tool cabinet is supplied with a EVA top mat.

Configuration of drawers (L x W x H)

- 3 Drawers 889 x 506 x 77mm
- 2 Drawers 889 x 506 x 104mm
- 2 drawers 889 x 506 x 50mm
- 2 Drawers 397 x 506 x 77mm
- 1 Drawer 1344 x 506 x 131mm • 1 Drawer - 889 x 506 x 190mm
- 1 drawer 889 x 506 x 104mm
- 1 Drawer 397 x 506 x 298mm
- 1 Drawer 397 x 506 x 185mm
- 1 drawer 384 x 506 x 104mm
- 1 Pull out locker
- 1 Locker Door
- Dimensions (L x W x H) 1830 x 560 x 1690mm

Part No. 11174





Trader Price

List Price: £2525.00

£2000-00